


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



PRICE LIST
of
TREES SHRUBS
PLANTS
and
EVERGREENS

SPRING
1919

ANDORRA NURSERIES

WM. WARNER HARPER, Proprietor

CHESTNUT HILL, PHILA., PA.

ANDORRA NURSERIES

ARE extensive, covering a thousand acres, of which over six hundred are planted with trees and shrubs. They are easy of access, as Chestnut Hill is the terminus of branches of the Pennsylvania Railroad (take train at Broad Street Station) and the Philadelphia and Reading Railroad (take train at the Terminal, 12th and Market Streets). At Chestnut Hill, take the (City Line) Trolley which runs to City Line, within three minutes' walk of the Nurseries.

QUALITY.—The trees and shrubs offered are grown in open, unsheltered ground, in very exposed situations, which insure their hardiness, and on soil admirably adapted for forming robust plants having an abundance of roots. Special attention is called to the fact that our stock is grown a good distance apart in the rows, insuring heavier trees and shrubs than are generally offered.

SERVICE.—Andorra offers its stock fresh dug—carefully and quickly handled and most thoroughly packed. No storage stocks are carried and no "Just Imported" trees or plants are offered unless such case is plainly stated. Each order is prepared for the individual purchaser and not "pulled off a storage shelf."

PRICES.—Are not the lowest in the Trade, nor the highest, but are as low as high quality stock can be grown and sold at a fair profit and no higher grade stock is produced in the States to-day. Price alone does not insure satisfaction. Our offer is High Quality Stock Well Served at a Fair Price.

TERMS

PRICES.—Subject to change without notice, are for the goods f. o. b. our shipping station, or for local delivery by motor or f. o. b. customers' place if within ten miles of our Nurseries. Terms can be arranged for longer deliveries.

STOCK SELECTED by customers at the Nurseries will be charged according to the value of the trees chosen.

QUANTITY.—Lots of 5 and 50 will be furnished at the 10 and 100 rates respectively.

PACKING.—All goods are thoroughly packed, insuring best protection while in transit. All packing charges are included in our list prices, except for stock of unusual sizes, when the packing costs will be a matter of special arrangement.

GUARANTEE AND CLAIMS.—All goods are guaranteed true to name, full count, up to grade, and in good condition when shipped. Any plant proving untrue to name will be replaced. Claims to receive consideration must be made within **five days** after receipt of goods. **We give no guarantee of the life of stock.**

TERMS, CASH WITH ORDER, except to persons who satisfy us as to their responsibility, when accounts will be due in 30 days.

SHIPPING INSTRUCTIONS

ORDERS.—All orders are accepted subject to the following terms and conditions. Write plainly and give explicit directions as to address and mode of shipment.

SHIPPING SEASON opens about March 1 in the spring and August 1 in the fall.

INSPECTION AND FUMIGATION.—Our stock is regularly inspected and certificate will be sent with each shipment. Stock will be fumigated when requested or when the State laws require it.

FORWARDING.—Shipments will be forwarded exactly as directed; but when without instructions, we will use our best judgment and forward by shortest and safest route. We recommend all herbaceous plants be shipped by express.

RISK.—All goods are at purchaser's risk after they are delivered to the forwarding companies and we receive their receipt for the shipment in good condition.

CLAIMS for damage while in transit must be made to the delivering company. Have delivering agent note the damaged condition on the freight bill and promptly present your claim to the transportation company and send copies of all papers so we can help secure prompt settlement.

ADDRESS all correspondence and orders to the Nurseries and not to individuals.

ANDORRA NURSERIES

WM. WARNER HARPER, Prop.

CHESTNUT HILL, PHILADELPHIA, PA.

TREES

OF

UNUSUAL CHARACTER AND SIZE

The individuality of a tree can never be expressed by any listing of height or breadth, nor do such figures indicate form or worth; the following notes are of rare pieces.

BOX BUSH. Specimens.

Grown and transplanted for many years in our Nurseries, these rare old Box Bush range in height from four to seven feet, and to seven feet in breadth. See also pages 23 to 25.

SPRUCE. Specimens.

The Oriental Spruce with its deep green foliage, and the popular Colorado Blue Spruce in sizes up to 16 feet in height, and in many cases of double the average breadth. See also pages 11 and 12.

RETINOSPORA. Specimens.

Over twenty years' growth is represented in many of these choice pieces which are trained into pyramid, broad pyramid, oval pyramid, and columnar shapes. Pieces of twelve to eighteen feet in height and of a breadth of four to ten feet according to the form. See also pages 14 to 16.

CEDARS. Specimens.

Our common Red Cedar and its types, the Blue Virginiana *galuca* and the dark green Virginiana *Schotti*, in heavily trimmed, nursery specimens with a weight of body and a denseness of branch and foliage that is unusual. See also pages 6 to 10.

PINES. Specimens.


Between ten and eighteen feet in height, having a spread of from six to twelve feet, are furnished with fibrous roots insuring quick results. See also pages 12-13-14.

MAPLES. In variety.

Sugar, Norway and Schwedler's Purple are offered in large sizes—regularly prepared for transplanting and are not a large risk.

OAKS.

In such sorts as Red, Pin, Scarlet and Bicolor, from 4 to 8 inches in diameter of stem, some sorts up to 12 inches will give splendid effects at once.



Nursery Entrance and Office.

EVERGREEN TREES

For many years we have made a specialty of growing Evergreen Trees. Our Nursery soils are particularly well adapted to the formation of the fine fibrous feeding roots, and, at the same time, the soil is of such a consistency that our frequently transplanted trees, with their masses of fiber, retain the soil protecting the roots when the trees are lifted for transplanting, and they do this without the soil packing hard as is often the case when evergreens are lifted from heavy clay land.

We want to especially emphasize the importance of *the transplanted tree* and the frequency with which our evergreens are transplanted in the Nursery. In no other way can the proper system of fibrous roots be obtained, and it is the all-important item when transplanting to secure a satisfactory growth, and assure you maximum results at the minimum of time and money.

| | | Each | 10 | 100 |
|---|----------------------|--------|---------|-----|
| ABIES concolor. | White Fir— | | | |
| 1½ to 2 ft. | | \$2 50 | \$23 50 | |
| 2 to 2½ ft. | | 3 50 | 32 50 | |
| 2½ to 3 ft. | | 4 50 | 42 50 | |
| 3½ to 4 ft. | | 6 00 | 55 00 | |
| 4½ to 5 ft. | | 7 50 | 70 00 | |
| 5 to 6 ft. | | 10 00 | 85 00 | |
| 6 to 7 ft. | | 12 50 | 110 00 | |
| 8 to 12 ft. Specimens. | \$20.00 to 50 00 | | | |
| lasiacarpa, var. <i>Arizonica</i>. | (Silver-corked Fir)— | | | |
| 1½ to 2 ft. | | 3 50 | | |
| 3 to 4 ft. | | 7 50 | | |
| 4 to 5 ft. | | 10 00 | | |
| Nordmanniana. | Nordmann's Fir— | | | |
| 1½ to 2 ft. | | 2 50 | 23 50 | |
| 3 to 4 ft. | | 6 00 | 55 00 | |
| 4½ to 5 ft. | | 10 00 | 85 00 | |
| 5½ to 6 ft. Specimens. | | 15 00 | 135 00 | |
| 7 to 12 ft. Specimens. | \$25.00 to 100 00 | | | |

ALL GOODS F. O. B. HERE AT LIST PRICES

EVERGREEN TREES

| | | Each | 10 | 100 |
|--|------------------------------|------------------|---------|--------|
| BIOTA orientalis. | Oriental Arborvitæ— | | | |
| 12 to 15 in. | | \$5 00 | \$35 00 | |
| 2 to 2½ ft. | | 12 50 | 100 00 | |
| 2½ to 3 ft. | | 2 00 | 18 50 | 165 00 |
| 3 to 3½ ft. | | 2 75 | 25 00 | 200 00 |
| 3½ to 4 ft. | | 3 25 | 30 00 | 265 00 |
| 4½ to 5 ft. | | 3 75 | 35 00 | 315 00 |
| 5 to 6 ft. | | 5 00 | 45 00 | 385 00 |
| 6 to 7 ft. | | 6 00 | 55 00 | 450 00 |
| 7 to 8 ft. | | 7 50 | 70 00 | 500 00 |
| 8 to 9 ft. | | 8 50 | 80 00 | |
| 9 to 10 ft. | | 10 00 | 90 00 | |
| 10 to 12 ft. | | 12 50 | 110 00 | |
| orientalis, var. aurea nana. | (Dwarf Golden)— | | | |
| 10 to 12 in. | | 1 50 | 10 00 | |
| 12 to 15 in. | | 2 00 | 15 00 | |
| 15 to 18 in. | | 2 50 | 20 00 | |
| 20 to 24 in. | | 3 00 | 25 00 | |
| 24 to 28 in. | | 3 50 | 33 50 | |
| 28 to 30 in. | | 4 00 | 38 50 | |
| 30 to 36 in. | | 5 00 | 47 50 | |
| orientalis, var. compacta. | (Compact Chinese Arborvitæ)— | | | |
| 1 to 1½ ft. | | 1 50 | 13 50 | |
| 1½ to 2 ft. | | 2 50 | 20 00 | |
| 2½ to 3 ft. | | 3 50 | 33 50 | |
| 5 to 6 ft. | | 7 50 | 65 00 | |
| 6 to 7 ft. | | 10 00 | 90 00 | |
| orientalis, var. conspicua. | (Golden columnar form)— | | | |
| 3 to 4 ft. | | 3 50 | 30 00 | |
| 8 to 10 ft. | | \$10.00 to 15 00 | | |
| 11 to 12 ft. | | 17 50 | | |
| orientalis, var. elegantissima. | (Rollinson's Golden)— | | | |
| 1½ to 2 ft. | | 2 00 | 18 50 | |
| 2 to 2½ ft. | | 2 50 | 23 50 | |
| 2½ to 3 ft. | | 3 50 | 32 50 | |
| 3½ to 4 ft. | | 5 00 | 42 50 | |
| 4 to 5 ft. | | 6 00 | 55 00 | |
| 8 to 10 ft. | | \$15.00 to 20 00 | | |
| orientalis, var. semperaurescens. | Ever Golden— | | | |
| 1½ to 2 ft. | | 2 00 | 18 50 | |
| CEDRUS atlantica glauca. | (Mt. Atlas Silver Cedar)— | | | |
| 5 to 6 ft. | | 5 00 | 47 50 | |
| 6 to 7 ft. | | 7 50 | 65 00 | |
| 7 to 8 ft. | | 10 00 | 85 00 | |
| 8 to 10 ft. | | 15 00 | | |
| 14 to 18 ft. | Specimens. | \$20.00 to 35 00 | | |
| Lebani. | (Cedar of Lebanon)— | | | |
| 4 to 5 ft. | | 5 00 | 47 50 | |
| 5 to 6 ft. | | 7 50 | 70 00 | |
| 6 to 7 ft. | | 12 50 | 100 00 | |
| 7 to 8 ft. | | 15 00 | 135 00 | |

LARGE SIZES FOR IMMEDIATE EFFECT

EVERGREEN TREES

7

| | Each | 10 | 100 |
|---|------------------|---------|-----|
| CRYPTOMERIA japonica , var. <i>Drachiooides</i> — | | | |
| 7 to 8 ft. | \$10 00 | | |
| japonica , var. <i>Lobbi compacta</i> . (Japanese Cedar) — | | | |
| 3 to 4 ft. | 3 50 | \$32 50 | |
| 4 to 4½ ft. | 5 00 | 40 00 | |
| 4½ to 5 ft. | 6 00 | 50 00 | |
| 5 to 5½ ft. | 7 50 | 60 00 | |
| 5½ to 6 ft. | 8 50 | 70 00 | |
| 6 to 7 ft. | 10 00 | 85 00 | |
| 7 to 8 ft. | 12 50 | 110 00 | |
| 8 to 10 ft. | 15 00 | 135 00 | |
| 10 to 12 ft. | \$20.00 to 25 00 | | |
| ILEX aquifolium . (English Holly) — | | | |
| 1½ to 1½ ft. | 2 00 | 18 50 | |
| opaca . (American Holly) — | | | |
| 1½ to 2 ft. | 2 50 | 23 50 | |
| 2 to 2½ ft. | 3 50 | 32 50 | |
| 2½ to 3 ft. | 4 00 | 38 50 | |
| 3 to 3½ ft. | 5 00 | 47 50 | |
| 3½ to 4 ft. | 6 00 | 55 00 | |
| 4½ to 5 ft. | 7 50 | 70 00 | |
| 5 to 6 ft. | 12 50 | 110 00 | |
| 6 to 7 ft. | \$15.00 to 20 00 | | |
| JUNIPERUS chinensis . (Chinese Juniper) — | | | |
| 3 to 3½ ft. | 2 75 | 25 00 | |
| 3½ to 4 ft. | 3 50 | 33 50 | |
| 4½ to 5 ft. | 4 00 | 38 50 | |
| 5½ to 6 ft. | 6 00 | 55 00 | |
| 6 to 7 ft. | 7 50 | 72 50 | |
| 7 to 8 ft. | 10 00 | 90 00 | |
| 8 to 9 ft. | 15 00 | 135 00 | |
| 9 to 10 ft. | \$25.00 to 35 00 | | |
| chinensis , var. <i>albo-variegata</i> . (Silver-tipped Juniper) — | | | |
| 1½ to 2 ft. | 2 00 | 17 50 | |
| 2 to 2½ ft. | 2 50 | 23 50 | |
| 2½ to 3 ft. | 3 50 | 32 50 | |
| 3½ to 4 ft. | 4 50 | 42 50 | |
| 4 to 4½ ft. | 6 00 | 47 50 | |
| 4½ to 5 ft. | 7 50 | 60 00 | |
| 5 to 6 ft. | 8 50 | 75 00 | |
| 6 to 7 ft. | 10 00 | 85 00 | |
| 7 to 8 ft. | 15 00 | 135 00 | |
| 8 to 10 ft. | \$20.00 to 35 00 | | |
| chinensis , var. <i>femina Reevesii</i> . (Reeve's Juniper) — | | | |
| 3 to 3½ ft. | 3 50 | 32 50 | |
| 3½ to 4 ft. | 5 00 | 40 00 | |
| 4 to 4½ ft. | 6 00 | 50 00 | |
| 4½ to 5 ft. | 7 50 | 65 00 | |
| 8 to 10 ft. | \$15.00 to 25 00 | | |
| chinensis , var. <i>Pfitzeriana</i> . (Pfitzer's Juniper) — | | | |
| 1½ to 2 ft. | 2 50 | 20 00 | |
| 2 to 2½ ft. | 3 50 | 32 50 | |
| 3½ to 4 ft. | 5 00 | 48 50 | |
| 4 to 4½ ft. | 6 00 | 55 00 | |
| 4½ to 5 ft. | 7 50 | 70 00 | |
| 5 to 6 ft. | 12 50 | 135 00 | |

ALL GOODS F. O. B. HERE AT LIST PRICES

EVERGREEN TREES

| | Each | 10 | 100 |
|--|--------|---------|-----|
| JUNIPERUS chinensis, var. procumbens. (Trailing)— | | | |
| 10 to 12 in. x 10 to 12 in. | \$1 50 | \$13 50 | |
| 12 to 15 in. x 12 to 15 in. | 2 00 | 17 50 | |
| chinensis, var. <i>Virginalis</i>. (Dwarf Chinese Juniper)— | | | |
| 8 to 10 in. x 8 to 10 in. | 2 00 | 17 50 | |
| 18 in. x 18 to 24 in. | 3 50 | 30 00 | |
| chinensis, var. <i>virginalis aurea</i>. (Golden)— | | | |
| 8 to 10 in. x 10 in. | 2 00 | | |
| communis. (Common upright Juniper)— | | | |
| 15 to 18 in. | 1 50 | 10 00 | |
| 1½ to 2 ft. | 2 00 | 15 00 | |
| 2 to 2½ ft. | 2 50 | 22 50 | |
| 4 to 4½ ft. | 3 50 | 33 50 | |
| 4½ to 5 ft. | 4 50 | 40 00 | |
| 5 to 6 ft. | 6 00 | 50 00 | |
| communis, var. <i>depressa</i>. (Spreading Canadian Juniper)— | | | |
| 12 to 15 in. spread | 1 00 | 8 50 | |
| 15 to 18 in. spread | 1 50 | 10 00 | |
| 2 to 2½ ft. spread | 2 50 | 23 50 | |
| 2½ to 3 ft. spread | 3 50 | 33 50 | |
| communis, var. <i>depressa aurea</i>. (Golden)— | | | |
| 2 to 3 ft. spread | 2 50 | 23 50 | |
| 4 to 5 ft. spread | 3 50 | 32 50 | |
| communis, var. <i>depressa plumosa</i>. New— | | | |
| Introduced by Andorra. Rich Purple, fall coloring. Dense growth. | | | |
| 12 to 15 in. spread | 2 50 | 20 00 | |
| 15 to 18 in. spread | 3 00 | 25 00 | |
| 18 to 24 in. spread | 4 00 | 35 00 | |
| 24 to 30 in. spread | 5 00 | 40 00 | |
| communis, var. <i>Vase type</i>. New— | | | |
| 4 to 5 ft. | 5 00 | 45 00 | |
| communis, var. <i>hibernica</i>. (Irish Juniper)— | | | |
| 1½ to 2 ft. | 1 50 | 10 00 | |
| 2 to 2½ ft. | 2 00 | 12 50 | |
| 2½ to 3 ft. | 2 50 | 20 00 | |
| 4 to 4½ ft. | 3 00 | 25 00 | |
| 4½ to 5 ft. | 4 00 | 32 50 | |
| communis, var. <i>horizontalis</i>. (Trailing)— | | | |
| 8 to 10 in. x 12 to 18 in. | 1 50 | 13 50 | |
| 8 to 10 in. x 18 to 24 in. | 2 00 | 17 50 | |
| 10 in. x 24 to 30 in. | 3 50 | 32 50 | |
| communis, var. <i>suecica</i>. (Swedish Juniper)— | | | |
| 1½ to 2 ft. | 1 50 | 13 50 | |
| 5 to 6 ft. | 5 00 | 45 00 | |
| 6 to 7 ft. | 6 50 | 55 00 | |
| excelsa, var. <i>stricta</i>. (Greek Juniper)— | | | |
| 2 to 2½ ft. | 3 50 | 32 50 | |
| 2½ to 3 ft. | 4 00 | 38 50 | |
| 3 to 3½ ft. | 5 00 | 47 50 | |
| 3½ to 4 ft. | 7 50 | 65 00 | |
| 4 to 4½ ft. | 10 00 | 90 00 | |
| 4½ to 5 ft. | 15 00 | | |
| 7 to 8 ft. Specimens.... | 35 00 | | |

LARGE SIZES FOR IMMEDIATE EFFECT

EVERGREEN TREES

9

| | Each | 10 | 100 |
|--|---------|---------|-----|
| JUNIPERUS Fortunei. (Fortune's Juniper)— | | | |
| 6 to 7 ft. | \$12 50 | | |
| <i>japonica.</i> Japan Juniper— | | | |
| 12 to 15 in. x 15 to 18 in. | 2 50 | \$23 50 | |
| 15 to 18 in. x 18 in. | 3 50 | 32 50 | |
| 2 to 2½ ft. | 4 50 | 42 50 | |
| 3 to 3½ ft. | 7 50 | 60 00 | |
| 3½ to 4 ft. | 10 00 | | |
| 4 to 5 ft. | 12 50 | | |
| <i>japonica</i> , var. <i>aurea</i> . (Golden)— | | | |
| 2 to 2½ ft. | 2 50 | 20 00 | |
| 2½ to 3 ft. | 3 50 | 30 00 | |
| 4 to 5 ft. | 6 00 | 50 00 | |
| <i>macrocarpa</i> , syn. <i>neoboriensis</i> — | | | |
| 4 to 5 ft. | 4 00 | 38 50 | |
| 5 to 6 ft. | 5 00 | 48 50 | |
| 6 to 7 ft. | 6 00 | 55 00 | |
| pachyphlæa. Silver foliage. Rare— | | | |
| 7 to 8 ft. | 10 00 | | |
| Sabina. (Savin Juniper)— | | | |
| 1 to 1½ ft. | 1 50 | 9 00 | |
| 1½ to 2 ft. | 1 75 | 13 50 | |
| 2 to 2½ ft. | 2 50 | 18 50 | |
| 2½ to 3 ft. | 3 50 | 23 50 | |
| 3 to 3½ ft. | 4 50 | 30 00 | |
| Sabina , var. <i>cupressifolia</i> . Trailing. | | | |
| <i>Rare</i> — | | | |
| 6 to 8 in. x 10 to 12 in. | 2 00 | 18 50 | |
| Sabina , var. <i>tamariscifolia</i> — | | | |
| 8 to 10 in. x 10 to 12 in. | 1 50 | 12 50 | |
| 8 to 10 in. x 12 to 15 in. | 2 00 | 17 50 | |
| 12 to 14 in. x 15 to 18 in. | 2 50 | 20 00 | |
| squamata. (Japanese Trailing Juniper)— | | | |
| 6 to 8 in. x 10 to 12 in. | 1 50 | 12 50 | |
| 8 to 10 in. x 15 to 18 in. | 2 00 | 18 50 | |
| 10 to 12 in. x 18 to 24 in. | 2 50 | 22 50 | |
| 8 to 10 in. x 24 to 30 in. | 4 50 | 32 50 | |
| 12 to 15 in. x 30 to 40 in. | 6 00 | 45 00 | |
| virginiana. Red or Virginia Cedar— | | | |
| 1½ to 2 ft. | 1 00 | 9 00 | |
| 2 to 2½ ft. | 1 75 | 13 50 | |
| 3 to 3½ ft. | 2 50 | 23 50 | |
| 4 to 4½ ft. | 3 50 | 32 50 | |
| 5 to 5½ ft. | 4 50 | 42 50 | |
| 6 to 6½ ft. | 6 50 | 60 00 | |
| 7 to 7½ ft. | 7 50 | 72 50 | |
| 8 to 9 ft. | 10 00 | 90 00 | |
| 10 to 11 ft. | 15 00 | 135 00 | |
| virginiana , var. <i>Cannarti</i> . <i>Cannarti</i> | | | |
| <i>Cedar</i> — | | | |
| 4 to 5 ft. | 4 50 | 42 50 | |
| 5½ to 6 ft. | 7 50 | 70 00 | |
| 8 to 9 ft. | 12 50 | | |
| 9 to 10 ft. | 15 00 | | |

ALL GOODS F. O. B. HERE AT LIST PRICES

EVERGREEN TREES

| | | Each | 10 | 100 |
|---|--|--------|---------|-----|
| JUNIPERUS | virginiana , var. <i>glauca</i> . Blue Vir- | | | |
| | ginia Cedar— | | | |
| 3 | to $3\frac{1}{2}$ ft. | \$3 00 | \$25 00 | |
| $3\frac{1}{2}$ | to 4 ft. | 3 50 | 32 50 | |
| 4 | to $4\frac{1}{2}$ ft. | 4 00 | 38 50 | |
| 5 | to $5\frac{1}{2}$ ft. | 5 00 | 48 50 | |
| 6 | to $6\frac{1}{2}$ ft. | 7 50 | 70 00 | |
| 7 | to $7\frac{1}{2}$ ft. | 8 50 | 80 00 | |
| 8 | to 9 ft. | 12 50 | 115 00 | |
| 9 | to 10 ft. | 17 50 | 150 00 | |
| 10 | to 12 ft. | 20 00 | | |
| virginiana , var. <i>Kosteri</i> . (Spreading | | | | |
| | Cedar)— | | | |
| 2 | to $2\frac{1}{2}$ ft. x 2 to $2\frac{1}{2}$ ft. | 3 50 | 28 50 | |
| $2\frac{1}{2}$ | to 3 ft. x $2\frac{1}{2}$ to 3 ft. | 4 50 | 35 00 | |
| $3\frac{1}{2}$ | to 4 ft. x $3\frac{1}{2}$ to 4 ft. | 6 00 | 47 50 | |
| virginiana , var. <i>elegantissima</i> . (Lee's | | | | |
| | Golden)— | | | |
| 2 | to $2\frac{1}{2}$ ft. | 2 00 | 18 50 | |
| $2\frac{1}{2}$ | to 3 ft. | 2 50 | 23 50 | |
| 4 | to $4\frac{1}{2}$ ft. | 4 00 | 38 50 | |
| 5 | to $5\frac{1}{2}$ ft. | 5 00 | 48 50 | |
| 6 | to $6\frac{1}{2}$ ft. | 7 50 | 70 00 | |
| 7 | to $7\frac{1}{2}$ ft. | 8 50 | 80 00 | |
| 8 | to 9 ft. | 12 50 | 115 00 | |
| 9 | to 10 ft. | 17 50 | 150 00 | |
| virginiana , var. <i>pendula</i> . (Weeping | | | | |
| | Cedar)— | | | |
| 6 | to 7 ft. | 7 50 | 70 00 | |
| 7 | to 8 ft. | 12 50 | | |
| 8 | to 9 ft. | 15 00 | | |
| virginiana , var. <i>plumosa argentea</i> . (Sil- | | | | |
| | ver-tipped)— | | | |
| 6 | to $6\frac{1}{2}$ ft. | 7 50 | 70 00 | |
| virginiana , var. <i>Schotti</i> . Schott's Cedar— | | | | |
| 4 | to $4\frac{1}{2}$ ft. | 4 00 | 38 50 | |
| 5 | to $5\frac{1}{2}$ ft. | 5 00 | 48 50 | |
| 6 | to $6\frac{1}{2}$ ft. | 7 50 | 70 00 | |
| 7 | to $7\frac{1}{2}$ ft. | 8 50 | 80 00 | |
| 8 | to 9 ft. | 12 50 | 115 00 | |
| 9 | to 10 ft. | 17 50 | 150 00 | |
| 10 | to 11 ft. | 20 00 | | |
| virginiana , var. <i>tripartita</i> — | | | | |
| 2 | to $2\frac{1}{2}$ ft. | 3 50 | 30 00 | |
| $2\frac{1}{2}$ | to 3 ft. | 4 50 | 43 50 | |
| 3 | to $3\frac{1}{2}$ ft. | 5 50 | 50 00 | |
| $3\frac{1}{2}$ | to 4 ft. | 6 50 | 60 00 | |

LARGE SIZES FOR IMMEDIATE EFFECT

EVERGREEN TREES

11

| | | | |
|--|------------------|--------|---------|
| PICEA alba. (See <i>Picea Canadensis.</i>) | Each | 10 | 100 |
| Alcockiana. (Alcock's Spruce)— | | | |
| 1½ ft. | \$2 50 | | |
| 5 to 6 ft. | 10 00 | | |
| 6 to 7 ft. | 15 00 | | |
| canadensis. (White Spruce)— | | | |
| 1½ to 2 ft. | 1 00 | \$8 50 | \$75 00 |
| 2 to 2½ ft. | 1 50 | 13 50 | 125 00 |
| 2½ to 3 ft. | 2 00 | 18 50 | |
| 3 to 3½ ft. | 3 50 | 28 50 | 250 00 |
| 3½ to 4 ft. | 4 00 | 31 50 | 300 00 |
| 4½ to 5 ft. | 5 00 | 38 50 | |
| 5½ to 6 ft. | 6 50 | 42 50 | |
| 7 to 8 ft. | 10 00 | 90 00 | |
| 8 to 10 ft. | 15 00 | 135 00 | |
| canadensis, var. aurea. (Golden-White Spruce)— | | | |
| 2 to 2½ ft. | 2 50 | 22 50 | |
| 2½ to 3 ft. | 3 50 | 30 00 | |
| 3 to 3½ ft. | 4 50 | 40 00 | |
| 3½ to 4 ft. | 6 00 | 47 50 | |
| excelsa. Norway Spruce— | | | |
| 2 to 3 ft. | 1 50 | 13 50 | |
| 3 to 4 ft. | 2 00 | 17 50 | 150 00 |
| 4 to 4½ ft. | 2 50 | 20 00 | 185 00 |
| 4½ to 5 ft. | 3 00 | 27 50 | 265 00 |
| 5 to 5½ ft. | 3 50 | 32 50 | 300 00 |
| 5½ to 6 ft. | 4 00 | 37 50 | 350 00 |
| 6 to 7 ft. | 6 50 | 50 00 | 450 00 |
| 7 to 8 ft. | 7 50 | 70 00 | 600 00 |
| 8 to 12 ft. | \$10.00 to 25 00 | | |
| excelsa, var. aurea. (Golden Norway Spruce)— | | | |
| 10 to 12 ft. x 6 ft. | 15 00 | | |
| excelsa, var. Gregoriana. (Gregory's Spruce)— | | | |
| 2 to 2½ ft. x 2 to 2½ ft. | 5 00 | | |
| 3½ ft. x 3½ ft. | 10 00 | | |
| excelsa, var. inverta. (Weeping Norway Spruce)— | | | |
| 12 to 14 ft. x 5 to 6 ft. | 20 00 | | |
| excelsa, var. Maxwellii. (Maxwell's Dwarf Spruce)— | | | |
| 6 to 8 in. x 10 to 12 in. | 2 50 | 22 50 | |
| excelsa, var. pumila— | | | |
| 12 to 18 in. | 2 00 | 18 50 | |
| excelsa, var. pyramidalis. (Pyramidal Norway Spruce)— | | | |
| 2½ to 3 ft. | 2 00 | 18 50 | |
| 3 to 3½ ft. | 2 50 | 22 50 | |
| 4 to 4½ ft. | 3 50 | 32 50 | |
| 5 to 5½ ft. | 4 50 | 42 50 | |
| 7 to 8 ft. | 10 00 | 90 00 | |
| 8 to 9 ft. | 12 50 | 115 00 | |
| orientalis. (Eastern Spruce)— | | | |
| 3 to 3½ ft. | 3 50 | 32 50 | |
| 4 to 4½ ft. | 5 00 | 45 00 | |
| 5 to 5½ ft. | 7 50 | 65 00 | |
| 6 to 6½ ft. | 10 00 | 90 00 | |
| 6½ to 7 ft. | 15 00 | 135 00 | |
| 8 to 18 ft. Specimens. | \$25.00 to 75 00 | | |

ALL GOODS F. O. B. HERE AT LIST PRICES

EVERGREEN TREES

| | | Each | 10 | 100 |
|---|-------------------|------------------|---------|-----|
| PICEA Parryana glauca — | | | | |
| 1½ to 2 ft. | | \$2 50 | \$23 50 | |
| polita. (Tiger-tail Spruce) — | | | | |
| 1½ ft. | | 2 50 | 23 50 | |
| 7 to 8 ft. | | 15 00 | 135 00 | |
| 8 to 10 ft. | | 20 00 | | |
| pungens. Colorado Spruce. Green— | | | | |
| 2 to 2½ ft. | | 2 50 | 23 50 | |
| 2½ to 3 ft. | | 3 50 | 32 50 | |
| 3 to 3½ ft. | | 4 50 | 38 50 | |
| 3½ to 4 ft. | | 5 50 | 47 50 | |
| 10 to 16 ft. Specimens. | \$25.00 to 100 00 | | | |
| pungens, var. glauca. (Blue Colorado Spruce) — | | | | |
| 2 to 2½ ft. | | 3 50 | 32 50 | |
| 3 to 3½ ft. | | 5 00 | 47 50 | |
| 5 to 5½ ft. | | 10 00 | 90 00 | |
| 6 to 6½ ft. | | 15 00 | 125 00 | |
| 7 to 8 ft. | | 25 00 | | |
| 8 to 9 ft. | | 35 00 | | |
| 9 to 10 ft. | | 50 00 | | |
| 12 to 16 ft. Specimens. | \$75.00 to 100 00 | | | |
| pungens, var. Kosteriana. (Koster's Blue Spruce) — | | | | |
| 3 to 3½ ft. | | 7 50 | 65 00 | |
| 4 to 4½ ft. | | 10 00 | 90 00 | |
| 5 to 5½ ft. | | 15 00 | 125 00 | |
| 6 to 7 ft. | | 20 00 | | |
| 7 to 8 ft. | | 30 00 | | |
| 10 to 15 ft. Specimens. | \$50.00 to 100 00 | | | |
| Engelmanni. (Engelmann's Spruce) — | | | | |
| 1½ to 2 ft. | | 2 00 | 18 50 | |
| 2 to 2½ ft. | | 2 50 | 23 50 | |
| 2½ to 3 ft. | | 3 50 | 33 50 | |
| PINUS Austriaca. (See <i>Nigra Austriaca</i> .) | | | | |
| Cembra. (Swiss Stone Pine) — | | | | |
| 2 to 2½ ft. | | 3 00 | 28 50 | |
| 2½ to 3 ft. | | 3 75 | 36 50 | |
| 3 to 3½ ft. | | 4 50 | 38 50 | |
| 3½ to 4 ft. | | 5 00 | 47 50 | |
| 4 to 4½ ft. | | 6 50 | 58 50 | |
| 5 to 5½ ft. | | 7 50 | 72 50 | |
| 6 to 6½ ft. | | 10 00 | | |
| 7 to 8 ft. | | 15 00 | | |
| densiflora. (Japanese Red Pine) — | | | | |
| 2½ to 3 ft. | | 2 50 | 23 50 | |
| 3 to 3½ ft. | | 3 50 | 32 50 | |
| 3½ to 4 ft. | | 4 50 | 42 50 | |
| 4 to 5 ft. | | 6 00 | | |
| densiflora, var. globosa. (Tanyoshio.) | | | | |
| (Japanese Mt. Table Pine) — | | | | |
| 2½ to 3 ft. x 3 to 3½ ft. | | 5 00 | 47 50 | |
| 3½ to 4 ft. x 3½ to 4 ft. | | 7 50 | 70 00 | |
| 4 to 5 ft. x 4 to 5 ft. | | 10 00 | 90 00 | |
| 5 to 6 ft. x 5 ft. | | \$15.00 to 20 00 | | |
| excelsa. (Bhotan Pine) — | | | | |
| 2 to 2½ ft. | | 2 00 | 18 50 | |
| 2½ to 3 ft. | | 2 75 | 25 00 | |
| 3 to 3½ ft. | | 3 50 | 32 50 | |
| 3½ to 4 ft. | | 4 50 | 40 00 | |
| 4½ to 5 ft. | | 6 00 | 50 00 | |

LARGE SIZES FOR IMMEDIATE EFFECT

EVERGREEN TREES

13

| | | Each | 10 | 100 |
|------------------------------|--------------------------|--------|---------|----------|
| PINUS excelsa. | (Bhotan Pine)—Continued— | | | |
| 5 to 5½ ft. | | \$7 50 | \$72 50 | |
| 5½ to 6 ft. | | 8 50 | 75 00 | |
| 6 to 7 ft. | | 12 50 | 100 00 | |
| 7 to 8 ft. | | 15 00 | 135 00 | |
| 9 to 10 ft. | | 20 00 | | |
| 11 to 12 ft. | | 30 00 | | |
| 13 to 14 ft. Specimens | | 40 00 | | |
| koraiensis. | Corean Pine— | | | |
| 6 to 7 ft. | | 7 50 | | |
| 10 to 12 ft. | | 20 00 | | |
| montana. | (Mountain Pine)— | | | |
| 2 ft. x 2 ft. | | 2 50 | 23 50 | |
| 2½ ft. x 2½ ft. | | 3 50 | 32 50 | |
| 3 ft. x 3 ft. | | 5 00 | 45 00 | |
| montana, var. Mughus. | (Dwarf Mt. Pine)— | | | |
| 12 to 15 in. x 12 to 15 in. | | 1 50 | 12 50 | \$100 00 |
| 15 to 18 in. x 15 to 18 in. | | 2 00 | 13 50 | 125 00 |
| 18 in. x 20 to 24 in. | | 2 50 | 23 50 | 200 00 |
| 18 in. x 24 to 28 in. | | 3 00 | 28 50 | 250 00 |
| 18 in. x 28 to 30 in. | | 3 50 | 32 50 | |
| 18 to 24 in. x 30 to 36 in. | | 4 00 | 38 50 | |
| 24 in. x 48 to 60 in. | \$7.50 to 10 00 | | | |
| nigra austriaca. | (Austrian Pine)— | | | |
| 3 to 3½ ft. | | 3 50 | 32 50 | |
| 4 to 4½ ft. | | 4 00 | 38 50 | |
| 4½ to 5 ft. | | 5 00 | 47 50 | |
| 5 to 5½ ft. | | 7 50 | 70 00 | |
| 6 to 7 ft. | | 8 50 | 80 00 | |
| 7 to 8 ft. | | 20 00 | | |
| 9 to 10 ft. | | 25 00 | | |
| 10 ft. Extra | | 30 00 | | |
| ponderosa. | (Bull Pine)— | | | |
| 1½ to 2 ft. | | 1 50 | 13 50 | |
| 5 to 6 ft. | | 5 00 | 48 50 | |
| 6 to 8 ft. | | 8 50 | 75 00 | |
| resinosa. | (Red Pine)— | | | |
| 1½ to 2 ft. | | 1 00 | 9 00 | |
| 2 to 2½ ft. | | 1 50 | 13 50 | |
| 2½ to 3 ft. | | 2 50 | 23 50 | |
| 3 to 3½ ft. | | 3 00 | 28 50 | |
| 3½ to 4 ft. | | 3 50 | 33 50 | |
| 4 to 5 ft. | | 5 00 | 48 50 | |
| rigida. | (Pitch Pine)— | | | |
| 5 to 6 ft. | | 5 00 | 48 50 | |
| 6 to 7 ft. | | 6 00 | 57 50 | |
| 7 to 8 ft. | | 7 50 | 70 00 | |
| 8 to 9 ft. | | 8 50 | 78 50 | |
| 9 to 10 ft. | | 10 00 | | |
| 10 to 12 ft. | | 15 00 | | |
| Strobus. | (White Pine)— | | | |
| 2 to 3 ft. | | 1 25 | 10 00 | 90 00 |
| 3 to 3½ ft. | | 1 75 | 14 50 | 110 00 |
| 4 to 4½ ft. | | 2 50 | 20 00 | 150 00 |
| 5 to 5½ ft. | | 3 75 | 35 00 | 275 00 |
| 6 to 6½ ft. | | 4 50 | 42 50 | 350 00 |
| 7 to 7½ ft. | | 7 00 | 60 00 | |
| 8 to 9 ft. | | 8 50 | 75 00 | |
| 9 to 10 ft. | | 12 50 | 115 00 | |
| 12 to 16 ft. | \$20.00 to 35 00 | | | |

ALL GOODS F. O. B. HERE AT LIST PRICES

| | | Each | 10 | 100 |
|--|-------|------------------|---------|-----|
| PINUS sylvestris. (Scotch Pine)— | | | | |
| 3 to 3½ ft. | | \$2 50 | \$22 50 | |
| 3½ to 4 ft. | | 3 50 | 28 50 | |
| 4 to 4½ ft. | | 4 00 | 32 50 | |
| 5 to 5½ ft. | | 5 00 | 40 00 | |
| 5½ to 6 ft. | | 6 00 | 42 50 | |
| 6 to 7 ft. | | 7 50 | 70 00 | |
| 7 to 8 ft. | | 8 50 | 75 00 | |
| 8 to 9 ft. | | 9 00 | 80 00 | |
| 10 to 12 ft. | | 15 00 | | |
| Thunbergii. (Japanese Pine)— | | | | |
| 3½ to 4 ft. | | 3 50 | 26 50 | |
| 4 to 4½ ft. | | 4 50 | 32 50 | |
| 4½ to 5 ft. | | 5 00 | 38 50 | |
| 5 to 6 ft. | | 6 00 | 40 00 | |
| virginiana (<i>Inops</i>). Jersey Pine— | | | | |
| 9 to 10 ft. | | 15 00 | | |
| PSEUDO TSUGA <i>Douglasii</i> . (Douglas' Spruce)— | | | | |
| 2½ to 3 ft. | | 2 50 | 18 50 | |
| 3 to 3½ ft. | | 3 50 | 25 00 | |
| 4 to 4½ ft. | | 4 00 | 38 50 | |
| 5 to 5½ ft. | | 5 00 | 48 50 | |
| 6 to 7 ft. | | 7 50 | 72 50 | |
| 7 to 8 ft. | | 10 00 | 90 00 | |
| 8 to 10 ft. | | 15 00 | 135 00 | |
| Douglasii , var. <i>elegans glauca</i> — | | | | |
| 3 to 4 ft. | | 4 00 | 38 50 | |
| 4 to 5 ft. | | 6 00 | 50 00 | |
| Douglasii , var. <i>pendula</i> . (Weeping Douglas Fir)— | | | | |
| 5 to 6 ft. | | 7 50 | | |
| 6 to 8 ft. | | \$12.50 to 20 00 | | |
| RETINOSPORA <i>filifera</i> . (Thread-branched Japan Cypress) | | | | |
| 2½ to 3 ft. | | 3 50 | 30 00 | |
| 3 to 3½ ft. | | 4 50 | 38 50 | |
| 3½ to 4 ft. | | 6 00 | 45 00 | |
| 4½ to 5 ft. | | 7 50 | 70 00 | |
| 5½ to 6 ft. | | 8 50 | 75 00 | |
| 7 to 8 ft. | | 15 00 | | |
| 8 to 9 ft. | | \$20.00 to 25 00 | | |
| 9 to 10 ft. | | \$30.00 to 35 00 | | |
| 11 to 12 ft. | | 50 00 | | |
| filifera , var. <i>aurea</i> . (Golden)— | | | | |
| 1 ft. | | 1 00 | 9 00 | |
| 15 to 18 in. | | 2 00 | 18 50 | |
| 18 to 24 in. | | 2 50 | 23 50 | |
| 24 to 30 in. | | 3 50 | 32 50 | |
| 3 to 3½ ft. | | 5 00 | 47 50 | |
| 4 ft. | | 7 50 | | |
| leptoclada . Thuya-like Cypress— | | | | |
| 1½ to 2 ft. | | 2 50 | 23 50 | |
| 2 to 2½ ft. | | 3 50 | 32 50 | |
| obtusa . (Obtuse-leaved Cypress)— | | | | |
| 2½ to 3 ft. | | 3 50 | 30 00 | |
| 4 to 4½ ft. | | 4 50 | 40 00 | |
| 5 to 5½ ft. | | 6 00 | 47 50 | |
| 5½ to 6 ft. | | 7 50 | 70 00 | |
| 6½ to 7 ft. | | 8 50 | 78 50 | |
| 7 to 8 ft. | | 12 50 | | |
| 8 to 10 ft. | | \$15.00 to 25 00 | | |

LARGE SIZES FOR IMMEDIATE EFFECT

EVERGREEN TREES

15

| | | Each | 10 | 100 |
|---|---------------------------------------|------------------|---------|-----|
| RETINOSPORA obtusa, var. compacta. | Compact | | | |
| | Cypress— | | | |
| 4 to 4½ ft. | | \$5 00 | \$45 00 | |
| 4½ to 5 ft. | | 6 00 | 55 00 | |
| 5 to 6 ft. | | 8 50 | 80 00 | |
| obtusa, var. Crippsi. | (Cripp's Golden)— | | | |
| 1½ to 2 ft. | | 2 50 | 18 50 | |
| 2 to 2½ ft. | | 3 50 | 32 50 | |
| 2½ to 3 ft. | | 5 00 | 47 50 | |
| obtusa, var. nana. | (Dwarf Japan Cy- press)— | | | |
| 10 to 12 in. | | 2 00 | 15 00 | |
| 18 in. | | 2 50 | 23 50 | |
| 20 to 24 in. | | 3 00 | 28 50 | |
| 24 to 27 in. | | 4 00 | 37 50 | |
| 27 to 30 in. | | 5 00 | 47 50 | |
| 36 in. | | 7 50 | 72 50 | |
| 38 to 42 in. | | 10 00 | 90 00 | |
| 45 to 48 in. | | 15 00 | 135 00 | |
| 5 to 7 ft. Specimens. | \$20.00 to 50 00 | | | |
| obtusa, var. nana aurea. | (Dwarf Golden Japan Cypress)— | | | |
| 30 in. | | 5 00 | 47 50 | |
| 32 to 36 in. | | 6 50 | 60 00 | |
| 36 to 40 in. | | 8 50 | 77 50 | |
| 42 to 45 in. | | 10 00 | 90 00 | |
| 45 to 48 in. | | 15 00 | 135 00 | |
| 4½ to 7 ft. Specimens. | \$17.50 to 35 00 | | | |
| obtusa, var. nana gracilis. | (Very Dwarf)— | | | |
| 10 to 15 in. | | 2 50 | 23 50 | |
| 18 to 20 in. | | 3 50 | 32 50 | |
| 20 to 24 in. | | 5 00 | 47 50 | |
| 24 to 27 in. | | 7 50 | 70 00 | |
| 27 to 30 in. | | 10 00 | 90 00 | |
| pisifera. | (Pea-fruited Cypress.) Dark Green— | | | |
| 2½ to 3 ft. | | 2 50 | 23 50 | |
| 3 to 3½ ft. | | 3 50 | 32 50 | |
| 4 to 4½ ft. | | 4 50 | 40 00 | |
| 5 to 5½ ft. | | 6 00 | 50 00 | |
| 6 to 7 ft. | | 8 50 | 80 00 | |
| 7 to 8 ft. | | 12 50 | 100 00 | |
| 8 to 9 ft. | | 15 00 | 135 00 | |
| 10 to 16 ft. Specimens. | \$20.00 to 75 00 | | | |
| pisifera, var. aurea. | (Golden Pea- fruited)— | | | |
| 15 to 18 in. | | 1 00 | 9 00 | |
| 1½ to 2 ft. | | 1 50 | 13 50 | |
| 2 to 2½ ft. | | 2 00 | 18 50 | |
| 2½ to 3 ft. | | 2 50 | 23 50 | |
| 3 to 3½ ft. | | 3 50 | 32 50 | |
| 4 to 4½ ft. | | 4 50 | 40 00 | |
| 5 to 5½ ft. | | 6 50 | 60 00 | |
| 7 to 8 ft. | | 15 00 | | |
| 9 to 10 ft. | | \$20.00 to 25 00 | | |
| 12 to 14 ft. Specimens. | \$35.00 to 60 00 | | | |

ALL GOODS F. O. B. HERE AT LIST PRICES

EVERGREEN TREES

| | | Each | 10 | 100 |
|--------------------|---|------------------|---------|-----|
| RETINOSPORA | plumosa. (Plum-like Cypress)— | | | |
| 1½ | to 2 ft. | \$1 50 | \$13 50 | |
| 2 | to 2½ ft. | 2 00 | 18 50 | |
| 2½ | to 3 ft. | 2 50 | 23 50 | |
| 3 | to 3½ ft. | 3 50 | 32 50 | |
| 4 | to 4½ ft. | 4 50 | 40 00 | |
| 5 | to 5½ ft. | 6 00 | 50 00 | |
| 6 | to 6½ ft. | 8 50 | 77 50 | |
| 7 | to 8 ft. | 15 00 | | |
| 9 | to 10 ft. | \$20.00 to 25 00 | | |
| 12 | to 16 ft. Specimens. | \$35.00 to 75 00 | | |
| plumosa, | var. argentea. Silver-plumed | | | |
| | Cypress)— | | | |
| 4 | to 4½ ft. | 4 50 | 40 00 | |
| 4½ | to 5 ft. | 5 50 | 50 00 | |
| 6 | to 6½ ft. | 8 50 | 77 50 | |
| 7 | to 8 ft. | 12 50 | 100 00 | |
| plumosa, | var. aurea. (Golden Plume-like)— | | | |
| 1½ | to 2 ft. | 1 50 | 13 50 | |
| 2 | to 2½ ft. | 2 00 | 18 50 | |
| 2½ | to 3 ft. | 2 50 | 23 50 | |
| 3 | to 3½ ft. | 3 50 | 32 50 | |
| 4 | to 4½ ft. | 4 50 | 40 00 | |
| 5 | to 5½ ft. | 6 00 | 50 00 | |
| 6 | to 6½ ft. | 8 50 | 77 50 | |
| 7 | to 8 ft. | \$15.00 to 20 00 | | |
| 9 | to 10 ft. | \$25.00 to 30 00 | | |
| 12 | to 16 ft. Specimens. | \$35.00 to 75 00 | | |
| plumosa, | var. sulphurea. Sulphur Colored— | | | |
| 1½ | to 2 ft. | 2 50 | 23 50 | |
| 2 | to 2½ ft. | 3 50 | 33 50 | |
| 2½ | to 3 ft. | 5 00 | 47 50 | |
| 3 | to 3½ ft. Extra broad | 7 50 | 70 00 | |
| 3½ | to 4 ft. Extra broad | 10 00 | 90 00 | |
| 4 | to 4½ ft. Extra broad | 12 50 | 115 00 | |
| 5 | to 8 ft. Specimens. | \$17.50 to 50 00 | | |
| squarrosa. | (Gray Cypress)— | | | |
| 15 | to 18 in. | 1 50 | 13 50 | |
| 1½ | to 2 ft. | 2 00 | 18 50 | |
| 2 | to 2½ ft. | 2 50 | 23 50 | |
| 2½ | to 3 ft. | 3 50 | 32 50 | |
| 3 | to 3½ ft. | 4 50 | 40 00 | |
| 3½ | to 4 ft. | 6 00 | 50 00 | |
| 4 | to 4½ ft. | 7 50 | 65 00 | |
| 4½ | to 5 ft. | 8 50 | 78 50 | |
| 5 | to 5½ ft. | 10 00 | 90 00 | |
| 6 | to 7 ft. | 12 50 | 115 00 | |
| 8 | to 18 ft. Specimens. | \$20 to 150 00 | | |
| SCIADOPITYS | verticillata. (Umbrella Pine)— | | | |
| 1½ | to 2 ft. | 3 50 | 32 50 | |
| 2½ | ft. | 4 00 | | |
| 3 | ft. | 7 50 | | |
| 3½ | ft. | 8 50 | | |
| 4 | ft. | 10 00 | | |
| 5 | ft. | 15 00 | | |
| 6 | ft. | 20 00 | | |
| 7 | ft. | 25 00 | | |
| 8 | to 9 ft. | \$35.00 to 50 00 | | |

LARGE SIZES FOR IMMEDIATE EFFECT

| | | Each | 10 | 100 |
|--|------------------|---------|----|-----|
| TAXUS baccata. (English Yew)— | | | | |
| 12 to 15 in. | \$1 50 | \$10 00 | | |
| 18 to 24 in. | 2 50 | 23 50 | | |
| 2 ft. | 3 50 | 30 00 | | |
| 2½ ft. | 4 50 | 40 00 | | |
| 3 ft. | 6 00 | 50 00 | | |
| 3 to 3½ ft. Extra Heavy | 7 50 | 65 00 | | |
| 3½ to 4 ft. | \$8.50 to 12 50 | | | |
| 4 to 5 ft. | 10 00 | | | |
| 5 to 7 ft. Specimens. | \$12.50 to 35 00 | | | |
| baccata, var. adpressa— | | | | |
| 2 ft. | 3 50 | 32 50 | | |
| 2½ ft. | 4 50 | 42 50 | | |
| 3 ft. | 7 50 | 60 00 | | |
| 4 ft. | 10 00 | | | |
| 5 to 6 ft. | \$15.00 to 20 00 | | | |
| baccata, var. aurea. (Golden English Yew)— | | | | |
| 2½ ft. | 5 00 | 45 00 | | |
| 2 ft. | 3 50 | 32 50 | | |
| 3 ft. | 7 50 | 65 00 | | |
| 3½ ft. | 10 00 | 90 00 | | |
| 4 to 7 ft. Extra Heavy. | \$15.00 to 35 00 | | | |
| baccata, var. Dovaston aurea. (Dovaston's Golden Yew)— | | | | |
| 5 to 6 ft. x 3 to 4 ft. | 20 00 | | | |
| 6 to 7 ft. x 3 to 4 ft. | 25 00 | | | |
| baccata, var. elegantissima. (Elegant Yew)— | | | | |
| 3 to 3½ ft. x 3 to 4 ft. | 20 00 | | | |
| 3½ to 4 ft. x 3 to 4 ft. | 25 00 | | | |
| 4 to 4½ ft. x 3 to 4 ft. | 30 00 | | | |
| 4½ to 5 ft. x 4 to 5 ft. | 35 00 | | | |
| baccata, var. erecta. (Erect English Yew)— | | | | |
| 3 to 3½ ft. x 2 to 2½ ft. | 7 50 | 70 00 | | |
| 3½ to 4 ft. x 2½ to 3 ft. | 12 50 | 115 00 | | |
| 4½ to 5 ft. x 2½ to 3 ft. | 17 50 | | | |
| baccata, var. erecta aurea. (Erect Golden English Yew)— | | | | |
| 3½ to 4 ft. x 3 to 3½ ft. | 15 00 | | | |
| 4 to 4½ ft. x 3 to 3½ ft. | 17 50 | | | |
| baccata, var. fastigiata. (Irish Yew)— | | | | |
| 2 to 2½ ft. | 3 50 | 33 50 | | |
| 2½ to 3 ft. | 4 50 | 40 00 | | |
| 3 to 3½ ft. | 6 00 | 50 00 | | |
| 3½ to 4 ft. | 7 50 | 70 00 | | |
| 4½ to 5 ft. | 12 50 | 100 00 | | |
| 5 to 6 ft. | 17 50 | | | |
| baccata, var. fastigiate aurea. (Golden Irish Yew)— | | | | |
| 3 to 3½ ft. | 6 00 | 50 00 | | |
| 4 to 4½ ft. | 10 00 | 90 00 | | |
| 4½ to 5 ft. | 12 50 | 100 00 | | |
| 5 to 6 ft. | 17 50 | 165 00 | | |
| baccata, var. fruticosa lutea. (Yellow Fruited)— | | | | |
| 4 to 5 ft. | \$10.00 to 15 00 | | | |

| | | Each | 10 | 100 |
|---|-----------------|---------|----|-----|
| TAXUS baccata , var. <i>gracilis pendula</i> . (Ram's Horn Yew)— | | | | |
| 4 to 4½ ft. x 2 to 3 ft. | \$10 00 | \$90 00 | | |
| 4½ to 5 ft. x 2½ to 3½ ft. | 15 00 | 135 00 | | |
| 5 to 6 ft. x 3 to 4 ft. | \$17 to 20 00 | | | |
| 6 to 7 ft. x 3 to 4 ft. | \$25 to 30 00 | | | |
| 8 to 10 ft. x 6 to 7 ft. | 35 00 | | | |
| baccata , var. <i>repandens</i> . (Spreading English Yew)— | | | | |
| 8 to 10 in. x 10 to 12 in. | 2 00 | 13 50 | | |
| 10 to 12 in. x 12 to 15 in. | 2 75 | 20 00 | | |
| 10 to 12 in. x 15 to 18 in. | 3 50 | 32 50 | | |
| baccata , var. <i>Washingtoni</i> . (Washington's Golden Yew)— | | | | |
| 1½ to 2 ft. | 3 50 | 30 00 | | |
| 3 to 3½ ft. x 3 ft. | 12 50 | | | |
| 3½ to 4 ft. x 3 to 3½ ft. | 15 00 | | | |
| 4 to 5 ft. x 3 to 3½ ft. | 20 00 | | | |
| 5 ft. x 5 ft. | 35 00 | | | |
| canadensis . (Canadian Yew)— | | | | |
| 12 to 15 in. x 12 to 15 in. | 1 50 | 12 50 | | |
| 15 to 18 in. x 15 to 18 in. | 2 00 | 18 50 | | |
| 15 to 18 in. x 18 to 24 in. | 2 50 | 23 50 | | |
| canadensis , var. <i>aurea</i> . (Golden Yew)— | | | | |
| 2 to 2½ ft. x 3 to 5 ft. | \$7.50 to 25 00 | | | |
| cuspidata . (Japanese Yew)— | | | | |
| 15 to 18 in. | 2 50 | 23 50 | | |
| 18 to 24 in. | 3 50 | 32 50 | | |
| 2 ft. x 2 ft. | 4 25 | 38 50 | | |
| 2½ ft. x 2½ ft. | 6 00 | 48 50 | | |
| 3 ft. x 3 ft. | 12 50 | 115 00 | | |
| 3½ ft. x 3½ ft. | 15 00 | 135 00 | | |
| 4 ft. x 4 ft. | 17 50 | 165 00 | | |
| 4½ ft. x 4½ ft. | 20 00 | | | |
| 4½ to 5 ft. x 5 ft. | 25 00 | | | |
| cuspidata , var. <i>brevifolia</i> . Short-leaved Japanese Yew— | | | | |
| 12 to 15 in. | 2 50 | 20 00 | | |
| 15 to 18 in. | 3 00 | 23 50 | | |
| 18 to 24 in. | 3 75 | 28 50 | | |
| 2 ft. | 4 50 | 33 50 | | |
| 26 to 30 in. Heavy | 7 50 | 70 00 | | |
| 30 to 36 in. Heavy | 10 00 | 90 00 | | |
| cuspidata , var. <i>capitata</i> . Japanese Yew (Type)— | | | | |
| 10 to 12 in. | 1 50 | 13 50 | | |
| 12 to 15 in. | 2 00 | 18 50 | | |
| 2½ to 3 ft. | 5 00 | 48 50 | | |
| 3 to 3½ ft. | 6 00 | 58 50 | | |
| 3½ to 4 ft. | 7 00 | 65 00 | | |
| 4 to 4½ ft. | 8 50 | 75 00 | | |
| THUJOPSIS borealis , var. <i>latifolia glauca</i> . (Sitka Cypress)— | | | | |
| 4 to 5 ft. | 3 50 | 33 50 | | |
| 5 to 6 ft. | 5 00 | 48 50 | | |
| 6 to 7 ft. | 6 00 | 55 00 | | |
| 7 to 8 ft. | 7 50 | 70 00 | | |
| 8 to 9 ft. | 10 00 | 85 00 | | |
| 9 to 10 ft. | 15 00 | | | |
| Standishii . (See <i>Thuya Standishii</i> .) | | | | |

LARGE SIZES FOR IMMEDIATE EFFECT

EVERGREEN TREES

19

| | | Each | 10 | 100 |
|--|--------------------------------|--------|--------|---------|
| THUYA occidentalis. | (American Arborvitæ)— | | | |
| 2 to 2½ ft. | | \$1 00 | \$7 50 | \$65 00 |
| 2½ to 3 ft. | | 1 25 | 10 00 | 90 00 |
| 3 to 3½ ft. | | 1 75 | 14 50 | 125 00 |
| 3½ to 4 ft. | | 2 00 | 17 50 | 150 00 |
| 4 to 4½ ft. | | 2 50 | 22 50 | 185 00 |
| 4½ to 5 ft. | | 3 00 | 27 50 | 215 00 |
| 5 to 5½ ft. | | 3 50 | 32 50 | 235 00 |
| 5½ to 6 ft. | | 4 00 | 37 50 | 300 00 |
| 6 to 6½ ft. | | 4 50 | 40 00 | 375 00 |
| 6½ to 7 ft. | | 5 00 | 42 50 | 400 00 |
| 7 to 8 ft. | | 7 50 | 50 00 | 475 00 |
| 8 to 9 ft. | | 8 50 | 75 00 | 600 00 |
| 9 to 10 ft. | | 10 00 | 90 00 | 800 00 |
| occidentalis, var. aurea. | (Geo. Peabody's Arborvitæ)— | | | |
| 1 to 1½ ft. | | 1 00 | 9 00 | |
| 1½ to 2 ft. | | 1 50 | 12 50 | 100 00 |
| 2 to 2½ ft. | | 1 75 | 15 00 | 125 00 |
| 2½ to 3 ft. | | 2 00 | 18 50 | 175 00 |
| 3 to 3½ ft. | | 2 50 | 22 50 | |
| 3½ to 4 ft. | | 3 00 | 28 50 | |
| 4 to 4½ ft. | | 3 50 | 32 50 | |
| 4½ to 5 ft. | | 4 00 | 37 50 | |
| 5 to 5½ ft. | | 4 50 | 40 00 | |
| 6 to 6½ ft. | | 5 00 | 45 00 | |
| 7 to 8 ft. | | 6 50 | 50 00 | |
| 9 to 10 ft. | | 10 00 | 90 00 | |
| 10 to 12 ft. | | 15 00 | | |
| occidentalis, var. cristata. | Crested Ar- borvitæ— | | | |
| 1½ to 2 ft. | | 2 50 | 22 50 | |
| 6 to 8 ft. | | 6 50 | 50 00 | |
| occidentalis, var. Douglasi. | (Douglas Ar- borvitæ)— | | | |
| 1 to 1½ ft. | | 1 00 | 8 50 | |
| 1½ to 2 ft. | | 1 50 | 13 50 | |
| 2 to 2½ ft. | | 2 50 | 20 00 | |
| 2½ to 3 ft. | | 3 00 | 27 50 | |
| 3 to 3½ ft. | | 3 50 | 30 00 | |
| 3½ to 4 ft. | | 4 00 | 38 50 | |
| 4 to 4½ ft. | | 4 50 | 40 00 | |
| 4½ to 5 ft. | | 5 00 | 42 50 | |
| 5 to 5½ ft. | | 6 00 | 47 50 | |
| 6 to 6½ ft. | | 7 50 | 55 00 | |
| 7 to 7½ ft. | | 10 00 | 85 00 | |
| occidentalis, var. globosa. | (Globe Ar- borvitæ)— | | | |
| 15 to 18 in. | | 1 50 | 13 50 | |
| 18 to 24 in. | | 2 00 | 18 50 | |
| 2 to 2½ ft. | | 3 00 | 25 00 | |
| occidentalis, var. Lobbii. | (Lobb's Ar- borvitæ— | | | |
| 2 to 3 ft. | | 2 50 | 22 50 | |
| 3 to 3½ ft. | | 3 00 | 28 50 | |
| 3½ to 4 ft. | | 3 50 | 32 50 | |
| occidentalis, var. plicata pyramidalis. | Plicate Arborvitæ— | | | |
| 3 to 4 ft. | | 3 50 | | |

ALL GOODS F. O. B. HERE AT LIST PRICES

| | | Each | 10 | 100 |
|--|-------------------|------------------|---------|---------|
| THUYA occidentalis, var. pyramidalis. | Pyramidal | | | |
| | Arborvitæ— | | | |
| 4 to 4½ ft. | | \$2 50 | \$22 50 | |
| 4½ to 5 ft. | | 3 50 | 30 00 | |
| 5 to 5½ ft. | | 4 00 | 37 50 | |
| 5½ to 6 ft. | | 4 50 | 40 00 | |
| 6 to 7 ft. | | 5 00 | 42 50 | |
| 7 to 8 ft. | | 7 50 | 60 00 | |
| 8 to 9 ft. | | 8 50 | 75 00 | |
| 9 to 12 ft. | | \$10.00 to 15 00 | | |
| occidentalis, var. Rosenthalis. | Rosen- | | | |
| | thal's Arborvitæ— | | | |
| 15 to 18 in. | | 1 50 | 13 50 | |
| 18 to 24 in. | | 2 00 | 18 50 | |
| 2 to 2½ ft. | | 2 50 | 22 50 | |
| 3 to 3½ ft. | | 3 50 | 28 50 | |
| 4 to 4½ ft. | | 4 00 | 35 00 | |
| 4½ to 5 ft. | | 4 50 | 40 00 | |
| 5 to 6 ft. | | 5 00 | 48 50 | |
| 6 to 7 ft. | | 7 50 | 70 00 | |
| occidentalis, var. spiralis. | Spire-like | | | |
| | Arborvitæ— | | | |
| 3 to 3½ ft. | | 3 50 | 30 00 | |
| 3½ to 4 ft. | | 4 00 | 38 50 | |
| 4 to 4½ ft. | | 4 50 | 40 00 | |
| 4½ to 5 ft. | | 5 00 | 42 50 | |
| 5 to 5½ ft. | | 6 00 | 47 50 | |
| 6 to 6½ ft. | | 7 50 | 55 00 | |
| 7 to 7½ ft. | | 10 00 | 85 00 | |
| occidentalis, var. Tom Thumb. | (Dwarf)— | | | |
| 2 ft. x 2 ft. to 3 ft. | | 4 00 | | |
| occidentalis, var. Vervæneana. | Ver- | | | |
| | væne's Arborvitæ— | | | |
| 1 to 1½ ft. | | 1 00 | 8 50 | \$75 00 |
| 1½ to 2 ft. | | 1 50 | 12 50 | |
| 2 to 2½ ft. | | 2 00 | 17 50 | 150 00 |
| 2½ to 3 ft. | | 2 50 | 22 50 | |
| 3 to 3½ ft. | | 3 00 | 28 50 | |
| 3½ to 4 ft. | | 3 50 | 32 50 | |
| 4 to 4½ ft. | | 4 00 | 38 50 | |
| 4½ to 5 ft. | | 4 50 | 40 00 | |
| 5 to 5½ ft. | | 5 00 | 45 00 | |
| 5½ to 6 ft. | | 6 00 | 50 00 | |
| 6 to 6½ ft. | | 7 50 | 55 00 | |
| 7 to 8 ft. | | 8 50 | 75 00 | |
| 8 to 10 ft. | | 15 00 | 125 00 | |
| 10 to 12 ft. | Specimens. | \$20.00 to 25 00 | | |
| occidentalis, var. Wareana. | (Siberian | | | |
| | Arborvitæ— | | | |
| 1 to 1½ ft. | | 1 00 | 8 50 | |
| 1½ to 2 ft. | | 1 50 | 12 50 | |
| 2 to 2½ ft. | | 2 00 | 18 50 | |
| 3 to 3½ ft. | | 3 50 | 32 50 | |
| 3½ to 4 ft. | | 4 00 | 37 50 | |
| 4 to 4½ ft. | | 4 50 | 39 00 | |
| 4½ to 5 ft. | | 5 00 | 47 50 | |
| 5 to 5½ ft. | | 6 00 | 55 00 | |
| 5½ to 6 ft. | | 7 50 | 70 00 | |
| 6 to 7 ft. | | \$8.50 to 10 00 | | |
| Larger Specimens | on Application. | | | |

EVERGREEN TREES

21

| | | Each | 10 | 100 |
|--|------------------|--------|---------|---------|
| THUYA occidentalis , var. <i>Wareana aurea</i> — | | | | |
| 4 to 4½ ft. | | \$3 50 | \$33 50 | |
| 4½ to 5 ft. | | 4 00 | 38 50 | |
| 5 to 5½ ft. | | 5 00 | 47 50 | |
| 5½ to 6 ft. | | 6 50 | 60 00 | |
| 6 to 10 ft. Specimens. | \$7.50 to 20 00 | | | |
| Standishii (<i>Thujopsis Standishii</i>)— | | | | |
| 3½ to 4 ft. | | 4 00 | 38 50 | |
| 4 to 4½ ft. | | 5 00 | 45 00 | |
| 4½ to 5 ft. | | 6 00 | 50 00 | |
| 5 to 5½ ft. | | 7 50 | 70 00 | |
| 5½ to 6 ft. | | 8 50 | | |
| TSUGA canadensis . American Hemlock— | | | | |
| 1 to 1½ ft. | | 1 50 | 12 50 | |
| 2 to 2½ ft. | | 2 00 | 15 00 | \$95 00 |
| 2½ to 3 ft. | | 2 50 | 20 00 | 115 00 |
| 3 to 3½ ft. | | 3 00 | 25 00 | 150 00 |
| 3½ to 4 ft. | | 3 50 | 32 50 | 200 00 |
| 4 to 4½ ft. | | 4 00 | 37 50 | 275 00 |
| 4½ to 5 ft. | | 5 00 | 47 50 | 350 00 |
| 5 to 5½ ft. | | 6 00 | 55 00 | 400 00 |
| 5½ to 6 ft. | | 7 00 | 65 00 | 550 00 |
| 6 to 6½ ft. | | 8 50 | 75 00 | 650 00 |
| 6½ to 7 ft. | | 9 00 | 85 00 | 800 00 |
| 7 to 7½ ft. | | 10 00 | 90 00 | |
| 8 to 9 ft. | | 12 50 | 110 00 | |
| 9 to 10 ft. | | 15 00 | 135 00 | |
| 10 to 12 ft. | \$16.50 to 20 00 | | | |
| 13 to 16 ft. | \$25.00 to 40 00 | | | |
| canadensis , var. <i>gracilis</i> . (Small-leaved Hemlock)— | | | | |
| 7 to 8 ft. | | 12 50 | 115 00 | |
| 8 to 10 ft. | \$15.00 to 17 50 | | | |
| canadensis , var. <i>Sargentii pendula</i> . (Weeping)— | | | | |
| 1½ to 2 ft. | | 3 50 | 32 50 | |
| 4 to 5 ft. x 3 to 4 ft. | | 20 00 | | |
| caroliniana . Southern Hemlock— | | | | |
| 1½ to 2 ft. | | 2 50 | 20 00 | |
| 2 to 3 ft. | | 3 50 | 32 50 | |
| Sieboldii . Japanese Hemlock— | | | | |
| 15 to 18 in. | | 2 50 | 20 00 | |
| 1½ to 2 ft. | | 3 50 | 32 50 | |
| 2 to 2½ ft. | | 5 00 | 45 00 | |
| 2½ to 3 ft. | | 6 50 | 57 50 | |
| 3 to 3½ ft. | | 7 50 | 65 00 | |
| 3½ to 4 ft. | | 10 00 | 90 00 | |
| 5 to 6 ft. | | 15 00 | | |
| 7 to 9 ft. Specimens. | \$20.00 to 35 00 | | | |

PLANTING FOR QUICK SCREENS AND WINDBREAKS

Your inquiry giving us the details of your problem—size, character of the soil, exposure, etc., will give us an opportunity to quote you prices as much as 50% off our regular list on trees up to 20 feet in height and on strong, tall shrubs for underplanting and facing off the plantations.

ALL GOODS F. O. B. HERE AT LIST PRICES



Andorra-Grown Specimen Boxwood (Buxus sempervirens).

EVERGREEN SHRUBS

ANDROMEDA Catesbaei. (See *Leucothoë*.)

| | | | |
|--|--------|---------|----------|
| <i>floribunda</i> . (Pieris.) Mt. Fetter Bush— | Each | 10 | 100 |
| 8 to 10 in. spread | \$2 00 | \$17 50 | \$150 00 |
| 10 to 12 in. spread | 2 50 | 20 00 | 175 00 |
| <i>japonica</i> . (Pieris.) Japanese Fetter | | | |
| Bush— | | | |
| 8 to 10 in. | 1 50 | 13 50 | 125 00 |
| 10 to 12 in. | 2 00 | 18 50 | 165 00 |
| <i>speciosa</i> . (Zenobia)— | | | |
| 1 to 1½ ft. | 1 50 | 13 50 | |

AZALEA Amœna. (Hatsu-giri.) Japanese Evergreen Azalea—

| | | | |
|----------------------------------|-------|--------|--------|
| 12 to 15 in. | 1 50 | 12 50 | 90 00 |
| 15 to 18 in. | 2 00 | 18 50 | 175 00 |
| 18 to 21 in. Broad and Heavy.... | 2 50 | 23 50 | |
| 21 to 24 in. Broad and Heavy.... | 3 00 | 28 50 | |
| 24 in. Broad and Heavy.... | 3 50 | 32 50 | 300 00 |
| 27 to 30 in. Broad and Heavy.... | 4 00 | 38 50 | 350 00 |
| 32 to 36 in. Broad and Heavy.... | 7 50 | 65 00 | 500 00 |
| 36 to 40 in. Broad and Heavy.... | 8 50 | 70 00 | 600 00 |
| 40 to 42 in. Broad and Heavy.... | 10 00 | 85 00 | 750 00 |
| 42 to 48 in. Broad and Heavy.... | 15 00 | 135 00 | |

amœna, var. *Beni-giri*. (Bright Red.)

Rare—

| | |
|--------------------|------|
| 12 to 15 in. | 2 50 |
| 15 to 18 in. | 3 50 |

LARGE SIZES FOR IMMEDIATE EFFECT

EVERGREEN SHRUBS

23

| | Each | 10 | 100 |
|---|------------------|--------|-----|
| AZALEA <i>amœna</i> , var. <i>Hinode-giri</i> . (Carmine pink)— | | | |
| 8 to 10 in. | \$1 00 | \$9 00 | |
| 10 to 12 in. | 1 50 | 13 50 | |
| 12 to 15 in. | 2 00 | 17 50 | |
| 15 to 18 in. | 2 50 | 20 00 | |
| 24 in. | 3 50 | | |
| <i>amœna</i> , var. <i>Hino-manyo</i> . (Pure Pink.) | | | |
| <i>Rare</i> — | | | |
| 18 in. | 3 50 | | |
| 20 to 24 in. | 4 50 | | |
| <i>amœna</i> , var. <i>Sakura-giri</i> . (Soft Pink.) | | | |
| <i>Rare</i> — | | | |
| 1 to 1½ ft. | 3 50 | | |
| <i>indica alba</i> . Indian Azalea— | | | |
| 18 in. | 2 50 | 22 50 | |
| 24 in. | 3 50 | 30 00 | |
| <i>japonica alba</i> . (White Japanese Azalea)— | | | |
| 15 to 18 in. | 2 50 | 23 50 | |
| <i>Kaempferi</i> . (Coral Red)— | | | |
| 15 to 18 in. | 2 50 | 18 50 | |
| 18 to 24 in. | 3 50 | 30 00 | |
| <i>ledifolium</i> . (White. Fragrant)— | | | |
| 12 to 15 in. | 2 00 | 17 50 | |
| 15 to 18 in. | 2 75 | 22 50 | |
| 18 to 22 in. | 3 25 | 28 50 | |
| 24 to 27 in. | 4 00 | 38 50 | |
| 27 to 30 in. | 5 00 | 48 50 | |
| <i>ledifolium gdf. superba</i> — | | | |
| 18 to 20 in. | 3 50 | 32 50 | |
| <i>ledifolium</i> , var. <i>Narcissiflora</i> . (Yodogawa)— | | | |
| 1½ to 2 ft. | 1 50 | 13 50 | |
| 2 to 2½ ft. | 2 50 | 23 50 | |
| 3 to 4½ ft. | \$3.50 to 6 00 | | |
| <i>ledifolium</i> , var. <i>roseum</i> . (Wakasagi.) | | | |
| (Shell Pink. Fragrant)— | | | |
| 10 to 12 in. | 2 50 | 20 00 | |
| 12 to 15 in. | 3 00 | 27 50 | |
| 2 to 2½ ft. Heavy.... | \$5.00 to 7 50 | | |
| BUXUS <i>japonica</i> , var. <i>aurea</i> . (Golden Japanese Box)— | | | |
| 12 to 15 in. | 1 50 | 13 50 | |
| 15 to 18 in. | 2 50 | 20 00 | |
| 18 to 21 in. | 3 50 | 32 50 | |
| 21 to 24 in. | 4 00 | 37 50 | |
| 24 to 27 in. | 5 00 | 42 50 | |
| 2½ ft. | 7 50 | 70 00 | |
| 3 ft. | \$15.00 to 35 00 | | |
| 3½ to 6 ft. Specimens.... | \$20.00 to 35 00 | | |
| <i>japonica</i> , var. <i>Fortunei</i> . Japanese Box | | | |
| <i>Bush</i> — | | | |
| 2 x 2 ft. | 3 50 | 32 50 | |
| 2½ ft. | 7 50 | | |
| 3 to 4 ft. Specimens.... | \$15.00 to 25 00 | | |

ALL GOODS F. O. B. HERE AT LIST PRICES

EVERGREEN SHRUBS

| | Each | 10 | 100 |
|--|------------------|---------|---------|
| BUXUS japonica, var. rotundifolia. (Round Leaf Box)— | | | |
| 18 to 20 in. | \$2 50 | \$23 50 | |
| 20 to 24 in. | 3 00 | 28 50 | |
| 24 to 27 in. | 3 50 | 33 50 | |
| 27 to 30 in. | 5 00 | 47 50 | |
| 3 ft. | 7 50 | 70 00 | |
| 3½ ft. | 10 00 | 90 00 | |
| 4 ft. | 17 50 | 165 00 | |
| 4½ to 5 ft. | \$20.00 to 25 00 | | |
| japonica, var. rotundifolia. Pyramids— | | | |
| 4 ft. | 12 50 | 110 00 | |
| 4½ ft. | 15 00 | 135 00 | |
| 5 ft. | 20 00 | | |
| japonica, var. rotundifolia pendula. | | | |
| (Drooping Habit)— | | | |
| 3 ft. | 8 50 | 80 00 | |
| 3½ ft. | 12 50 | 115 00 | |
| 4 ft. | 15 00 | | |
| semperfiriens. Bush Shape— | | | |
| 10 to 12 in. Imported. | | | |
| (Subject to arrival)... | 75 | 5 00 | \$40 00 |
| 12 to 15 in. Imported. | | | |
| (Subject to arrival)... | 1 00 | 8 50 | 65 00 |
| 15 to 18 in. Imported. | | | |
| (Subject to arrival)... | 1 50 | 12 50 | 100 00 |
| 18 to 20 in. Imported. | | | |
| (Subject to arrival)... | 2 50 | 18 50 | |
| 21 to 24 in. | 3 50 | 30 00 | |
| 24 to 27 in. | 4 00 | 32 50 | |
| 27 to 30 in. | 5 00 | 45 00 | |
| 2½ ft. | 6 00 | 50 00 | |
| 3 ft. | 8 50 | 70 00 | |
| 3½ ft. | 12 50 | | |
| 2 ft. x 2 ft. Extra | 5 00 | 45 00 | |
| 2½ ft. x 2½ ft. | 8 50 | 75 00 | |
| 3 ft. x 3 ft. | 15 00 | 135 00 | |
| 3½ ft. x 3½ ft. | 25 00 | | |
| An excellent collection of large specimen pieces from 4 ft. x 3 ft. in height up to 7 ft. x 7 ft. Prices vary according to the scale of the plant and range from \$75.00 to \$300.00 each. | | | |
| semperfiriens. Pyramids— | | | |
| 3 ft. x 12 to 15 in. base | 4 00 | | |
| 3½ ft. x 12 to 15 in. base | 5 00 | | |
| 4 ft. x 12 to 18 in. base | 6 00 | | |
| 4½ ft. x 15 to 18 in. base | 7 50 | | |
| 4 ft. x 18 to 20 in. base | 8 50 | | |
| 3 ft. x 2 to 2½ ft. base | 6 00 | | |
| 3½ ft. x 2 to 2½ ft. | 7 50 | | |
| 4 ft. x 2½ ft. | 12 50 | | |
| 4½ ft. x 2½ ft. | 15 00 | | |
| 5 to 8 ft. Broad Base. Specimen. | | | |
| | \$20.00 to 50 00 | | |

The above heavy specimen plants are of irregular sizes with broad oval rather than sharply pyramid tops.

LARGE SIZES FOR IMMEDIATE EFFECT

EVERGREEN SHRUBS

25

BUXUS sempervirens. Standards—

| | |
|--|--------|
| 10 to 12 in. stem x 18 in. head .. | \$4 00 |
| 12 in. stem x 24 in. head | 5 00 |
| 1½ ft. stem x 2 ft. head | 5 00 |
| 2½ ft. stem x 18 to 20 in. head .. | 6 00 |
| 3 ft. stem x 18 to 22 in. head .. | 7 50 |
| 3½ ft. stem x 18 to 22 in. head .. | 10 00 |
| 38 to 40 in. stem x 18 to 22 in. head. | 12 50 |

Also lot of short stemmed, broad headed standards with crowns from 2½ to 4 ft. spread. No matched pairs, at \$20.00 to \$35.00 each.

sempervirens, var. **angustifolia variegata**.

(Golden Tipped)—

| | | |
|-------------|-------|---------|
| 3 ft. | 7 50 | \$72 50 |
| 3½ ft. | 8 50 | 80 00 |
| 4 ft. | 12 50 | 115 00 |
| 5 ft. | 20 00 | |

sempervirens, var. **arborescens**. (Tree Box)—

| | | |
|-----------------|------------------|-------|
| 2½ ft. | 3 50 | 33 50 |
| 3 ft. | 6 00 | 55 00 |
| 3½ ft. | 10 00 | 90 00 |
| 4 ft. | 12 50 | |
| 5 to 6 ft. | \$15.00 to 25 00 | |

sempervirens, var. **argentea marginata**.

(Silver-tipped)—

| | | |
|------------------------|------------------|-------|
| 2 ft. x 2 ft. | 5 00 | 45 00 |
| 2½ ft. x 2½ ft. | 7 50 | 70 00 |
| 3 ft. x 3 ft. | 12 50 | |
| 4 to 5 ft. Specimens.. | \$15.00 to 25 00 | |

sempervirens, var. **Handsworthi**—

| | | |
|---------------------------|------------------|--------|
| 2 ft. x 2 ft. | 3 50 | 23 50 |
| 2½ ft. x 2½ ft. | 5 00 | 47 50 |
| 3 ft. x 3 ft. | 7 50 | 65 00 |
| 4 ft. x 3½ ft. | 12 50 | 115 00 |
| 4½ ft. x 6 ft. Specimens. | \$15.00 to 25 00 | |

sempervirens, var. **myrtifolia**. (Myrtle-leaved Box)—

| | | |
|---------------------|-------|--------|
| 3 ft. x 3 ft. | 15 00 | 135 00 |
| 3½ ft. x 3 ft. | 20 00 | |
| 4 ft. x 4 ft. | 25 00 | |

sempervirens, var. **salicifolia**. Willow-leaved Box—

| | | |
|--------------------------------|-------------------|-------|
| 1½ to 2 ft. x 1½ to 2 ft. | 3 50 | 32 50 |
| 2 ft. x 2 ft. | 4 50 | 42 50 |
| 2½ ft. x 2½ ft. | 7 50 | |
| 3 to 4 ft. x 3 to 4 ft. | \$15.00 to 20 00 | |
| 4½ to 9 ft. Specimens.. | \$25.00 to 250 00 | |

sempervirens, var. **suffruticosa**. (Box edging)—

| | | |
|---------------------------|------|---------|
| 3 to 4 in. | 1 50 | \$10 00 |
| 4 to 5 in. | 2 00 | 15 00 |
| 5 to 6 in. | 50 | 3 50 |
| 12 to 15 in. | 2 00 | 18 50 |
| 15 to 18 in. globes | 5 00 | |

ALL GOODS F. O. B. HERE AT LIST PRICES

EVERGREEN SHRUBS

| | Each | 10 | 100 |
|--|------------------|--------|---------|
| COTONEASTER <i>buxifolia</i> . Box-leaved— | | | |
| 1 to 1½ ft. | \$1 00 | \$9 00 | \$85 00 |
| Franchetti— | | | |
| 12 to 15 in. | 25 | 2 00 | 15 00 |
| 2 to 2½ ft. | 50 | 3 50 | |
| <i>horizontalis</i> . Chinese Quince Berry— | | | |
| 12 to 15 in. x 12 to 18 in. | 1 00 | 9 00 | 85 00 |
| 15 to 18 in. x 18 to 24 in. | 1 50 | 13 50 | 100 00 |
| <i>microphylla</i> . Himalayan Quince Berry— | | | |
| 12 to 15 in. | 1 00 | 7 50 | 70 00 |
| 15 to 18 in. | 1 50 | 10 00 | |
| CRATAEGUS <i>Pyracantha coccinea</i> . (Evergreen Thorn)— | | | |
| 1½ ft. Bushy | 1 50 | 13 50 | 100 00 |
| 18 to 24 in. | 2 50 | 18 50 | 125 00 |
| 2 to 2½ ft. | 3 00 | 27 50 | 175 00 |
| 2½ to 3 ft. | 4 00 | 30 00 | 250 00 |
| DAPHNE <i>Cneorum</i> . (Garland Flower)— | | | |
| 2 year | 75 | 6 00 | |
| EUONYMUS <i>japonica</i> — | | | |
| 10 to 12 in. | 50 | 3 50 | 20 00 |
| ILEX <i>crenata</i> . Japanese Holly— | | | |
| 12 to 15 in. | 1 00 | 9 00 | |
| 15 to 18 in. | 2 00 | 18 50 | 150 00 |
| 18 to 20 in. Bushy | 2 50 | 22 50 | 200 00 |
| 24 in. | 3 00 | 32 50 | |
| 2½ ft. | \$7.50 to 10 00 | | |
| 3 to 5 ft. Specimens.... | \$15.00 to 35 00 | | |
| <i>crenata</i> , var. <i>buxifolia</i> . Columnar Growth— | | | |
| 4 ft. | 8 50 | 75 00 | |
| 4½ ft. | 10 00 | 90 00 | |
| 5 ft. | 12 50 | 115 00 | |
| 6 ft. | 15 00 | 135 00 | |
| 7 ft. | 20 00 | | |
| <i>crenata</i> , var. <i>Fortunei</i> . (Fortune's Holly)— | | | |
| 1½ ft. | 2 00 | 18 50 | |
| 2 ft. | 3 50 | 30 00 | |
| 2½ ft. | 6 00 | 50 00 | |
| 3 ft. | 15 00 | | |
| 4 to 6 ft. Specimens.... | \$20.00 to 35 00 | | |
| <i>crenata</i> , var. <i>latifolia</i> . (Tall Growing)— | | | |
| 2½ to 3 ft. | 3 00 | 28 50 | |
| 3 to 3½ ft. | 4 00 | 38 50 | |
| 4 to 4½ ft. | 6 00 | 55 00 | |
| 5 to 7 ft. Specimens.... | \$8.50 to 20 00 | | |
| <i>crenata</i> , var. <i>microphylla</i> . Small leaved— | | | |
| 12 to 15 in. | 1 00 | 8 50 | |
| 15 to 18 in. | 2 00 | 18 50 | 150 00 |
| 18 in. | 2 50 | 23 50 | 200 00 |
| 2 ft. | 3 50 | 33 50 | 300 00 |
| 2½ ft. | 5 00 | 47 50 | |
| 3 to 4 ft. Specimens.... | \$12.50 to 20 00 | | |
| 4½ to 6 ft. Specimens.... | \$25.00 to 35 00 | | |
| KALMIA <i>latifolia</i> . Mountain Laurel— | | | |
| 18 in. | 2 00 | 15 00 | 125 00 |
| 20 to 24 in. | 2 50 | 22 50 | 175 00 |
| 24 to 28 in. | 3 50 | 30 00 | 225 00 |

LARGE SIZES FOR IMMEDIATE EFFECT

| | Each | 10 | 100 |
|---|--------|--------|---------|
| LEUCOTHOE <i>Catesbaei</i> . (Drooping Andromeda)— | | | |
| 10 to 15 in. | \$0 75 | \$6 50 | \$60 00 |
| 15 to 18 in. | 1 50 | 12 50 | 90 00 |
| 12 to 15 in. <i>XX</i> | 2 00 | 17 50 | 125 00 |
| 15 to 18 in. <i>XX</i> | 2 50 | 20 00 | 150 00 |
| MAHONIA <i>Aquifolium</i> . (Oregon Grape)— | | | |
| 1½ to 2 ft. | 50 | 3 50 | |
| <i>japonica</i> . (Japanese Mahonia)— | | | |
| 15 to 18 in. | 1 50 | 13 50 | |
| 1½ to 2 ft. | 2 50 | 18 50 | |
| 2 to 2½ ft. | 3 00 | 23 50 | |
| PACHYSANDRA terminals. (Ground Cover) | | 1 50 | 10 00 |
| SKIMMIA <i>Japonica</i> — | | | |
| 1 to 1½ ft. | 2 00 | 18 50 | |
| <i>oblata</i> — | | | |
| 12 in. | 2 00 | 18 50 | |
| ZENOBIA . See <i>Andromeda</i> . | | | |

RHODODENDRONS

HYBRID VARIETIES—ANDORRA-GROWN

Our offering of Rhododendrons consists of many thousand plants, in tested varieties, and in a range of sizes from one to five feet. These are acclimated—*Andorra-grown* stock—in the hardiest varieties. They are grown in open, unsheltered ground, with northern exposure, and the wind-swept hills of Andorra are not kind to anything of a tender nature.

RHODODENDRONS, Catawbiense Hybrids Assorted.

Our selection of varieties. Each 10 100

| | | | |
|-------------------------------------|-----------------|---------|----------|
| 1½ to 2 ft. | \$3 00 | \$23 50 | |
| 2 to 2½ ft. | 3 75 | 28 50 | \$265 00 |
| 3 to 6 ft. Specimens, unnamed. | \$5.00 to 25 00 | | |

Abraham Lincoln. Rosy crimson—

| | | |
|-----------------|-----------------|-------|
| 1½ ft. | 2 50 | 18 50 |
| 2 ft. | 3 35 | 25 00 |
| 2½ ft. | 5 00 | 45 00 |
| 3 to 4 ft. | \$7.50 to 12 50 | |

Album elegans. Blush White—

| | | |
|------------------|-----------------|-------|
| 1½ ft. | 2 00 | 18 50 |
| 2 ft. | 2 50 | 23 50 |
| 2½ ft. | 3 00 | 28 50 |
| 3 ft. | 3 50 | 30 00 |
| 3½ to 5 ft. | \$4.00 to 10 00 | |

Album grandiflorum. Blush white—

| | | |
|-------------|------|-------|
| 2½ ft. | 3 00 | 28 50 |
| 3 ft. | 3 50 | 30 00 |
| 3½ ft. | 4 00 | |

Alex. Dancer. Light scarlet—

| | | |
|-------------|------|-------|
| 2 ft. | 3 50 | 32 50 |
| 2½ ft. | 5 00 | 45 00 |
| 3 ft. | 7 50 | |

Amphion. Rose Pink—

| | | |
|----------------------------|------|-------|
| 2 ft. | 3 50 | |
| 2 to 2½ ft. Imported. | 5 00 | 47 50 |

Atrosanguinea. Dark Scarlet—

| | | |
|-------------|------|-------|
| 1½ ft. | 3 50 | 28 50 |
| 2 ft. | 4 25 | 35 00 |
| 2½ ft. | 5 00 | 40 00 |
| 3 ft. | 7 50 | 60 00 |

EVERGREEN SHRUBS

| | Each | 10 | 100 |
|--|------------|---------|-----|
| RHODODENDRON <i>Boule de Neige</i> . Dwarf White— | | | |
| 15 to 18 in. Heavy | \$2.50 to | \$23 00 | |
| 12 to 15 in. | 2 00 | \$19 00 | |
| Candidissima . White— | | | |
| 1½ ft. | 2 65 | 18 50 | |
| 2 ft. | 3 75 | 28 00 | |
| 2 to 2½ ft. | 5 00 | 40 00 | |
| 2½ to 3 ft. XX | 7 50 | | |
| Caractacus . Purple Crimson— | | | |
| 1½ ft. | 2 50 | 18 50 | |
| 2 ft. | 3 50 | 28 50 | |
| 2½ ft. | 5 00 | 40 00 | |
| 3 ft. XX | 6 50 | 55 00 | |
| 3½ to 4 ft. XX | \$7.50 to | 10 00 | |
| Charles Bagley . Bright Red— | | | |
| 1½ ft. | 2 75 | 22 50 | |
| 2 ft. | 3 75 | 32 50 | |
| 2½ ft. | 5 00 | 45 00 | |
| 3 ft. | 7 50 | 60 00 | |
| 3½ to 4½ ft. XX | \$10.00 to | 15 00 | |
| Charles Dickens . Scarlet— | | | |
| 1½ ft. | 2 75 | 22 50 | |
| 2 ft. | 3 75 | 32 50 | |
| 2½ ft. | 5 00 | 45 00 | |
| 3 ft. | 7 50 | 60 00 | |
| 3½ to 4 ft. | \$10.00 to | 12 50 | |
| C. S. Sargent . Crimson— | | | |
| 1½ ft. | 2 75 | 22 50 | |
| 2 ft. | 3 75 | 32 50 | |
| 2½ ft. | 5 00 | 45 00 | |
| 3 ft. | 7 50 | 65 00 | |
| Daisy Rand . Deep crimson— | | | |
| 1½ ft. | 2 75 | 22 50 | |
| 2 ft. | 3 75 | 32 50 | |
| 2½ ft. | 5 00 | 45 00 | |
| Delicatissimum . White— | | | |
| 20 to 24 in. | 3 00 | 28 50 | |
| 2 ft. | 3 75 | 32 50 | |
| 2½ ft. | 5 00 | 45 00 | |
| 3 ft. | 6 50 | 57 50 | |
| 3½ ft. | 8 50 | 75 00 | |
| 4 ft. | 12 50 | 115 00 | |
| Doctor Torry . Lilac Red— | | | |
| 2½ ft. | 5 00 | 45 00 | |
| 3 ft. | 7 50 | 65 00 | |
| Edward S. Rand . Rich Scarlet— | | | |
| 1½ ft. | 3 00 | 28 50 | |
| 2 ft. | 3 75 | 32 50 | |
| 2½ ft. | 5 00 | 45 00 | |
| Everestianum . Rosy Lilac— | | | |
| 15 to 18 in. | 2 65 | 22 50 | |
| 18 to 20 in. | 3 25 | 28 50 | |
| 24 in. | 3 75 | 32 50 | |
| 2½ ft. | 5 00 | 47 50 | |
| 3 to 3½ ft. XX | \$15.00 to | 20 00 | |
| F. D. Godman . Crimson— | | | |
| 1½ ft. | 3 00 | 28 50 | |
| 2 ft. | 3 75 | 32 50 | |
| 2½ ft. | 5 00 | 45 00 | |
| 3 to 3½ ft. | \$7.50 to | 15 00 | |

LARGE SIZES FOR IMMEDIATE EFFECT

EVERGREEN SHRUBS

29

| | Each | 10 | 100 |
|---|------------------|---------|-----|
| RHODODENDRON Florence Smith. Pink— | | | |
| 1½ to 2 ft. | \$3 50 | | |
| General Grant. Rosy Scarlet— | | | |
| 1½ ft. | 2 65 | \$23 50 | |
| 2 ft. | 3 00 | 28 50 | |
| 2½ ft. | 5 00 | 45 00 | |
| 3 ft. | 7 50 | 65 00 | |
| 3½ ft. | 10 00 | 90 00 | |
| 4 to 4½ ft. | 15 00 | 135 00 | |
| 4½ to 5 ft. | \$20.00 to 25 00 | | |
| Giganteum. Rosy Crimson— | | | |
| 2 ft. | 3 00 | 28 50 | |
| 2½ ft. | 3 75 | 32 50 | |
| 3 ft. | 7 50 | 65 00 | |
| Gomer Waterer. Blush White— | | | |
| 18 to 20 in. | 3 00 | 28 50 | |
| 20 to 24 in. | 4 00 | 38 50 | |
| Hannah Felix. Light Red— | | | |
| 2 ft. | 3 00 | 28 50 | |
| 2½ ft. | 5 00 | 45 00 | |
| 3 to 4 ft. | \$10.00 to 20 00 | | |
| Henry Ingersoll. Lavender— | | | |
| 1½ ft. | 2 65 | 23 50 | |
| 2 ft. | 3 00 | 28 50 | |
| 2½ ft. | 5 00 | 45 00 | |
| Henry Probascio. Deep Carmine— | | | |
| 1½ ft. | 3 00 | 28 50 | |
| 2 ft. | 3 75 | 32 50 | |
| 2½ ft. | 5 00 | 47 50 | |
| Herbert Parsons. Lilac— | | | |
| 3 ft. | 10 00 | 90 00 | |
| 3½ ft. | 12 50 | 115 00 | |
| 3½ to 4 ft. XX | \$15.00 to 20 00 | | |
| H. H. Hunnewell. Dark Crimson— | | | |
| 2 ft. | 3 75 | 33 50 | |
| 2½ ft. | 5 00 | 45 00 | |
| 3 to 4 ft. XX | \$10.00 to 20 00 | | |
| Henry W. Sargent. Crimson— | | | |
| 1½ ft. | 3 00 | 28 50 | |
| 2 ft. | 3 75 | 33 50 | |
| 2½ ft. | 5 00 | 45 00 | |
| 3 ft. | 10 00 | | |
| Ignatius Sargent. Deep Pink— | | | |
| 1½ ft. | 3 00 | 28 50 | |
| 2 ft. | 3 75 | 33 50 | |
| 2½ ft. | 5 00 | 45 00 | |
| 3 ft. | 7 50 | 65 00 | |
| J. Marshall Brooks. Scarlet— | | | |
| 2 ft. | 3 75 | 30 00 | |
| 2½ ft. | 5 00 | 45 00 | |
| 3 ft. | 7 50 | 65 00 | |
| Jas. Macintosh. Rosy Scarlet— | | | |
| 1½ ft. | 3 00 | 28 50 | |
| 2 ft. | 3 75 | 32 50 | |
| John Spencer. Rose— | | | |
| 3 ft. | 5 00 | 45 00 | |
| 3½ ft. | 7 50 | 65 00 | |
| 4 ft. | 10 00 | 90 00 | |
| 4½ ft. | 12 50 | | |
| 5 to 6 ft. | 15 00 | | |

ALL GOODS F. O. B. HERE AT LIST PRICES

EVERGREEN SHRUBS

| | | Each | 10 | 100 |
|---|-----------------|---------|----|-----|
| RHODODENDRON Kettledrum. Deep Red— | | | | |
| 2 ft. | \$ 5 00 | \$40 00 | | |
| 2½ ft. | 6 50 | 52 50 | | |
| 3 ft. | 8 50 | 75 00 | | |
| J. R. Trumpy. Rosy Crimson— | | | | |
| 2½ ft. | 3 50 | 30 00 | | |
| Kissena. Lavender— | | | | |
| 15 to 18 in. x 18 to 24 in. | 3 00 | 28 50 | | |
| Lady Armstrong. Pale Rose— | | | | |
| 1½ ft. | 2 65 | 20 00 | | |
| 2 ft. | 3 35 | 25 00 | | |
| 2½ ft. | 4 50 | 32 50 | | |
| 3 to 3½ ft. | 7 50 | 65 00 | | |
| Lady Clermont. Rosy Scarlet— | | | | |
| 3 ft. | 6 50 | 50 00 | | |
| 3½ to 4 ft. | \$8.50 to 15 00 | | | |
| Lady Gray Edgerton. Blush White— | | | | |
| 1½ ft. | 2 50 | 23 50 | | |
| 2 ft. | 3 75 | 32 50 | | |
| 2½ ft. | 5 00 | 45 00 | | |
| 3 to 3½ ft. | \$8.50 to 12 50 | | | |
| Lee's. Dark Purple— | | | | |
| 18 to 30 in. | \$2.00 to 5 00 | | | |
| Luciferum. Clear White— | | | | |
| 2 to 3 ft. | 2 50 | 7 50 | | |
| Mad. Carvalho. White— | | | | |
| 2 ft. | 3 00 | 25 00 | | |
| 2½ ft. | 4 00 | 28 50 | | |
| Mrs. Chas. S. Sargent. "Pink"— | | | | |
| 1½ ft. | 3 25 | 28 50 | | |
| 2 ft. | 3 75 | 32 50 | | |
| Mildred Grant. — | | | | |
| 1½ ft. | 3 25 | 28 50 | | |
| 2 ft. | 3 75 | 35 00 | | |
| 2½ ft. | 5 00 | 45 00 | | |
| Mrs. John Clutton. White— | | | | |
| 1½ ft. | 2 50 | 22 50 | | |
| 2½ ft. | 4 00 | 37 50 | | |
| 3 ft. | 7 50 | | | |
| Mrs. Milner. Crimson— | | | | |
| 1½ ft. | 3 00 | 28 50 | | |
| 2 ft. | 3 75 | 29 50 | | |
| 2½ ft. | 5 00 | 45 00 | | |
| 3 ft. | 7 50 | 65 00 | | |
| Old Port. Plum— | | | | |
| 1½ ft. | 3 00 | 26 50 | | |
| 2 ft. | 3 75 | 32 50 | | |
| 2½ ft. | 5 00 | 45 00 | | |
| 3 to 4 ft. | \$7.50 to 15 00 | | | |
| Parsons Gloriosum. Blush— | | | | |
| 2 ft. | 3 00 | 28 50 | | |
| 2½ ft. | 3 75 | 32 50 | | |
| 3 ft. | 5 00 | 45 00 | | |
| Parson's Grandiflorum rubrum. Deep Pink— | | | | |
| 2 ft. | 3 00 | 26 50 | | |
| 2½ ft. | 3 75 | 32 50 | | |
| 3 ft. | 6 50 | 57 50 | | |
| 3½ ft. | 10 00 | 90 00 | | |
| 4 ft. | 15 00 | | | |

LARGE SIZES FOR IMMEDIATE EFFECT

| | | Each | 10 | 100 |
|--|------------------------------------|------------------|---------|-----|
| RHODODENDRON | President Lincoln. Crimson— | | | |
| 2½ ft. | | \$5 00 | \$40 00 | |
| 3 ft. | | 6 50 | 50 00 | |
| 3½ to 4 ft. | | \$10.00 to 15 00 | | |
| purpureum crispum. Purple crimped. | | | | |
| 1½ to 2 ft. | | 3 00 | 28 50 | |
| purpureum elegans. Purple. | | | | |
| 2 ft. | | 3 00 | 26 50 | |
| 2½ ft. | | 5 00 | 40 00 | |
| 3 ft. | | 7 50 | 67 50 | |
| 3½ to 4 ft. | | \$10.00 to 15 00 | | |
| Roseum elegans. (True.) Clear Pink. | | | | |
| 2 ft. | | 3 75 | 32 50 | |
| 2½ ft. | | 5 00 | 45 00 | |
| 3 ft. | | 6 50 | 57 50 | |
| 3 to 3½ ft. | | 7 50 | 70 00 | |
| Roseum elegans. Good Rose Pink. | | | | |
| 2 ft. | | 3 00 | 23 00 | |
| 2½ ft. | | 4 25 | 35 00 | |
| 3 ft. | | 5 00 | 47 50 | |
| 3½ to 6 ft. | | \$8.50 to 35 00 | | |
| roseum luteum. Pink. | | | | |
| 1½ ft. | | 2 75 | 25 00 | |
| 2 ft. | | 3 50 | 30 00 | |
| 2½ ft. | | 4 75 | 42 50 | |
| 2½ to 3 ft. XX | | 7 50 | | |
| roseum superbum. Clear Rose. | | | | |
| 2½ to 3 ft. XX | | 7 50 | | |
| 3 to 3½ ft. XX | | 12 50 | | |
| Sefton. Dark maroon. | | | | |
| 12 to 15 in. x 12 to 15 in. | | 2 50 | 22 50 | |
| 15 to 18 in. x 15 to 18 in. | | 3 00 | 28 50 | |
| 1½ to 2 ft. | | 3 50 | | |

OTHER SPECIES.

| | |
|---------------------|---|
| RHODODENDRON | catawbiense. (Lavender Purple)— |
| | This is all nursery grown stock, two-thirds as broad as its height. The very heaviest kind of material. |

| | | | |
|-------------|-------|------------------|--------|
| 2 ft. | | 3 00 | 23 50 |
| 2½ ft. | | 3 75 | 30 00 |
| 3 ft. | | 5 25 | 48 50 |
| 3½ ft. | | 7 50 | 68 50 |
| 4 to 4½ ft. | | 12 50 | 115 00 |
| 4½ to 5 ft. | | \$15.00 to 20 00 | |

| | | | |
|--------------------------|--------|------|-------|
| catawbiense alba. | White— | | |
| 1½ ft. | | 2 50 | 22 50 |
| 2 ft. | | 3 00 | 28 50 |
| 2½ ft. | | 4 00 | 37 50 |
| 3 ft. | | 6 50 | 55 00 |

| | | | |
|----------------------|-------|------|-------|
| carolinensis. | Pink— | | |
| 15 to 18 in. | | 2 50 | 22 50 |
| 2 ft. | | 3 00 | 28 50 |
| 2½ ft. | | 4 00 | 37 50 |
| 3 ft. | | 5 00 | 45 00 |

| | | Each | 10 | 100 |
|------------------------------|---|--------|---------|-----|
| RHODODENDRON | maximum. Great Laurel. (White to Blush Pink)— | | | |
| 2 to 2½ ft. | | \$2 50 | \$20 00 | |
| 2½ to 3 ft. | | 3 25 | 27 50 | |
| 3 to 3½ ft. | | 4 00 | 35 00 | |
| 3½ to 4 ft. | | 5 00 | 40 00 | |
| 4 to 5 ft. | | 6 00 | 52 50 | |
| maximum roseum. Pink— | | | | |
| 1½ ft. | | 2 50 | 22 50 | |
| 2 ft. | | 3 50 | 32 50 | |
| 2½ ft. | | 4 25 | 38 50 | |
| Smirnovii— | | | | |
| 1½ to 2 ft. Heavy | | 3 50 | | |

COLLECTED RHODODENDRONS.

Both Maximum and the Catawbiense types can be supplied in car-load lots. Prices on application.

DWARF VARIETIES.

imbricata—

1 to 1½ ft. 3 00

myrtifolium. Pink.

15 to 18 in. 3 00 26 50

punctatum. Pink-spotted—

10 to 12 in. 2 00 18 50
12 to 15 in. 2 50 20 00
15 to 18 in. 3 50 28 50

punctatum, var. Waterer's Hybrid—

10 to 12 in. XX Bushy 2 50 20 00

Wilsonianum. Pale Pink—

12 to 15 in. 2 50 20 00

YUCCA *filamentosa*. Adam's Needle—

4 yr. 50 3 50

glaucia—

4 yr. 50 3 50

RHODODENDRONS

HOW TO USE THEM FOR BEST EFFECTS

Rhododendrons, to secure the best effects, should be planted in combination with other things. If along the woodland or in heavy boundary plantings, the Hemlock, the White Pine, the Dogwood, native Viburnums and plants of like character tend to break up the monotony of heavy masses of Rhododendrons of the same form and texture; and where the plantings are more confined as about the base line of buildings, and in nooks and corners of the garden, the Dogwood, the *Cornus mascula*. Kalmia, ferns of different varieties, stronger-growing perennials, and last, but not least, the hardy little shrub, *Abelia rupestris*, all can be used to secure most pleasing effects.

LARGE SIZES FOR IMMEDIATE EFFECT



Specimen Norway Maples in Wide Rows.

DECIDUOUS TREES

Large trees have been in demand for many years as purchasers wish quick results. In a great measure the difficulty has been to secure a large tree that would grow as satisfactorily as those of smaller size.

Appreciating the demand for a perfect tree in a large size we have for years devoted great care and large sums of money transplanting trees in unusually large nursery grades, and our customers can depend absolutely upon receiving, with any of the large sizes offered in this list, a root system which makes it practical and desirable to secure the large sizes and get immediate results.

Measurements are given as follows: Height is taken before digging, from the surface of the ground to the top branches, where they round off to form the top; diameter of stem, or caliper, is taken 6 inches above the ground, above the collar. Measurements are expressed thus: 10 to 12 ft. (height), $2\frac{1}{2}$ to $2\frac{3}{4}$ in. (caliper).

| ACER campestris. English Field Maple— | Each | 10 | 100 |
|---|-------------------|---------|-----|
| 15 to 18 in. | \$2 50 | \$15 00 | |
| 6 to 8 ft. Specimens. | \$6.00 to \$15 00 | | |
| dasycarpum. (See <i>Saccharinum.</i>) Silver Maple— | | | |
| Negundo. Ash-leaved Maple— | | | |
| $2\frac{1}{2}$ ft. to $3\frac{1}{2}$ ft. | 3 50 | 15 00 | |
| 6 to 8 ft. | 8 50 | 65 00 | |
| 8 to 10 ft.; $1\frac{1}{2}$ to 2 in. | 12 00 | 85 00 | |
| 10 to 12 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in. | 12 50 | 85 00 | |
| 10 to 12 ft.; $1\frac{1}{2}$ to 2 in. | 15 00 | 110 00 | |
| pennsylvanicum. (Striped Maple)— | | | |
| 5 to 6 ft. | 1 50 | 10 00 | |
| 6 to 7 ft. | 2 00 | 15 00 | |
| 7 to 8 ft. | 2 50 | 20 00 | |

DECIDUOUS TREES

| | Each | 10 | 100 |
|--|--------|--------|---------|
| ACER platanoides. (Norway Maple)— | | | |
| 8 to 10 ft.; 1 to 1½ in. | \$1 50 | \$7 50 | \$75 00 |
| 8 to 10 ft.; 1½ to 1¾ in. | 2 00 | 10 00 | 90 00 |
| 10 to 12 ft.; 1½ to 2 in. | 2 50 | 12 50 | 115 00 |
| 10 to 12 ft.; 2 to 2½ in. | 3 00 | 17 50 | 150 00 |
| 10 to 12 ft.; 2½ to 2¾ in. | 3 50 | 20 00 | 165 00 |
| 12 to 14 ft.; 2½ to 2¾ in. | 4 00 | 27 50 | 250 00 |
| 12 to 14 ft.; 2¾ to 3 in. | 5 00 | 32 50 | 275 00 |
| 14 to 16 ft.; 3 to 3½ in. | 6 00 | 47 50 | 400 00 |
| 14 to 16 ft.; 3½ to 3¾ in. | 7 50 | 50 00 | 450 00 |
| 16 to 18 ft.; 3¾ to 4 in. | 8 50 | 60 00 | 500 00 |
| 16 to 18 ft.; 4 to 4½ in. | 10 00 | 80 00 | 650 00 |
| 16 to 18 ft.; 4½ to 5 in. | 17 50 | 165 00 | |
| 18 to 20 ft.; 5 to 6 in....\$20.00 to | 35 00 | | |
| 18 to 22 ft.; 6 to 7 in....\$35.00 to | 75 00 | | |
| 20 to 22 ft.; 7 to 8 in....\$75.00 to | 100 00 | | |
| 22 to 28 ft.; 8 to 12 in....\$100.00 to | 150 00 | | |

Prices on the last three grades
do not include delivery.

platanoides, var. *purpurea*. (Schwedler's purple Maple)—

| | | | |
|--------------------------------------|-------|-------|--------|
| 8 to 10 ft.; 1 to 1½ in. | 1 75 | 15 00 | 135 00 |
| 8 to 10 ft.; 1½ to 1¾ in. | 2 50 | 18 50 | 165 00 |
| 8 to 10 ft.; 1¾ to 2 in. | 3 50 | 20 00 | 185 00 |
| 10 to 12 ft.; 1½ to 1¾ in. | 3 50 | 20 00 | 185 00 |
| 10 to 12 ft.; 1¾ to 2 in. | 4 00 | 22 50 | 200 00 |
| 10 to 12 ft.; 2 to 2½ in. | 5 00 | 27 50 | 225 00 |
| 10 to 12 ft.; 2½ to 2¾ in. | 6 00 | 30 00 | 250 00 |
| 12 to 14 ft.; 2½ to 2¾ in. | 7 50 | 35 00 | 265 00 |
| 14 to 16 ft.; 3 to 3½ in. Specimen.. | 12 50 | | |

platanoides, var. *Reitenbachi*. (Reitenback's Purple Maple)—

| | | |
|-------------------------------------|-------|-------|
| 6 to 8 ft.; 1 to 1½ in. | 2 00 | 15 00 |
| 18 to 20 ft.; 3 to 4 in. | 12 50 | |
| 14 to 18 ft.; 5 to 6 in. \$25.00 to | 35 00 | |

pseudo platanus. (European Sycamore)—

| | | |
|------------------------------------|-------|-------|
| 10 to 12 ft.; 1½ to 2 in. | 1 50 | 13 50 |
| 12 to 14 ft.; 2 to 2½ in. | 2 50 | 18 50 |
| 12 to 14 ft.; 2½ to 2¾ in. | 3 00 | 20 00 |
| 12 to 14 ft.; 2¾ to 3 in. | 4 00 | 25 00 |
| 12 to 14 ft.; 3 to 4 in....\$5 to | 7 50 | |
| 14 to 16 ft.; 4 to 5 in....\$10 to | 20 00 | |
| 16 to 18 ft.; 6 to 8 in....\$25 to | 65 00 | |

pseuda platanus, var. *purpurea*. (Purple European Sycamore)—

| | |
|---------------------------------|----------------|
| 25 to 30 ft.; 6 to 10 in. Spec. | \$35 to 100 00 |
|---------------------------------|----------------|

rubrum. (Red or Scarlet Maple)—

| | | |
|---------------------------------|------|-------|
| 6 to 8 ft. | 1 00 | 8 50 |
| 6 to 8 ft.; 1 to 1½ in. | 1 50 | 13 50 |
| 8 to 10 ft.; 1 to 1½ in. | 2 00 | 18 50 |
| 8 to 10 ft.; 1½ to 1¾ in. | 2 50 | 20 00 |
| 8 to 10 ft.; 1½ to 1¾ in. | 3 00 | 22 50 |
| 8 to 10 ft.; 1¾ to 2 in. | 3 50 | 25 00 |
| 12 to 14 ft.; 2 to 2½ in. | 4 00 | 35 00 |
| 12 to 14 ft.; 2½ to 2¾ in. | 5 00 | 38 50 |

LARGE SIZES FOR IMMEDIATE EFFECT

DECIDUOUS TREES

35

| ACER | saccharinum. | (Dasycarpum.) | Silver | Each | 10 | 100 |
|-------------------|--------------------------|--|------------------|------------------|--------|---------|
| | | | | Maple | | |
| | 6 to 8 ft. | | | | \$6 00 | \$45 00 |
| | 8 to 10 ft. | 1 to 1 $\frac{1}{2}$ in. | | | 10 00 | 75 00 |
| | 8 to 10 ft. | 1 $\frac{1}{2}$ to 1 $\frac{3}{4}$ in. | | \$1 50 | 12 50 | 90 00 |
| | 10 to 12 ft. | 1 $\frac{3}{4}$ to 2 in. | | 2 00 | 15 00 | 100 00 |
| | 10 to 12 ft. | 1 $\frac{3}{4}$ to 2 in. | | 2 50 | 17 50 | 135 00 |
| | 12 to 14 ft. | 2 to 2 $\frac{1}{2}$ in. | | 3 00 | 20 00 | 175 00 |
| | 14 to 16 ft. | 2 $\frac{1}{2}$ to 2 $\frac{3}{4}$ in. | | 3 50 | 25 00 | 225 00 |
| | 16 to 18 ft. | 3 to 3 $\frac{1}{2}$ in. | | 5 00 | 40 00 | |
| | 16 to 18 ft. | 3 $\frac{1}{2}$ to 4 in. | | 7 50 | 60 00 | |
| saccharum. | Sugar Maple— | | | | | |
| | 6 to 8 ft. | | | | 7 50 | 60 00 |
| | 8 to 10 ft. | | | | 10 00 | 85 00 |
| | 8 to 10 ft. | 1 $\frac{1}{2}$ to 1 $\frac{3}{4}$ in. | | 2 00 | 16 50 | 100 00 |
| | 12 to 14 ft. | 1 $\frac{1}{2}$ to 1 $\frac{3}{4}$ in. | | 2 50 | 20 00 | 135 00 |
| | 12 to 14 ft. | 1 $\frac{1}{2}$ to 2 in. | | 3 00 | 25 00 | 175 00 |
| | 12 to 14 ft. | 2 to 2 $\frac{1}{2}$ in. | | 3 50 | 27 50 | 200 00 |
| | 12 to 14 ft. | 2 $\frac{1}{2}$ to 2 $\frac{3}{4}$ in. | | 4 00 | 32 50 | 225 00 |
| | 14 to 16 ft. | 2 $\frac{1}{2}$ to 2 $\frac{3}{4}$ in. | | 5 00 | 40 00 | 300 00 |
| | 16 to 18 ft. | 4 to 4 $\frac{1}{2}$ in. | \$15 to 20 | 00 | | |
| | 18 to 20 ft. | 4 $\frac{1}{2}$ to 5 in. | \$25 to 35 | 00 | | |
| | 18 to 20 ft. | 5 to 6 in. | | | | |
| | 20 to 24 ft. | 6 to 7 in. | | | | |
| | 22 to 24 ft. | 7 to 8 in. | | | | |
| | 25 to 30 ft. | 8 to 9 in. | | | | |
| | 25 to 30 ft. | 9 to 10 in. | | | | |
| ginnala. | (Tartarian Maple)— | | | | | |
| | 1 to 1 $\frac{1}{2}$ ft. | 2 yr. tr... per 1000, \$60.. | | | | 10 00 |
| | 3 to 4 ft. | | | 75 | 5 00 | 35 00 |
| | 5 to 6 ft. | | | 1 50 | 10 00 | 85 00 |
| | 6 to 8 ft. | Heavy | | 10 00 | 90 00 | |
| | 8 to 10 ft. | Heavy | \$10.00 to 20 | 00 | | |
| ginnala, var. | rubrum— | | | | | |
| | 1 to 1 $\frac{1}{2}$ ft. | 2 yr. tr... per 1000, \$60.. | | | | 10 00 |
| | 4 to 5 ft. | | | 1 00 | 9 00 | 75 00 |
| | 5 to 6 ft. | | | 1 50 | 10 00 | 90 00 |
| | 6 to 7 ft. | | | 2 50 | 22 50 | |
| | 7 to 8 ft. | Heavy | | 10 00 | 90 00 | |
| polymorphum, var. | | aureum. (Golden | | | | |
| | Japanese Maple)— | | | | | |
| | 2 ft. | | | 2 50 | | |
| | 2 $\frac{1}{2}$ ft. | | | 4 00 | | |
| | 3 to 4 ft. | | \$7.50 to 15 00 | | | |
| polymorphum. | | Extra heavy specimen | | | | |
| | pieces— | | | | | |
| | 3 to 4 ft. | x 3 to 3 $\frac{1}{2}$ ft. | \$7.50 to 10 00 | | | |
| | 4 to 5 ft. | x 3 to 4 ft. | \$10.00 to 15 00 | | | |
| | 5 to 6 ft. | x 4 ft. | \$15.00 to 20 00 | | | |
| | 6 to 7 ft. | x 4 to 5 ft. | \$20.00 to 25 00 | | | |
| | 8 to 10 ft. | x 5 ft. | 35 00 | | | |
| polymorphum, var. | | atropurpureum. (Blood- | | | | |
| | leaved Japan Maple)— | | | | | |
| | 2 ft. | | | 2 50 | 23 50 | |
| | 2 $\frac{1}{2}$ ft. | | | 3 50 | 32 50 | |
| | 3 ft. | | | 6 00 | 50 00 | |
| | 3 $\frac{1}{2}$ ft. | | | 10 00 | 90 00 | |
| | 4 ft. | | | 12 50 | | |
| | 5 ft. | | | 15 00 | | |
| | 5 to 8 ft. | Specimens. Extra | | | | |
| | Broad | | | \$20.00 to 75 00 | | |

JAPANESE MAPLES BALLED AND BURLAPPED

| | | Each | 10 | 100 |
|--|------------------|---------|----|-----|
| ACER polymorphum , var. <i>atropurpureum dissectum</i> . (Weeping Cut-leaf blood-leaved)— | | | | |
| 1 to $1\frac{1}{2}$ ft. x $1\frac{1}{2}$ to 2 ft. | \$3 50 | \$32 50 | | |
| $1\frac{1}{2}$ to 2 ft. x 2 to $2\frac{1}{2}$ ft. | 5 00 | 45 00 | | |
| $1\frac{1}{2}$ to 2 ft. x $2\frac{1}{2}$ to 3 ft. | 7 50 | 65 00 | | |
| 2 to $2\frac{1}{2}$ ft. x 3 to $3\frac{1}{2}$ ft. | 12 50 | 115 00 | | |
| 2 to $2\frac{1}{2}$ ft. x $3\frac{1}{2}$ to 4 ft. | 15 00 | 140 00 | | |
| 3 to $3\frac{1}{2}$ ft. x 4 to 6 ft. | \$20.00 to 25 00 | | | |
| polymorphum , var. <i>atropurpureum nigrum</i> . <i>Rare</i> — | | | | |
| 10 to 12 ft. Specimens.... | \$60.00 to 75 00 | | | |
| polymorphum , var. <i>dissectum</i> . (Cut-leaf Weeping) Japan Maple— | | | | |
| 1 to $1\frac{1}{2}$ ft. x $1\frac{1}{2}$ to 2 ft. | 3 50 | 32 50 | | |
| $1\frac{1}{2}$ to 2 ft. x 2 to $2\frac{1}{2}$ ft. | 5 00 | 45 00 | | |
| $1\frac{1}{2}$ to 2 ft. x $2\frac{1}{2}$ to 3 ft. | 7 50 | 65 00 | | |
| 2 to $2\frac{1}{2}$ ft. x 3 to 4 ft. | \$12.50 to 15 00 | | | |
| $2\frac{1}{2}$ to 3 ft. x 4 to 5 ft. | \$20.00 to 25 00 | | | |
| polymorphum , var. <i>reticulatum</i> — | | | | |
| 6 to 9 ft. Specimens .. | \$15.00 to 20 00 | | | |
| polymorphum , specimens in variety— | | | | |
| 10 ft. Extra Heavy | 150 00 | | | |
| ÆSCULUS carnea (<i>rubicunda</i>). Red-flowered Horse Chestnut— | | | | |
| 10 to 12 ft. ; 2 to $2\frac{1}{2}$ in. | 5 00 | 45 00 | | |
| 12 to 14 ft. ; $2\frac{1}{2}$ to 3 in. | \$7.50 to 10 00 | | | |
| 5 to 6 ft. | 2 50 | | | |
| 6 to 8 ft. | 3 50 | | | |
| Hippocastanum . (European Horse-chestnut)— | | | | |
| 8 to 10 ft. ; $1\frac{1}{2}$ to 2 in. | 2 50 | 17 50 | | |
| 10 to 12 ft. ; $2\frac{1}{4}$ to $2\frac{1}{2}$ in. | 3 50 | 32 50 | | |
| 10 to 12 ft. ; $2\frac{3}{4}$ to 3 in. | 5 00 | 42 50 | | |
| 12 to 14 ft. ; 3 to $3\frac{1}{4}$ in. | 7 50 | 50 00 | | |
| 12 to 14 ft. ; $3\frac{1}{2}$ to 4 in. | 12 50 | 115 00 | | |
| 14 to 16 ft. ; $4\frac{1}{2}$ to 5 in. | \$17.50 to 25 00 | | | |
| Hippocastanum , var. <i>alba flore pleno</i> . (Double White-flowered Horse-chestnut)— | | | | |
| 10 to 12 ft. ; $1\frac{3}{4}$ to 2 in. | 3 50 | 25 00 | | |
| 12 to 14 ft. ; $2\frac{1}{4}$ to $2\frac{1}{2}$ in. | 5 00 | 32 50 | | |
| 12 to 14 ft. ; $2\frac{1}{2}$ to $2\frac{3}{4}$ in. | 6 50 | 42 50 | | |
| 12 to 14 ft. ; $2\frac{3}{4}$ to 3 in. | 7 50 | 50 00 | | |
| 12 to 14 ft. ; $3\frac{1}{4}$ to $3\frac{1}{2}$ ft. | 10 00 | 75 00 | | |
| Specimen. 7 to 9 in. | \$50 to 150 00 | | | |
| Price on 7 to 9 in. does not include delivery. | | | | |
| AILANTHUS glandulosa . (Tree of Heaven)— | | | | |
| 12 to 14 ft. ; 2 to $2\frac{1}{2}$ in. | 2 50 | 12 50 | | |
| 16 to 18 ft. ; $2\frac{1}{2}$ to 3 in. | 3 50 | 22 50 | | |
| ALNUS glutinosa . (Black Alder)— | | | | |
| 8 to 10 ft. ; 1 to $1\frac{1}{2}$ in. | 1 00 | 8 50 | | |
| 10 to 12 ft. ; $1\frac{1}{2}$ to 2 in. | 1 50 | 12 50 | | |
| 10 to 12 ft. ; 2 to $2\frac{1}{2}$ in. | 2 00 | 15 00 | | |
| glutinosa , var. <i>laciniata</i> — | | | | |
| 12 to 14 ft. ; 2 to 3 in. | 3 50 | 25 00 | | |
| incana — | | | | |
| 6 to 8 ft. | 1 50 | | | |

LARGE SIZES FOR IMMEDIATE EFFECT

DECIDUOUS TREES

37

| | | | | | | |
|--------------------|---------------|------------------------|--------|---------|----|-----|
| AMELANCHIER | <i>lævis.</i> | (<i>Canadensis.</i>) | June | Each | 10 | 100 |
| | Berry— | | | | | |
| 6 to 8 ft. | | | \$2 00 | \$15 00 | | |
| 8 to 10 ft. | | | 2 75 | 20 00 | | |

6 to 7 ft. x 15 to 18 in. head. Std. 2 50 20 00

ANDROMEDA. (See *Oxydendron.*)

ARALIA japonica. (*Fatsia.*) Chinese Angelica Tree—

| | | | |
|-------------|-------|------|-------|
| 2 to 3 ft. | | 1 00 | 5 00 |
| 6 to 8 ft. | | 2 50 | 20 00 |
| 8 to 10 ft. | | 3 50 | 25 00 |

spinosa. (Hercules Club)—

| | | | |
|-------------|-------|------|-------|
| 2 to 2½ ft. | | 1 00 | 5 00 |
| 6 to 8 ft. | | 2 50 | 20 00 |
| 8 to 10 ft. | | 2 50 | 20 00 |

pentaphylla. (See *Acanthopanax.*)

BETULA alba. (European White Birch)—

| | | | | |
|--------------------------|-------|------|-------|---------|
| 5 to 6 ft. | | 1 00 | 7 50 | \$50 00 |
| 6 to 8 ft. | | 1 50 | 12 50 | 75 00 |
| 8 to 10 ft. | | 2 00 | 17 50 | |
| 8 to 10 ft.; 1½ to 2 in. | | 2 50 | 20 00 | |

alba, var. *laciniata pendula.* (Weeping Cut-leaved White Birch)—

| | | |
|----------------------------|-------|------|
| 12 to 14 ft.; 2½ to 2¾ in. | | 5 00 |
|----------------------------|-------|------|

alba, var. *purpurea.* (Purple Foliage)—

| | | |
|------------|-------|------|
| 6 to 8 ft. | | 2 50 |
|------------|-------|------|

alba, var. *pyramidalis.* (Pyramidal form)—

| | | |
|------------|-------|------|
| 7 to 9 ft. | | 3 50 |
|------------|-------|------|

lutea. (Yellow Birch)—

| | | | | |
|----------------------------|-------|------|-------|-------|
| 6 to 8 ft. | | 1 50 | 12 50 | 75 00 |
| 8 to 10 ft. | | 2 00 | 15 00 | 85 00 |
| 8 to 10 ft.; 1½ to 1½ in. | | 2 50 | 17 50 | |
| 10 to 12 ft.; 1½ to 2 in. | | 3 00 | 20 00 | |
| 12 to 14 ft.; 2 to 2½ in. | | 3 50 | 22 50 | |
| 12 to 14 ft.; 2½ to 2¾ in. | | 4 00 | 25 00 | |

papyrifera. (Paper or Canoe Birch)—

| | | | | |
|---------------------|-------|------|-------|-------|
| 6 to 8 ft. | | 1 50 | 8 50 | 60 00 |
| 8 to 10 ft. | | 2 00 | 10 00 | 85 00 |
| 8 to 10 ft.; 1½ in. | | 2 50 | 17 50 | |
| 10 to 12 ft.; 2 in. | | 3 50 | 20 00 | |

populifolia. (American White Birch)

| | | | | |
|----------------------------|-------|------|-------|--------|
| 8 to 10 ft.; 1 to 1½ in. | | 2 00 | 15 00 | 85 00 |
| 10 to 12 ft.; 1½ to 1¾ in. | | 2 50 | 17 50 | 100 00 |
| 12 to 14 ft.; 2 to 2½ in. | | 3 50 | 25 00 | |

nigra. (Red or River Birch)—

| | | | |
|--------------------------|-------|------|--------|
| 5 to 6 ft. | | 1 00 | 7 50 |
| 6 to 8 ft. | | 1 50 | 12 50 |
| 8 to 10 ft.; 1 to 1½ in. | | 2 00 | 15 00 |
| 3 to 5 ft.; P. O. A. | | | 100 00 |

CARAGANA. (Siberian Pea Tree.) Arbor-escens—

| | | | |
|------------|-------|------|-------|
| 4 to 6 ft. | | 1 00 | 7 50 |
| 6 to 8 ft. | | 1 50 | 10 00 |

75 00

ALL GOODS F. O. B. HERE AT LIST PRICES

DECIDUOUS TREES

| | | | |
|---|---------------|---------|---------|
| CARPINUS caroliniana. (American Hornbeam)— | Each | 10 | 100 |
| 3 to 4 ft. | \$1 50 | \$10 50 | \$85 00 |
| 4 to 5 ft. | 2 00 | 12 50 | |
| 5 to 6 ft. | 3 00 | 25 00 | 200 00 |
| 6 to 7 ft. | 4 00 | 30 00 | 250 00 |
| 7 to 8 ft. | 6 00 | 50 00 | 350 00 |
| 8 to 10 ft. | 7 50 | 60 00 | 450 00 |
| 10 to 14 ft. | 10 00 | and up | |
| Betulus. (European Hornbeam) | | | |
| 4 to 5 ft. | 2 50 | 20 00 | 175 00 |
| 5 to 6 ft. | 4 00 | 35 00 | 275 00 |
| 4 to 5 ft. x $2\frac{1}{2}$ to 3 in. Shd.... | 4 50 | 40 00 | |
| 5 to 6 ft. x $2\frac{1}{2}$ to 3 in. Shd.... | 5 50 | 47 50 | |
| 6 to 7 ft. x 3 to $3\frac{1}{2}$ in. Shd.... | 7 50 | 67 50 | |
| 12 to 20 ft. Specimens P. O. A.... | | | |
| CARYA alba. See <i>Hickoria</i> . | | | |
| CATALPA bignonioides nana. Catalpa Bungii— | | | |
| 6 to 7 ft. Standards..... | 2 50 | 20 00 | |
| speciosa. (Western Catalpa)— | | | |
| 5 to 6 ft. | 1 00 | 5 00 | 35 00 |
| 6 to 8 ft. | 1 25 | 7 50 | 60 00 |
| 7 to 8 ft.; 1 to $1\frac{1}{2}$ in. | 1 50 | 10 00 | 75 00 |
| 10 to 12 ft.; $1\frac{1}{2}$ to 2 in. | 2 00 | 17 50 | |
| 12 to 14 ft.; $2\frac{1}{2}$ to 3 in. | 2 50 | 22 50 | |
| 14 to 16 ft.; 3 to $3\frac{1}{2}$ in. | 3 50 | 30 00 | |
| CEDRELA sinensis. Chinese Cedrela. | | | |
| 10 to 12 ft.; 1 to $1\frac{1}{2}$ in. | 2 50 | 20 00 | |
| 12 to 14 ft.; $1\frac{1}{2}$ to 2 in. | 3 50 | 30 00 | |
| CELTIS occidentalis. Nettle Tree. | | | |
| 6 to 8 ft. | 1 50 | | |
| CERASUS (Prunus) avium alba plena. | | | |
| 5 to 6 ft. | 2 50 | | |
| avium. var. <i>rosea plena</i> . (Dbl. Pink-flowered Cherry)— | | | |
| 3 to $3\frac{1}{2}$ ft. | 1 50 | 12 50 | |
| 4 to $4\frac{1}{2}$ ft. | 2 50 | 20 00 | |
| 5 to 6 ft. | 3 50 | 30 00 | |
| 6 to 7 ft. | 5 00 | 45 00 | |
| avium, var. <i>rosea pendula</i>. (Pink Weeping Japan Cherry)— | | | |
| 6 ft. Standards..... | 3 50 | | |
| Low-grafted Specimens, 10 to 15 ft., prices on application. | | | |
| japonica. Rose Flowered. | | | |
| 5 ft. | 3 50 | | |
| CERCIS canadensis. (Red Bud, American Judas) | | | |
| 2 to 3 ft. | 50 | 3 50 | 30 00 |
| 3 to 4 ft. | 75 | 6 00 | 50 00 |
| 4 to 5 ft. | 1 00 | 8 50 | |
| 6 to 8 ft. | 2 50 | 20 00 | |
| japonica. See <i>Shrubs</i> . | | | |
| CERCIDIOPHYLLUM japonicum. (Rich Fall Color-ing Foliage)— | | | |
| 5 to 6 ft. | 2 50 | 23 50 | |
| 6 to 7 ft. | 3 50 | 32 50 | |
| 7 to 8 ft. | 5 00 | 45 00 | |
| 8 to 10 ft. Specimens..... | 10 00 | 90 00 | |
| 12 to 16 ft. Specimens.... | \$15 to 50 00 | | |

LARGE SIZES FOR IMMEDIATE EFFECT

DECIDUOUS TREES

39

| | | | |
|---|-----------------|---------|---------|
| CLADRASTIS lutea. (Virgilia) Yellow Wood— | Each | 10 | 100 |
| 6 to 8 ft. | \$2 50 | \$20 00 | |
| 8 to 10 ft. | 3 50 | 32 50 | |
| 12 to 14 ft. | \$7.50 to 10 00 | | |
| 16 to 20 ft. Specimens.... | \$15 to 25 00 | | |
| CORNUS florida. (White Dogwood)— | | | |
| 3 to 4 ft. | 1 00 | 7 50 | \$50 00 |
| 4 to 5 ft. | 1 50 | 10 00 | 60 00 |
| 5 to 6 ft. | 2 00 | 15 00 | 85 00 |
| 6 to 7 ft. | 2 50 | 22 50 | 150 00 |
| 7 to 8 ft. | 3 50 | 32 50 | |
| 8 to 10 ft. | 5 00 | 45 00 | 350 00 |
| florida. Standards— | | | |
| 5 to 6 ft.; headed 4 ft. | 2 50 | 22 50 | |
| 6 to 7 ft.; headed 4 ft. | 3 50 | 32 50 | |
| 7 to 8 ft.; headed 5 ft. | 5 00 | 40 00 | |
| 8 to 9 ft.; headed 6 ft. | 7 50 | 65 00 | |
| 9 to 10 ft.; headed 6 ft. | 10 00 | 85 00 | |
| 10 to 12 ft.; headed 6 ft. | 12 50 | 100 00 | |
| florida, var. alba pleno. (Dbl. White.) | | | |
| New— | | | |
| 3 to 4 ft. | 3 50 | 30 00 | |
| 4 to 5 ft. | 5 00 | 40 00 | |
| florida, var. flore rubra. (Red Flowered)— | | | |
| 2 to 2½ ft. | 2 00 | 13 50 | |
| 2½ to 3 ft. | 2 50 | 22 50 | |
| 3 to 3½ ft. | 3 00 | 28 50 | |
| 3½ to 4 ft. | 3 50 | 32 50 | |
| 4 to 5 ft. | 4 00 | 35 00 | |
| 5 to 5½ ft. | 5 00 | 40 00 | |
| 7 to 8 ft. Specimens.... | 15 00 | | |
| 9 to 10 ft. Specimens.... | \$20 to 35 00 | | |
| Kousa. Japan Dogwood. Rare. | | | |
| 4 to 5 ft. | 3 50 | 32 50 | |
| 5 to 6 ft. | 5 00 | 40 00 | |
| 6 to 7 ft. | 7 50 | 65 00 | |
| 7 to 8 ft. | 8 50 | 77 50 | |
| 8 to 9 ft. | 10 00 | 90 00 | |
| 9 to 10 ft.; extra bushy.... | 12 50 | 115 00 | |
| 10 to 12 ft. | 15 00 | 125 00 | |
| CRATAEGUS coccinea. Scarlet Thorn— | | | |
| 5 to 6 ft. | 1 50 | 12 50 | |
| 6 to 7 ft. | 2 50 | 16 50 | |
| cordata. Washington Thorn— | | | |
| 3 to 4 ft. | 2 50 | 15 00 | |
| 8 to 10 ft. Specimens.... | \$10 to 20 00 | | |
| Crus-galli. Cockspur Thorn— | | | |
| 2 to 3 ft. | 1 00 | 8 50 | 75 00 |
| 3 to 4 ft. | 1 50 | 12 50 | 100 00 |
| 5 to 6 ft. | 2 50 | 22 50 | |
| 6 to 7 ft. | 2 50 | 30 00 | |
| 7 to 8 ft. | 5 00 | 45 00 | |
| 8 to 9 ft.; heavy.... | \$7.50 to 15 00 | | |
| flava. Yellow Haw— | | | |
| 5 to 6 ft.; extra heavy.... | 3 50 | 32 50 | |
| 6 to 7 ft.; extra heavy.... | 5 00 | 45 00 | |
| 8 to 9 ft.; extra heavy.... | \$7.50 to 15 00 | | |

ALL LARGE DOGWOOD BALLED AND BURLAPPED

DECIDUOUS TREES

| | | Each | 10 | 100 |
|--|------------------|---------|----------|-----|
| CRATAEGUS <i>Molle</i> . Scarlet Haw— | | | | |
| 3 to 4 ft. | \$1 50 | \$12 50 | \$100 00 | |
| 5 to 6 ft. | 2 50 | 22 50 | 175 00 | |
| Oxycantha . English Hawthorn— | | | | |
| 4 to 5 ft. | 1 00 | 9 00 | | |
| 5 to 6 ft. | 1 50 | 12 50 | | |
| 6 to 7 ft. | 2 00 | 17 50 | | |
| Oxycantha , var. <i>alba flore pleno</i> . (Double White Hawthorn)— | | | | |
| 3 to 4 ft. | 1 50 | 12 50 | 85 00 | |
| 5 to 6 ft. | 2 50 | 20 00 | | |
| Oxycantha , var. <i>coccinea flore pleno</i> . Paul's Double Scarlet— | | | | |
| 3 to 4 ft. | 1 50 | 12 50 | 85 00 | |
| 4 to 5 ft. | 2 00 | 17 50 | | |
| 5 to 6 ft. | 2 50 | 20 00 | | |
| 10 to 12 ft.; heavy.... | 7 50 | 70 00 | | |
| 12 to 14 ft.; heavy.... | 10 00 | 90 00 | | |
| Oxycantha , var. <i>rosea flore pleno</i> . (Dbl. Pink)— | | | | |
| 4 to 5 ft. | 2 00 | 17 50 | | |
| 5 to 6 ft. | 2 50 | 20 00 | | |
| 7 to 8 ft. | \$4.00 to 5 00 | | | |
| punctata . Dotted-fruited Hawthorn— | | | | |
| 3 to 4 ft. | 1 50 | 12 50 | 100 00 | |
| 4 to 5 ft. | 2 00 | 18 50 | 150 00 | |
| CYTISUS <i>Laburnum</i> . Golden Chain. (See <i>La- burnum Vulgare</i>)— | | | | |
| DIOSPYROS <i>virginica</i> . Persimmon— | | | | |
| 3 to 4 ft. | 1 00 | 8 50 | | |
| 4 to 5 ft. | 1 50 | 13 50 | | |
| 5 to 6 ft. | 2 00 | 18 50 | | |
| 6 to 8 ft. | 2 50 | 22 50 | | |
| 8 to 10 ft. | 3 50 | 25 00 | | |
| FAGUS <i>Americana</i> . (American Beech)— | | | | |
| 2½ to 3 ft. | 2 50 | 18 50 | | |
| 3 to 3½ ft. | 3 00 | 25 00 | | |
| 4 to 4½ ft. | 3 50 | 32 50 | | |
| 5 to 6 ft. | 5 00 | 40 00 | | |
| 6 to 7 ft. | 7 50 | 65 00 | | |
| sylvatica . European Beech— | | | | |
| 2 to 3 ft. | 1 50 | 12 50 | | |
| 3 to 3½ ft. | 2 00 | 15 00 | 90 00 | |
| 4 to 4½ ft. | 2 50 | 22 50 | 125 00 | |
| 5 to 5½ ft. | 3 50 | 32 50 | 235 00 | |
| 6 to 7 ft. | 5 00 | 45 00 | | |
| 7 to 8 ft. | 7 50 | 68 50 | | |
| 8 to 9 ft. | 10 00 | 90 00 | | |
| 10 to 12 ft. | \$15.00 to 25 00 | | | |
| sylvatica , var. <i>asplenifolia</i> . (Fern-leaf Beech)— | | | | |
| 4 to 6 ft. | \$3.50 to 7 50 | | | |
| 7 to 8 ft. | 15 00 | | | |
| sylvatica , var. <i>grandidentata</i> . (Cut- leaved)— | | | | |
| 6 to 8 ft. Specimens.... | \$7.50 to 15 00 | | | |
| 8 to 10 ft. Specimens.... | \$15.00 to 20 00 | | | |
| sylvatica , var. <i>pendula</i> . (Weeping Beech)— | | | | |
| 14 ft. Specimens..... | 20 00 | | | |
| 20 to 25 ft. Specimens XXX.... | 100 00 | | | |

LARGE SIZES FOR IMMEDIATE EFFECT

| | | | |
|--|-------------------|---------|---------|
| FAGUS sylvatica , var. <i>purpurea pendula</i> . (Weep-Each ing Purple Beech)— | | 10 | 100 |
| 5 to 7 ft. | \$7.50 to \$12 50 | | |
| sylvatica , var. <i>purpurea</i> . (Purple Beech)— | | | |
| 3 to 4 ft. | 3 50 | \$32 50 | |
| 4 to 5 ft. | 5 00 | 42 50 | |
| 5 to 6 ft. | 6 00 | 55 00 | |
| 6 to 7 ft. | 7 50 | 70 00 | |
| 7 to 8 ft. Specimens. | 20 00 | | |
| 9 to 10 ft. Specimens. | 30 00 | | |
| 11 to 12 ft. Specimens. | 50 00 | | |
| 14 to 25 ft. Specimens. | 300 00 | | |
| sylvatica , var. <i>Riversi</i> . (River's Blood- leaved)— | | | |
| 5 to 6 ft. | 6 00 | 50 00 | |
| 6 to 7 ft. | \$8.50 to 12 00 | | |
| 8 to 10 ft. | \$20.00 to 35 00 | | |
| FATSIA japonica . (See <i>Aralia</i> .) | | | |
| FRAXINUS americana . (White Ash)— | | | |
| 7 to 8 ft. | 1 00 | 9 00 | \$80 00 |
| 8 to 10 ft.; 1 to 1½ in. | 1 50 | 12 50 | 100 00 |
| 10 to 12 ft.; 1½ to 2 in. | 2 50 | 20 00 | 150 00 |
| 12 to 14 ft.; 2 to 2½ in. | 3 50 | 27 50 | 185 00 |
| lanceolata . (Green Ash)— | | | |
| 7 to 8 ft. | 1 00 | 8 50 | 70 00 |
| 8 to 10 ft. | 1 50 | 12 50 | 85 00 |
| 8 to 10 ft.; 1½ to 1½ in. | 2 00 | 17 50 | 100 00 |
| 10 to 12 ft.; 1½ to 2 in. | 2 50 | 20 00 | 135 00 |
| 12 to 14 ft.; 2 to 2½ in. | 3 00 | 25 00 | 150 00 |
| 16 to 18 ft.; 2½ to 3 in. | 3 50 | 30 00 | 200 00 |
| GLEDITSCHIA aquatica . (Water Locust)— | | | |
| 8 to 10 ft.; 1 to 1½ in. | 1 00 | 8 50 | 75 00 |
| 10 to 12 ft.; 1½ to 2 in. | 1 50 | 13 50 | 100 00 |
| triacanthus . (Honey Locust)— | | | |
| 6 to 8 ft. | 1 00 | 8 50 | 60 00 |
| 8 to 10 ft.; 1½ to 2 in. | 1 50 | 12 50 | 75 00 |
| 10 to 12 ft.; 1½ to 2 in. | 2 00 | 17 50 | 100 00 |
| 12 to 14 ft.; 2 to 2½ in. | 2 50 | 20 00 | |
| GYMNOCLADUS dioica . (Kentucky Coffee Tree)— | | | |
| 6 to 7 ft. | 1 00 | 8 50 | |
| 7 to 8 ft. | 1 50 | 12 50 | 85 00 |
| 8 to 10 ft.; 1½ to 1¾ in. | 2 00 | 15 00 | |
| HICKORIA alba . (<i>carya</i>) Hickory— | | | |
| 3 to 4 ft. | 1 00 | | |
| 7 to 8 ft. | 2 50 | | |
| JUGLANS cinerea . (Butternut)— | | | |
| 2 to 3 ft. | 1 50 | 10 00 | 60 00 |
| nigra . (Black Walnut)— | | | |
| 2 to 3 ft. | | 5 00 | |
| 3 to 4 ft. | 1 00 | 7 50 | |
| 10 to 12 ft.; 3 in. | 3 50 | | |
| regia . (English Walnut)— | | | |
| 3 to 4 ft. | 2 00 | 15 00 | |
| 4 to 5 ft. | 3 50 | 20 00 | |
| Sieboldiana . (Japan Walnut)— | | | |
| 10 to 12 ft. | 5 00 | 35 00 | |
| KOELREUTERIA paniculata . (Varnish Tree)— | | | |
| 6 to 8 ft. | 2 50 | 20 00 | |
| 8 to 10 ft. | 3 50 | 32 50 | |
| 10 to 12 ft. | 5 00 | 45 00 | |

| | | Each | 10 | 100 |
|--|------------------------------------|--------|--------|---------|
| LABURNUM | Vulgare. (Golden Chain)— | | | |
| 4 to 5 ft. | | \$1 00 | \$7 50 | |
| 5 to 6 ft. | | 1 50 | 12 50 | |
| 6 to 7 ft. | | 2 50 | 17 50 | |
| 7 to 8 ft. | | 3 50 | 32 50 | |
| LARIX | Europaea. (European Larch)— | | | |
| 5 to 6 ft. | | 1 25 | 10 00 | |
| 6 to 8 ft. | | 1 50 | 12 50 | |
| 8 to 10 ft. | | 2 00 | 17 50 | |
| 10 to 12 ft. | | 3 00 | | |
| leptolepsis. (Japanese Larch)— | | | | |
| 5 to 6 ft. | | 1 50 | 10 00 | |
| 6 to 8 ft. | | 2 00 | 12 50 | |
| 8 to 10 ft. | | 2 50 | 20 00 | |
| 10 to 12 ft. | | 3 50 | 30 00 | |
| leptolepsis, pyramidalis — | | | | |
| 2 to 3 ft. | | 1 00 | 7 50 | |
| 5 to 6 ft. | | 2 00 | | |
| LIQUIDAMBAR. | (Sweet Gum) — | | | |
| 6 to 8 ft.; 1 to 1 $\frac{1}{2}$ in. | | 2 00 | 18 50 | |
| 8 to 10 ft.; 1 $\frac{1}{2}$ to 1 $\frac{3}{4}$ in. | | 3 00 | 27 50 | |
| 10 to 12 ft.; 1 $\frac{3}{4}$ to 2 in. | | 3 50 | 30 00 | |
| 12 to 14 ft.; 2 to 2 $\frac{1}{2}$ in. | | 5 00 | 40 00 | |
| A very fine lot of extra large specimens, thoroughly transplanted, to be lifted with ball, in sizes 20 to 30 ft., 5 to 7 in. in caliper. | | | | |
| LIRIODENDRON | Tulipifera. (Tulip Tree)— | | | |
| 6 to 8 ft.; 1 to 1 $\frac{1}{2}$ in. | | 1 50 | 10 00 | \$65 00 |
| 8 to 10 ft.; 1 $\frac{1}{2}$ to 1 $\frac{1}{2}$ in. | | 2 00 | 13 50 | 85 00 |
| 10 to 12 ft.; 1 $\frac{1}{2}$ to 1 $\frac{3}{4}$ in. | | 2 50 | 15 00 | 100 00 |
| 10 to 12 ft.; 1 $\frac{3}{4}$ to 2 in. | | 3 00 | 17 50 | 115 00 |
| 12 to 14 ft.; 2 to 2 $\frac{1}{2}$ in. | | 3 50 | 22 50 | |
| 14 to 16 ft.; 2 to 2 $\frac{1}{2}$ in. | | 3 25 | 20 00 | |
| 14 to 16 ft.; 2 $\frac{1}{2}$ to 3 in. | | 4 00 | 35 00 | |
| 14 to 16 ft.; 3 to 3 $\frac{1}{2}$ in. | | 5 00 | 42 50 | |
| MAGNOLIA | acuminata. (Cucumber Tree)— | | | |
| 4 to 5 ft. | | 1 50 | 7 50 | |
| 5 to 6 ft. | | 2 00 | 10 00 | |
| 6 to 8 ft. | | 2 50 | 15 00 | |
| 8 to 10 ft. | | 3 00 | 17 50 | |
| 10 to 12 ft. | | 3 50 | 25 00 | |
| glaucia. (Sweet or Swamp Magnolia)— | | | | |
| 2 to 3 ft. | | 2 50 | 20 00 | |
| 3 to 4 ft. | | 3 50 | 20 00 | |
| 4 to 5 ft. | | 4 50 | 40 00 | |
| grandiflora. Evergreen Magnolia)— | | | | |
| 4 to 5 ft. | | 3 50 | 32 50 | |
| hypoleuca. Japan— | | | | |
| 7 to 8 ft. | | 5 00 | 45 00 | |
| 8 to 10 ft. | | 6 00 | 55 00 | |
| 10 to 12 ft. | | 7 50 | 65 00 | |
| macrophylla. (Great-leaved Magnolia)— | | | | |
| 4 to 5 ft. | | 5 00 | | |
| tripetala. (Umbrella Tree)— | | | | |
| 4 to 6 ft. | | 1 00 | 10 00 | |
| 6 to 8 ft. | | 2 00 | 13 50 | |
| 8 to 10 ft. | | 2 50 | 20 00 | |
| 10 to 12 ft. | | 3 50 | 30 00 | |
| 12 to 14 ft. | | 4 00 | 35 00 | |

LARGE SIZES FOR IMMEDIATE EFFECT

DECIDUOUS TREES

43

| | Each | 10 | 100 |
|---|---------|---------|---------|
| MAGNOLIA. Chinese Sorts— | | | |
| <i>Alexandriana</i> . Pink. (Early)— | | | |
| 4 to 5 ft. | \$ 5 00 | \$40 00 | |
| 5 to 6 ft. | 6 50 | 55 00 | |
| 6 to 7 ft. | 7 50 | 70 00 | |
| 8 ft. | 10 00 | | |
| <i>conspicua</i> . White— | | | |
| 3 to 4 ft. | 5 00 | 45 00 | |
| 4 to 5 ft. | 6 50 | 55 00 | |
| 5 to 6 ft. | 7 50 | 70 00 | |
| <i>Lennei Hybrid</i> . Purple— | | | |
| 3 to 4 ft. | 3 50 | 32 50 | |
| 4 to 5 ft. | 5 00 | 40 00 | |
| 5 to 6 ft. | 6 00 | 55 00 | |
| 6 to 7 ft. | 7 50 | 70 00 | |
| 7 to 8 ft. | 12 50 | 115 00 | |
| <i>purpurea</i> — | | | |
| 6 to 8 ft. | 7 50 | | |
| <i>Soulangeana Hybrid</i> . Soulange's Magnolia. Pink— | | | |
| 4 to 5 ft. | 5 00 | 40 00 | |
| 5 to 6 ft. | 6 50 | 55 00 | |
| 6 to 7 ft. | 7 50 | 70 00 | |
| 7 to 8 ft. | 10 00 | | |
| 8 to 9 ft. | 15 00 | | |
| A few extra large specimens from 12 to 20 ft. in height, broad and heavy, at from \$35.00 to \$150.00 each. | | | |
| <i>Soulangeana</i> , var. <i>nigra</i> . Maroon— | | | |
| 5 to 6 ft. | 7 50 | 70 00 | |
| 6 to 7 ft. | 10 00 | | |
| <i>speciosa</i> . White. Purple tracings— | | | |
| 4 to 5 ft. | 5 00 | | |
| <i>Stellata</i> . Hall's Magnolia. White— | | | |
| 2 ft. | 3 00 | 28 50 | |
| 2½ ft. | 4 00 | 38 50 | |
| 3 ft. | 7 50 | | |
| 4 ft. | 10 00 | | |
| Larger pieces, prices on application. | | | |
| <i>MORUS alba</i> . (White Mulberry)— | | | |
| 3 to 4 ft. | 1 00 | 7 50 | |
| 6 to 7 ft. | 2 00 | 17 50 | |
| <i>rubra</i> . (Red Russian Mulberry)— | | | |
| 6 to 7 ft. | 2 00 | 17 50 | |
| <i>aiba pendula</i> . (Tea's Weeping Mulberry)— | | | |
| 4½ ft. stems, 6 yr. heads.... | 5 00 | | |
| <i>NEGUNDA</i> . See <i>Acer</i> . | | | |
| <i>NYSSA sylvatica</i> . (Sour Gum)— | | | |
| 4 to 5 ft. | 2 00 | 18 50 | |
| 5 to 6 ft. | 2 50 | 20 00 | |
| 7 to 8 ft. | 3 50 | 30 00 | |
| <i>OXYDENDRON arboreum</i> . Andromeda. (Sorrel Tree)— | | | |
| 3 to 4 ft. | 1 00 | 7 50 | \$60 00 |
| 4 to 5 ft. | 1 50 | 12 50 | 85 00 |
| 5 to 6 ft. | 2 50 | 17 50 | 100 00 |
| 6 to 7 ft. | 3 00 | 25 00 | 135 00 |
| 7 to 8 ft. | 3 50 | 27 50 | 200 00 |

ALL GOODS F. O. B. HERE AT LIST PRICES

| | | Each | 10 | 100 |
|--|--------|--------|---------|-----|
| PARROTIA <i>Jacquemontiana</i> . (Persian Iron Wood) | | | | |
| 1½ to 2 ft. | \$1 00 | \$7 50 | | |
| PERSICA <i>amygdalus vulgaris</i> , var. <i>alba plena</i> . (Double White-flowered Peach) | | | | |
| 5 to 6 ft. | 1 50 | 10 00 | | |
| <i>vulgaris</i> , var. <i>sanguinea plena</i> . (Double Red-flowered Peach)— | | | | |
| 5 to 6 ft. | 1 50 | 10 00 | | |
| PLANERA <i>japonica</i> . (Japanese Water Lilly)— | | | | |
| 8 to 10 ft. | 3 50 | 32 50 | | |
| PLATANUS <i>occidentalis</i> . (American Buttonwood)— | | | | |
| 6 to 8 ft. | 1 50 | 10 00 | | |
| <i>orientalis</i> . (Oriental Plane or European Buttonwood)— | | | | |
| 6 to 8 ft.; 1 to 1½ in. | 1 00 | 8 50 | \$60 00 | |
| 8 to 10 ft.; 1½ to 1¾ in. | 1 50 | 12 50 | 80 00 | |
| 8 to 10 ft.; 1½ to 1¾ in. | 1 75 | 15 00 | 85 00 | |
| 10 to 12 ft.; 1¾ to 2 in. | 2 00 | 17 50 | 100 00 | |
| 10 to 12 ft.; 2 to 2½ in. | 2 50 | 20 00 | 135 00 | |
| 10 to 12 ft.; 2½ to 2¾ in. | 3 00 | 25 00 | 150 00 | |
| 12 to 14 ft.; 2½ to 2¾ in. | 3 00 | 25 00 | 175 00 | |
| 14 to 16 ft.; 2¾ to 3 in. | 4 00 | 32 50 | 285 00 | |
| 14 to 16 ft.; 3 to 3½ in. | 5 00 | 45 00 | 385 00 | |
| 16 to 18 ft.; 3½ to 3¾ in. | 6 50 | 55 00 | 400 00 | |
| POPULUS <i>nigra italicica</i> . (Lombardy Poplar) | | | | |
| 8 to 10 ft. | 1 00 | 8 50 | 50 00 | |
| 10 to 12 ft. | 1 50 | 12 50 | 85 00 | |
| 12 to 14 ft. | 2 50 | 18 50 | 115 00 | |
| PRUNUS . (See also <i>Cerasus</i> .) | | | | |
| <i>triloba</i> . (Flowering Plum)— | | | | |
| 2 to 3 ft. | 1 00 | 5 00 | | |
| PYRUS (<i>Malus</i>). See also <i>Shrubs</i> . | | | | |
| <i>baccata</i> . (Siberian Flowering Crab)— | | | | |
| 4 to 5 ft.; 2 yrs. | 1 00 | 8 50 | | |
| 5 to 6 ft. | 2 50 | 20 00 | | |
| <i>coronaria</i> . (Sweet-scented Crab)— | | | | |
| 5 to 6 ft. | 2 50 | 20 00 | | |
| <i>floribunda</i> . (Flowering Crab)— | | | | |
| 3 to 4 ft. | 1 75 | 15 00 | | |
| 6 to 8 ft. | 3 50 | 30 00 | | |
| <i>floribunda</i> , var. <i>atrosanguinea</i> — | | | | |
| 4 to 5 ft. | 2 00 | 17 50 | | |
| 5 to 6 ft. | 2 50 | 20 00 | | |
| 8 to 10 ft. x 8-ft. heads.... | 20 00 | | | |
| <i>ioensis</i> , var. <i>Bechtel</i> . (Bechtel's Double-flowering Crab)— | | | | |
| 3 to 4 ft. | 2 50 | 20 00 | | |
| 4 to 5 ft. | 3 50 | 30 00 | | |
| 5 to 6 ft. | 5 00 | 45 00 | | |
| 6 to 7 ft. | 7 50 | 65 00 | | |
| <i>Niedzwetzkyana</i> . Deep Pink— | | | | |
| 3 to 4 ft. | 2 00 | 17 50 | | |
| <i>Parkmanni</i> . (Parkman's Crab.) Double Rose Pink— | | | | |
| 3 to 4 ft. | 1 75 | 15 00 | | |
| <i>Scheideckeri</i> . (Semi-double Flowered)— | | | | |
| Pale Pink— | | | | |
| 4 to 5 ft. | 2 50 | 20 00 | | |
| 5 to 6 ft. | 3 00 | 27 50 | | |
| 6 to 8 ft. | 3 50 | 30 00 | | |

LARGE SIZES FOR IMMEDIATE EFFECT

| | | Each | 10 | 100 |
|--|--------|---------|----------|-----|
| QUERCUS alba. (White Oak)— | | | | |
| 8 to 9 ft.; 1 to 1½ in. | \$3 00 | \$27 50 | | |
| 9 to 10 ft.; 1½ to 2 in. | 4 00 | 37 50 | | |
| 10 to 12 ft.; 2 to 2½ in. | 5 00 | 45 00 | | |
| 10 to 12 ft.; 2½ to 3 in. | 7 50 | | | |
| bicolor. (Swamp White Oak)— | | | | |
| 20 to 25 ft. Specimens... \$20 to 100 00 | | | | |
| Cerris. (Turkey Oak)— | | | | |
| 3 to 4 ft. | 2 00 | 18 50 | | |
| 8 to 10 ft.; 1 to 1½ in. | 4 00 | | | |
| coccinea. (Scarlet Oak)— | | | | |
| 6 to 7 ft.; grafted tops | 3 50 | 32 50 | | |
| 7 to 8 ft.; grafted tops | 4 00 | 37 50 | | |
| 5 to 6 ft. | 2 50 | 20 00 | | |
| 6 to 7 ft. | 3 00 | 27 50 | | |
| 7 to 8 ft. | 3 50 | 32 50 | | |
| 8 to 10 ft.; 1 to 1½ in. | 4 00 | 35 00 | | |
| 8 to 10 ft.; 1½ to 1¾ in. | 4 50 | 40 00 | | |
| 10 to 12 ft.; 1¾ to 2 in. | 5 00 | 45 00 | | |
| laurifolia. (Laurel-leaved)— | | | | |
| 8 to 10 ft.; 1 to 1¼ in. | 3 50 | 30 00 | | |
| 8 to 10 ft.; 1¼ to 1½ in. | 5 00 | 45 00 | | |
| macrocarpa. (Mossy Cup Oak)— | | | | |
| 6 to 7 ft.; 1 to 1¼ in. | 2 50 | 20 00 | | |
| 7 to 8 ft.; 1½ to 1¾ in. | 3 50 | 30 00 | | |
| 8 to 10 ft.; 1¾ to 2 in. | 4 00 | 37 50 | | |
| 10 to 12 ft.; 2 to 2½ in. | 5 00 | 42 50 | | |
| 10 to 12 ft.; 2½ to 2¾ in. | 6 50 | 50 00 | | |
| palustris. (Pin Oak) | | | | |
| 7 to 8 ft.; 1 to 1½ in. | 2 00 | 13 50 | \$115 00 | |
| 8 to 10 ft.; 1½ to 1¾ in. | 2 50 | 15 00 | 125 00 | |
| 8 to 10 ft.; 1¾ to 2 in. | 3 00 | 22 50 | 135 00 | |
| 8 to 10 ft.; 1¾ to 2 in. | 3 50 | 27 50 | 185 00 | |
| 10 to 12 ft.; 2 to 2½ in. | 4 00 | 30 00 | 250 00 | |
| 10 to 12 ft.; 2½ to 2¾ in. | 4 50 | 32 50 | 275 00 | |
| 12 to 14 ft.; 2½ to 2¾ in. | 5 00 | 40 00 | | |
| 12 to 14 ft.; 2¾ to 3 in. | 6 50 | 55 00 | | |
| 14 to 16 ft.; 3 to 3½ in. | 8 50 | 70 00 | | |
| 14 to 16 ft.; 3½ to 3¾ in. | 10 00 | 85 00 | | |
| 16 to 18 ft.; 3½ to 3¾ in. | 15 00 | 135 00 | | |
| 16 to 18 ft.; 3¾ to 4 in. | 17 50 | 150 00 | | |
| 16 to 18 ft.; 4 to 4½ in. | 20 00 | 175 00 | | |
| 16 to 18 ft.; 4½ to 4¾ in. | 25 00 | 200 00 | | |
| 18 to 20 ft.; 4½ to 5 in. | 35 00 | 275 00 | | |
| A very fine lot of large specimens, up to 35 ft. in height and ranging in caliper from 6 to 12 in. | | | | |
| Prices on application. | | | | |
| Prinus. (Rock Chestnut Oak)— | | | | |
| 8 to 10 ft. | 2 50 | 20 00 | | |
| 12 to 14 ft.; 2 to 2½ in. | 3 50 | 32 50 | | |
| Larger specimens, 3, 4, 5 and 6 in. caliper. Prices on application. | | | | |
| Robur. (English Oak)— | | | | |
| 4 to 6 ft. | 2 50 | | | |
| Robur, var. Concordia. (Golden Oak)— | | | | |
| 8 to 10 ft. | 5 00 | | | |
| Robur, var. fastigiata. (Pyramidal English Oak)— | | | | |
| 2½ to 3½ ft. | 2 50 | | | |

ALL GOODS F. O. B. HERE AT LIST PRICES

DECIDUOUS TREES

| | | Each | 10 | 100 |
|--|-----------------|---------|----------|-----|
| QUERCUS rubra. (Red Oak)— | | | | |
| 6 to 8 ft. | \$1 75 | \$15 00 | \$125 00 | |
| 8 to 10 ft. | 2 50 | 17 50 | 140 00 | |
| 8 to 10 ft.; $1\frac{1}{2}$ to $1\frac{1}{2}$ in. | 3 50 | 20 00 | 175 00 | |
| 8 to 10 ft.; $1\frac{1}{2}$ to $1\frac{1}{4}$ in. | 3 50 | 25 00 | 185 00 | |
| 10 to 12 ft.; $1\frac{1}{2}$ to 2 in. | 4 50 | 32 50 | 200 00 | |
| 10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{1}{4}$ in. | 5 00 | 37 50 | 350 00 | |
| 12 to 14 ft.; 2 to $2\frac{1}{4}$ in. | 5 00 | 37 50 | 350 00 | |
| 12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in. | 6 00 | 40 00 | 375 00 | |
| 12 to 14 ft.; $2\frac{3}{4}$ to 3 in. | 7 50 | 50 00 | | |
| Larger specimen Red Oaks, from 18 to 30 ft. in height, 5 to 10 in. caliper. Prices on application. | | | | |
| velutina. (Black Oak)— | | | | |
| 6 to 8 ft. | 2 50 | 20 00 | | |
| 8 to 10 ft.; $1\frac{1}{2}$ to 2 in. | 3 50 | 27 50 | | |
| 10 to 12 ft.; $1\frac{1}{2}$ to 2 in. | 4 50 | 32 50 | | |
| 12 to 14 ft.; 2 to $2\frac{1}{2}$ in. | 5 00 | 37 50 | | |
| 12 to 14 ft.; $2\frac{1}{2}$ to 3 in. | 7 50 | 65 00 | | |
| Larger specimen Black Oak, from 18 to 30 ft. in height, 5 to 8 in. caliper. Prices on application. | | | | |
| RHUS glabra. (Smooth Sumac) | | | | |
| 3 to 4 ft. | 1 00 | 6 00 | | |
| 4 to 5 ft. | 1 25 | 7 50 | | |
| 5 to 6 ft. | 1 50 | 8 50 | | |
| 7 to 8 ft. | 2 50 | 12 50 | | |
| glabra , var. <i>laciniata</i> . (Cut-leaved)— | | | | |
| 3 to 4 ft. | 1 00 | 6 00 | | |
| 5 to 6 ft. | 1 50 | 8 50 | | |
| javanica (Osbecki). (Osbeck's Sumac)— | | | | |
| 5 to 6 ft. | 1 50 | 8 50 | | |
| 6 to 8 ft. | 2 50 | 12 50 | | |
| typhina. (Staghorn Sumac)— | | | | |
| 4 to 5 ft. | 1 00 | 5 00 | 30 00 | |
| 5 to 6 ft. | 1 25 | 8 50 | 60 00 | |
| typhina , var. <i>laciniata</i> . (Cut-leaved)— | | | | |
| 4 to 5 ft. | 1 00 | 5 00 | | |
| ROBINIA Pseudacacia. (Black Locust)— | | | | |
| 10 to 12 ft. | 2 50 | 15 00 | | |
| 12 to 14 ft. | 3 50 | 22 50 | | |
| SALISBURIA adiantifolia. (Ginkgo or Maiden-hair Tree)— | | | | |
| 6 to 8 ft. | 1 50 | 13 50 | 100 00 | |
| 8 to 10 ft.; $1\frac{1}{2}$ to $1\frac{1}{2}$ in. | 2 50 | 18 50 | 125 00 | |
| 8 to 10 ft.; $1\frac{1}{2}$ to 2 in. | 3 50 | 27 50 | 175 00 | |
| 10 to 12 ft.; $1\frac{1}{2}$ to 2 in. | 4 50 | 30 00 | 200 00 | |
| 12 to 14 ft.; 2 to $2\frac{1}{2}$ in. | 5 00 | 35 00 | 250 00 | |
| 12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{1}{2}$ in. | 6 50 | 40 00 | 300 00 | |
| 14 to 16 ft.; $2\frac{1}{2}$ to 3 in.... | \$7.50 to 12 50 | | | |
| A few large specimens from 20 to 30 ft., 4 to 6 in. caliper. Prices on application. | | | | |
| SALIX babylonica. (Weeping Willow)— | | | | |
| 6 to 8 ft. | 1 00 | 8 50 | 65 00 | |
| 8 to 10 ft. | 2 50 | 20 00 | 100 00 | |
| 10 to 12 ft. | 3 50 | 25 00 | 150 00 | |
| 10 to 12 ft. Extra Heavy | 5 00 | 40 00 | | |
| lutea. (Golden Willow)— | | | | |
| 7 to 8 ft. | 1 50 | 8 50 | 65 00 | |

LARGE SIZES FOR IMMEDIATE EFFECT

| | | Each | 10 | 100 |
|--|------------------|---------|---------|-----|
| SALIX <i>lutea</i> , var. <i>pendula</i> . (Golden Weeping Willow)— | | | | |
| 8 to 10 ft. | \$2 50 | \$20 00 | | |
| <i>pentandra</i> . (Laurel-leaf Willow)— | | | | |
| 10 to 12 ft. | 2 50 | 17 50 | | |
| <i>regalis</i> . (Royal Willow)— | | | | |
| 8 to 10 ft. | 1 50 | 12 50 | \$85 00 | |
| <i>vitellina</i> , var. <i>Britzensis</i> . (Salmon-barked Willow)— | | | | |
| 6 to 8 ft. | 1 50 | 12 50 | | |
| SASSAFRAS <i>variiifolium</i> . (Sassafras)— | | | | |
| 5 to 6 ft. | 1 50 | 12 50 | | |
| 7 to 8 ft. | 2 50 | 17 50 | | |
| 8 to 10 ft. | 3 50 | 25 00 | | |
| SORBUS <i>Aucuparia</i> . (European Mt. Ash.)— | | | | |
| 8 to 10 ft. | 1 50 | 12 50 | | |
| 10 to 12 ft. | 2 50 | 22 50 | | |
| STYRAX <i>japonica</i> — | | | | |
| 4 to 5 ft. Heavy | 1 50 | 13 50 | | |
| 5 to 6 ft. | 2 00 | 18 50 | | |
| 6 to 7 ft. | 2 50 | 20 00 | | |
| 7 to 8 ft. | 3 50 | 32 50 | | |
| TAXODIUM <i>distichum</i> . (Deciduous Cypress)— | | | | |
| 4 to 5 ft. | 1 50 | 12 50 | | |
| 5 to 6 ft. | 2 00 | 18 50 | | |
| 6 to 7 ft. | 2 50 | 22 50 | | |
| 7 to 8 ft. | 3 50 | 32 50 | | |
| <i>distichum pendula</i> . (Weeping Cypress)— | | | | |
| 5 to 6 ft. | 3 50 | | | |
| 10 to 12 ft. | 7 50 | | | |
| TILIA <i>americana</i> . (American Linden or Basswood)— | | | | |
| 6 to 8 ft. | 1 75 | 15 00 | | |
| 8 to 10 ft.; 1½ in. | 2 25 | 18 50 | | |
| 10 to 12 ft.; 1¼ to 2 in. | 2 50 | 22 50 | | |
| 10 to 12 ft.; 2 to 2½ in. | 3 50 | 27 50 | | |
| 12 to 14 ft.; 2½ to 3 in. | 4 50 | 32 50 | | |
| 12 to 14 ft.; 3 to 3½ in. | 6 00 | 40 00 | | |
| 16 to 18 ft.; 4½ to 4¾ in. | 8 50 | 70 00 | | |
| 20 to 22 ft.; 5 to 5½ in. | 17 00 | 165 00 | | |
| <i>euchlora dasystella</i> . (Crimean Linden)— | | | | |
| 12 to 14 ft.; 1½ to 2 in. | 2 50 | 20 00 | | |
| 14 to 16 ft.; 2 to 2½ in. | 3 50 | 30 00 | | |
| 14 to 16 ft.; 2½ to 3 in. | \$5.00 to 7 50 | | | |
| <i>platyphyllos</i> . (Large-leaved Linden)— | | | | |
| 12 to 14 ft.; 2 to 2½ in. | 3 50 | 30 00 | | |
| 14 to 16 ft.; 2½ to 3 in. | \$5.00 to 7 50 | | | |
| <i>tomentosa</i> , "argentea." (Silver-leaved Linden)— | | | | |
| 6 to 8 ft. | 2 50 | 22 50 | | |
| 10 to 12 ft.; 1½ to 2 in. | 3 50 | 30 00 | | |
| 10 to 12 ft.; 2 to 2½ in. | 4 50 | 35 00 | | |
| 10 to 12 ft.; 2½ to 3 in. | 6 00 | 45 00 | | |
| 14 to 16 ft.; 3½ to 4½ in. | \$8.50 to 15 00 | | | |
| 16 to 18 ft.; 4½ to 5½ in. | \$15.00 to 25 00 | | | |
| <i>tomentosa pendula</i> . (Weeping Silver Linden)— | | | | |
| 14 to 18 ft.; 3 to 4 in. with 8 yr. heads. Specimens | 25 00 | | | |

DECIDUOUS TREES

| | | Each | 10 | 100 |
|--|------------------|---------|----------|-----|
| TILIA vulgaris. (European Linden) — | | | | |
| 8 to 10 ft. | \$1 75 | \$16 50 | | |
| 10 to 12 ft. | 2 50 | 20 00 | | |
| 12 to 14 ft.; 1½ to 2 in. | 3 50 | 30 00 | | |
| 14 to 16 ft.; 2 to 2½ in. | 4 50 | 35 00 | | |
| 14 to 16 ft.; 2½ to 2¾ in. | 6 00 | 40 00 | | |
| 14 to 16 ft.; 3½ to 3½ in. | 7 50 | 67 50 | | |
| 14 to 16 ft.; 4 to 4½ in. | 10 00 | | | |
| Larger specimens 5 to 8 in. caliper, 18 to 25 ft. in height. | | | | |
| Prices on application. | | | | |
| vulgaris, var. rubra. (Red-twiggled Linden) — | | | | |
| 12 to 14 ft.; 1½ to 2 in. | 3 50 | 30 00 | | |
| 14 to 16 ft.; 2 to 2½ in. | 4 50 | 35 00 | | |
| 14 to 16 ft.; 2½ to 3 in. | \$6.00 to 7 50 | | | |
| ULMUS americana. (American Elm) — | | | | |
| 6 to 8 ft.; 1 to 1½ in. | 1 50 | 12 50 | | |
| 8 to 10 ft.; 1 to 1½ in. | 2 00 | 17 50 | | |
| 10 to 12 ft.; 1½ to 2 in. | 3 00 | 27 50 | | |
| 10 to 12 ft.; 2 to 2½ in. | 3 50 | 30 00 | | |
| 10 to 12 ft.; 2½ to 2¾ in. | 4 00 | 35 00 | | |
| 12 to 14 ft.; 1½ to 2 in. | 3 50 | 27 50 | | |
| 14 to 16 ft.; 2 to 2½ in. | 5 00 | 40 00 | | |
| 14 to 16 ft.; 2½ to 3 ft. | 7 50 | 60 00 | | |
| 16 to 18 ft.; 3 to 3½ in. | 8 50 | 75 00 | | |
| 16 to 18 ft.; 3½ to 4 in. | 10 00 | | | |
| campestris. (English Elm) — | | | | |
| 6 to 8 ft. | 1 50 | 13 50 | \$100 00 | |
| 8 to 10 ft.; 1 to 1½ in. | 2 00 | 16 50 | 135 00 | |
| 10 to 12 ft.; 1½ to 2 in. | 2 50 | 23 50 | 200 00 | |
| 12 to 14 ft.; 2 to 2½ in. | 3 50 | 30 00 | 250 00 | |
| 12 to 14 ft.; 2½ to 2¾ in. | 4 50 | 37 50 | 285 00 | |
| 14 to 16 ft.; 2½ to 2¾ in. | 6 00 | 42 50 | 325 00 | |
| 14 to 16 ft.; 2¾ to 3 in. | 7 50 | 65 00 | 400 00 | |
| 14 to 16 ft.; 3½ to 4 in. | 10 00 | | | |
| campestris, var. Wheatleyii. (Cornish Elm) — | | | | |
| 10 to 12 ft.; 1½ to 2 in. | 3 00 | 27 50 | | |
| 10 to 12 ft.; 2 to 2½ in. | 3 50 | 32 50 | | |
| 12 to 14 ft.; 1½ to 2 in. | 3 50 | 32 50 | | |
| 12 to 14 ft.; 2 to 2½ in. | 5 00 | 40 00 | | |
| 14 to 16 ft.; 2 to 2½ in. | 6 00 | 45 00 | | |
| 14 to 16 ft.; 2½ to 3 in. | 7 50 | 60 00 | | |
| glabra. (Scotch Elm) — | | | | |
| 12 to 14 ft.; 1½ to 2 in. | 2 50 | 16 50 | | |
| 14 to 16 ft.; 2 to 2½ in. | 3 50 | 30 00 | | |
| 14 to 16 ft.; 2½ to 3 in. | 7 50 | 60 00 | | |
| glabra, var. Dampieri; fastigiate form — | | | | |
| 12 to 14 ft.; 1½ to 2 in. | 4 50 | 35 00 | | |
| 12 to 14 ft.; 2 to 2½ in. | 6 00 | 40 00 | | |
| 14 to 16 ft.; 2½ to 3 in. | 7 50 | 65 00 | | |
| 16 to 18 ft.; 3½ to 4 in. | 10 00 | | | |
| 16 to 18 ft.; 4½ to 5 in. | 17 50 | | | |
| 20 to 25 ft.; 4 to 5 in. | \$20.00 to 30 00 | | | |

The stock offered in this Price List is growing in Our Nurseries.

LARGE SIZES FOR IMMEDIATE EFFECT

Planting for Immediate Effect

In these days when the planting problem is usually one of quick results, the question is not only one of large size of stock, but the vital question is high quality in stock, without which large size is worse than useless.

To this end we have developed our large stock through years of Nursery Training—by frequent transplantings to produce fibrous-feeding roots—by constant, intelligent cultivation and pruning to instill the utmost vigor.

Thus we have produced **Andorra Quality**—large sizes that thrive after transplanting. You have our interest in your problems at all times. Consult us freely.



PIN OAK

Height 42 ft.

Spread of top 25 ft.

Diameter of trunk 14 inches

Grown at Andorra Nurseries

Moved by us 45 miles into Maryland

Andorra Nurseries

Wm Warner Harper Prop.
Chestnut Hill Phila.

DECIDUOUS SHRUBS

AZALEAS, ANDORRA-GROWN

For Evergreen varieties see pages 22 and 23.

NATIVE SPECIES.

| | | Each | 10 | 100 |
|--|--|--------------|---------|----------|
| AZALEA | arborescens. Fragrant White Azalea— | | | |
| 12 to 15 | in. clumps | \$1 50 | \$12 50 | \$100 00 |
| 15 to 18 | in. clumps | 2 00 | 18 50 | 135 00 |
| 18 to 24 | in. clumps | 2 50 | 20 00 | 185 00 |
| 24 | in. clumps | 3 50 | 30 00 | |
| 30 | in. clumps | 4 50 | 37 50 | |
| lutea (calendulaceum). Flame Azalea— | | | | |
| 12 to 15 | in. clumps | 1 50 | 12 50 | 100 00 |
| 15 to 18 | in. clumps | 2 00 | 18 50 | 135 00 |
| 18 to 24 | in. clumps | 2 50 | 20 00 | 185 00 |
| 24 | in. clumps | 3 50 | 30 00 | |
| canadensis. (Rhodora). Rose Purple— | | | | |
| 18 | in. clumps. Heavy | 2 50 | 20 00 | 185 00 |
| 24 | in. clumps. Heavy | 3 50 | 30 00 | 200 00 |
| 30 | in. clumps. Heavy | 4 50 | 37 50 | 250 00 |
| canescens. Pink to White. Fragrant— | | | | |
| 12 to 15 | in. clumps | 1 50 | 12 50 | 100 00 |
| 15 to 18 | in. clumps | 2 00 | 18 50 | 135 00 |
| 2 ft. | clumps | 3 50 | 30 00 | |
| nudiflora. (Woods Honeysuckle.) Pink— | | | | |
| 18 | in. clumps | 2 50 | 20 00 | |
| 24 | in. clumps | 3 50 | 30 00 | |
| Vaseyi. (Southern Azalea.) Blush | | | | |
| White— | | | | |
| 10 to 12 | in. clumps | 1 50 | 13 50 | |
| viscosa. (White Azalea)— | | | | |
| 12 to 15 | in. clumps | 1 50 | 12 50 | 100 00 |
| 15 to 18 | in. clumps | 2 00 | 18 50 | 135 00 |
| 18 | in. clumps | 2 50 | 20 00 | |
| mollis. Japanese Azalea— | | | | |
| 12 to 15 | in. Bushy | 1 25 | 10 00 | |
| 15 to 18 | in. Bushy | 1 75 | 15 00 | |
| 18 | in. Bushy | 2 00 | 18 50 | |
| 24 | in. Bushy | 2 50 | 22 50 | |
| pontica. (Ghent.) Caucasian Azalea— | | | | |
| 1½ ft. | | 1 50 | 12 50 | |
| 2 ft. | | 2 50 | 22 50 | |
| 2½ ft. | | 3 50 | 30 00 | |
| Varieties as follows: | | | | |
| Bouquet de Flore. | Salmon Rose. | 1½ to 2 ft. | | |
| Coccinea Speciosa. | Brilliant Orange. | 1½ to 2 ft. | | |
| Daveysi. | White. Fragrant. | 1½ to 2½ ft. | | |
| Nancy Waterer. | Clear Yellow. | 1½ to 2½ ft. | | |
| Palace. | Bright Red. | 1½ to 2 ft. | | |
| Prince de Pays-Bas. | Carmine. | 1 to 2 ft. | | |
| Sang de Gandbruges. | Bright Carmine. | 1 to 2 ft. | | |
| Unique. | Yellow. | 1 to 2 ft. | | |
| Single Orange. | 1½ to 2 ft. | | | |
| Rich Deep Yellow. | 1 to 2 ft. | | | |

ALL GOODS F. O. B. HERE AT LIST PRICES

DECIDUOUS SHRUBS

51

| | Each | 10 | 100 |
|--|----------------|---------|---------|
| AZALEA <i>ledifolium</i> , var. <i>Narcissiflora</i> . (Yodo-gawa)— | | | |
| 15 to 18 in. | \$1 50 | \$12 50 | |
| 2 ft. | 4 00 | 18 50 | |
| 2½ ft. | 3 50 | 28 50 | |
| 3 to 4 ft. | \$4.00 to 5 00 | | |
| <i>ledifolium</i> , var. <i>Fuji-mayo</i> — | | | |
| 2 ft. | 2 00 | 18 50 | |
| 2½ ft. | 3 00 | 28 50 | |
| 3 ft. | 4 00 | 35 00 | |
| ABELIA <i>grandiflora</i> . Arbutus Shrubs. Semi-evergreen— | | | |
| 12 to 15 in. | 75 | 6 00 | \$50 00 |
| 15 to 18 in. | 1 00 | 8 50 | |
| ACANTHOPanax <i>pentaphyllia</i> . (Bush Aralia)— | | | |
| 2 to 3 ft. | 35 | 2 50 | 15 00 |
| 3 to 4 ft. | 50 | 3 50 | 20 00 |
| 4 to 5 ft. | 75 | 5 00 | 30 00 |
| ÆSCULUS <i>parviflora</i> . (Pavia <i>macrostachya</i>)— | | | |
| 1½ ft. | 75 | 6 00 | 50 00 |
| 2 ft. | 1 00 | 8 50 | 75 00 |
| 2½ ft. | 1 50 | 13 50 | |
| AMELANCHIER <i>botrytapium</i> . Dwarf Shad Bush— | | | |
| 2 to 3 ft. | 50 | 3 75 | |
| 4 to 5 ft. | 1 00 | 8 50 | |
| <i>rotundifolia</i> (<i>vulgaris</i>) Service Berry— | | | |
| 2 to 3 ft. | 50 | 3 75 | |
| AMYGDALUS (Almond.) See <i>Prunus</i> . | | | |
| ARONIA <i>arbutifolia</i> <i>brilliantissima</i> . Red Chokeberry— | | | |
| 10 to 12 in. 2 yrs. | | | |
| 12 to 15 in. 2 yrs. Transplanted. | 35 | 2 00 | 15 00 |
| <i>floribunda nigra</i> . Black Chokeberry— | | | |
| 1 to 1½ ft. Heavy | 50 | 3 50 | 20 00 |
| 2 to 2½ ft. Heavy | 75 | 6 00 | 35 00 |
| BENZOIN <i>æstivale</i> . Spice Bush— | | | |
| 1½ to 2 ft. | 35 | 2 50 | 15 00 |
| 2 to 3 ft. | 50 | 4 00 | 25 00 |
| 3 to 4 ft. | 75 | 6 00 | 35 00 |
| 4 to 5 ft. | 1 00 | 7 50 | 40 00 |
| 5 to 6 ft. | 1 50 | 10 00 | 65 00 |
| BERBERIS . (Barberry)— | | | |
| <i>buxifolia</i> . (Dulcis)— | | | |
| 1 ft. Heavy | 75 | 5 00 | |
| <i>ilicifolia</i> . (Holly-leaved)— | | | |
| 12 to 15 in. | 50 | 4 00 | |
| <i>Neuberti</i> — | | | |
| 3 to 4 ft. | 1 00 | 7 50 | |
| <i>Sieboldii</i> . (Siebold's Barberry)— | | | |
| 1 to 1½ ft. | 50 | 3 50 | 20 00 |
| 5 to 6 ft. Specimens | 2 50 | 20 00 | |
| <i>Thunbergii</i> . Thunberg's Barberry— | | | |
| 12 to 18 in. | 35 | 2 50 | 20 00 |
| 2 to 2½ ft. | 75 | 4 00 | |
| 2½ to 3 ft. XX, Specimens.... | 1 00 | 8 50 | |
| 3 to 3½ ft. XX. Specimens.... | 1 50 | 12 50 | |
| 3½ to 4 ft. Specimens.... | 2 00 | 17 50 | |
| 4 to 4½ ft. | 2 50 | 20 00 | |

(Continued on page 52.)

DECIDUOUS SHRUBS

| | | | | |
|--|-------------------------------|--------|--------|---------|
| BERBERIS vulgaris. | Common Barberry— | Each | 10 | 100 |
| 18 to 24 in. | | \$0 50 | \$3 00 | \$15 00 |
| 2 to 3 ft. | | 75 | 4 00 | |
| 3 to 4 ft. | | 1 00 | 5 00 | |
| vulgaris, var. <i>purpurea</i>. | Purple Bar— berry— | | | |
| 12 to 18 in. | | 35 | 2 00 | |
| Wilsoni. | Wilson's Barberry. NEW— | | | |
| 12 to 15 in. | | 1 00 | 7 50 | |
| CALYCANTHUS floridus. | Sweet Shrubs— | | | |
| 2 to 3 ft. | | 35 | 2 50 | 20 00 |
| 3 to 4 ft. | | 50 | 4 00 | 25 00 |
| 4 to 5 ft. | | 75 | 6 00 | |
| præcox. | Japanese Sweet Shrub— | | | |
| 1½ to 2 ft. | | 50 | 4 00 | |
| CARAGANA arborescens. | Siberian Pea— | | | |
| 5 to 6 ft. Standards. | 3½ ft. stems. | 5 00 | | |
| CEANOOTHUS americana. | Jersey Tea— | | | |
| 1 to 1½ ft. | | 35 | 3 00 | 20 00 |
| 1½ to 2 ft. | | 50 | 4 00 | 30 00 |
| Gloire de Plantieres— | | | | |
| 1 ft. | | 35 | 3 00 | |
| CEPHALANTHUS occidentalis— | | | | |
| 4 to 5 ft. | | 75 | 5 00 | |
| 5 to 6 ft. | | 1 00 | 7 50 | |
| CERCIS. (See also <i>Deciduous Trees.</i>) | | | | |
| chinensis. | Japan Judas— | | | |
| 15 to 18 in. | | 50 | 3 50 | |
| 2 to 2½ ft. | | 75 | 6 00 | |
| 2½ to 3 ft. | | 1 00 | 8.50 | |
| CHIONANTHUS virginica. | White Fringe— | | | |
| 2 to 3 ft. | | 75 | 6 00 | |
| CITRUS trifoliata. | Hardy Orange— | | | |
| 1 ft. 2 years | | 50 | 3 00 | 25 00 |
| CLETHRA alnifolia. | Sweet Pepperbush— | | | |
| 1½ to 2 ft. | | 35 | 3 00 | |
| 3 to 4 ft. | | 75 | 6 00 | |
| COMPTONIA asplenifolia. | Sweet Fern— | | | |
| 2 to 2½ ft. XX | | 75 | 6 00 | |
| CORCHORUS. (See <i>Kerria.</i>) | | | | |
| CORNUS alba. | Siberian Red-twisted Dogwood— | | | |
| 2 to 2½ ft. | | 50 | 4 00 | 20 00 |
| 3 to 4 ft. | | 75 | 5 00 | 25 00 |
| 4 to 5 ft. | | 1 00 | 6 50 | 35 00 |
| amonum (sericea). | Silky Dogwood— | | | |
| 2 to 2½ ft. | | 50 | 4 00 | 20 00 |
| 3 to 4 ft. | | 75 | 5 00 | 25 00 |
| 4 to 5 ft. | | 1 00 | 6 50 | 35 00 |
| 5 to 6 ft. | | 1 50 | 8 50 | 50 00 |
| 6 to 8 ft. | | 2 00 | 12 50 | 60 00 |
| 8 to 10 ft. | | 3 50 | 25 00 | 100 00 |
| mas. | Cornelian Cherry— | | | |
| 2 to 3 ft. | | 50 | 3 50 | |
| 3 to 4 ft. | | 75 | 5 00 | 40 00 |
| 4 to 5 ft. | | 1 00 | 7 50 | 60 00 |
| 5 to 6 ft. | | 1 50 | 10 00 | |
| paniculata. | Panicled Dogwood— | | | |
| 2 to 3 ft. | | 35 | 2 50 | 20 00 |
| 3 to 4 ft. | | 50 | 4 00 | 30 00 |
| 4 to 5 ft. XX | | 75 | 6 00 | 35 00 |
| 5 to 6 ft. XX | | 1 50 | 10 00 | 75 00 |

LARGE SIZES FOR IMMEDIATE EFFECT

DECIDUOUS SHRUBS

53

| | | Each | 10 | 100 |
|--|-------------------------|--------|--------|---------|
| CORNUS sanguinea. | European Osier Dogwood— | | | |
| 2 to 3 ft. | | \$0 35 | \$3 00 | \$20 00 |
| 4 to 5 ft. | | 50 | 4 00 | 30 00 |
| 6 to 8 ft. | | 1 00 | 7 50 | |
| stolonifera. | Native Red Osier— | | | |
| 3 to 4 ft. | | 50 | 3 50 | |
| 4 to 5 ft. | | 75 | 6 00 | |
| stolonifera, var. aurea. | Golden-barked— | | | |
| 15 to 18 in. | | 35 | 3 00 | 20 00 |
| 2 to 3 ft. | | 50 | 4 00 | 30 00 |
| 3 to 4 ft. | | 75 | 5 00 | 35 00 |
| CORYLUS americana. | American Hazel— | | | |
| 3 to 4 ft. | | 50 | 4 00 | |
| 4 to 5 ft. | | 75 | 5 00 | |
| 5 to 6 ft. | | 1 00 | 8 50 | |
| Avellana, var. laciniata. | Cut-leaved Hazel— | | | |
| 6 to 7 ft. | | 3 50 | | |
| maxima, var. purpurea. | Purple Hazel— | | | |
| 4 to 5 ft. | | 75 | 6 00 | |
| 5 to 6 ft. | | 1 00 | 8 50 | |
| COTONEASTER Simonsii. | (Shining-leaved)— | | | |
| 1½ to 2 ft. | | 35 | 2 00 | 20 00 |
| 3 to 4 ft. | | 75 | 5 00 | 30 00 |
| 4 to 5 ft. | | 1 00 | 7 50 | |
| 5 to 6 ft. | | 1 50 | 8 50 | |
| CYDONIA japonica. | Japanese Quince— | | | |
| 12 to 18 in. | | 35 | 3 00 | |
| <i>japonica alba.</i> 12 in. | | 75 | | |
| <i>japonica atroccoccinea.</i> 1 to 1½ ft. | | 1 00 | | |
| <i>japonica candida</i> —cream. 12 to 15 in. | | 75 | | |
| <i>japonica candida.</i> 1½ to 2 ft. | | 1 00 | | |
| <i>japonica navalis</i> —white 1 to 1½ ft. | | 1 00 | | |
| <i>japonica rosea.</i> 1 to 1½ ft. | | 1 00 | | |
| <i>japonica sulphurea.</i> 1 ft. | | 75 | | |
| <i>japonica sulphurea.</i> 1 to 1½ ft. | | 1 00 | | |
| <i>Maulei.</i> 1 to 1½ ft. | | 1 00 | | |
| DESMODIUM penduliflorum— | | | | |
| 2 to 3 ft. Light | | | 2 00 | |
| 2 to 3 ft. | | 35 | 2 50 | 10 00 |
| DEUTZIA gracilis. | Dwarf Deutzia— | | | |
| 12 to 15 in. | | 35 | 3 00 | |
| 15 to 18 in. | | 50 | 4 00 | |
| 1½ to 2 ft. | | 75 | 6 00 | |
| gracilis, var. carminea. | Carmine tinted— | | | |
| 1½ ft. | | 50 | 4 00 | |
| 2 ft. | | 75 | 6 00 | |
| Lemoinei. | Lemoine's Deutzia— | | | |
| 2 to 3 ft. | | 35 | 3 00 | 20 00 |
| 3 to 4 ft. Heavy | | 50 | 4 00 | 25 00 |
| 4 to 5 ft. Heavy | | 1 00 | 6 00 | |
| 5 to 6 ft. Heavy | | 1 50 | 7 50 | 60 00 |
| Lemoinei, var. compacta— | | | | |
| 1½ to 2 ft. | | 35 | 3 00 | |
| rosea campanulata. | White— | | | |
| 2 to 3 ft. | | 35 | 3 00 | |
| scabra. | Double White— | | | |
| 2 to 3 ft. | | 25 | 2 00 | |
| 3 to 4 ft. | | 35 | 2 50 | 20 00 |

(Continued on page 54.)

DECIDUOUS SHRUBS

| | Each | 10 | 100 |
|--|--------|--------|---------|
| DEUTZIA <i>scabra</i> . White— | | | |
| 4 to 5 ft. | \$0 50 | \$3 50 | \$25 00 |
| 5 to 6 ft. | 75 | 5 00 | 35 00 |
| <i>scabra</i> , var. <i>Pride of Rochester</i> . Rose Tinted— | | | |
| 4 to 5 ft. | 50 | 3 50 | 25 00 |
| 5 to 6 ft. | 75 | 5 00 | 30 00 |
| 6 to 7 ft. | 1 00 | 6 50 | 35 00 |
| <i>scabra</i> , var. <i>candidissima</i> . White— | | | |
| 3 to 4 ft. | 50 | 4 00 | 20 00 |
| 4 to 5 ft. | 75 | 5 00 | 25 00 |
| 5 to 6 ft. | 1 00 | 6 00 | 35 00 |
| 6 to 7 ft. | 1 50 | 8 50 | 60 00 |
| <i>scabra</i> , var. <i>rosea plena</i> . Double Pink. | | | |
| 3 to 4 ft. | 35 | 3 00 | 20 00 |
| 4 to 5 ft. | 75 | 5 00 | 25 00 |
| 5 to 6 ft. | 1 00 | 6 00 | 35 00 |
| 6 to 8 ft. | 1 50 | 8 50 | 60 00 |
| <i>scabra</i> , var. <i>Waterii</i> . Double Pink— | | | |
| 3 to 4 ft. | 50 | 4 00 | 20 00 |
| 5 to 6 ft. | 1 00 | 6 00 | 35 00 |
| <i>scabra</i> , var. <i>Wellsii</i> . Single White— | | | |
| 3 to 4 ft. | 50 | 4 00 | 20 00 |
| 4 to 5 ft. | 75 | 5 00 | 25 00 |
| DIERVILLA (<i>Wegelia</i>) <i>amabilis</i> . White. | | | |
| 2 to 3 ft. | 50 | 4 00 | 20 00 |
| 3 to 4 ft. | 75 | 6 00 | 25 00 |
| 6 to 8 ft. XX | 1 50 | 10 00 | 60 00 |
| <i>florida</i> <i>rosea</i> . Rose Pink— | | | |
| 2 to 3 ft. | 50 | 4 00 | 20 00 |
| 3 to 4 ft. | 75 | 5 00 | 25 00 |
| 5 to 6 ft. | 1 00 | 7 50 | 35 00 |
| <i>japonica</i> , var. <i>Eva Rathke</i> . Dark Car- mine— | | | |
| 2 to 3 ft. | 50 | 3 50 | 20 00 |
| 3 to 4 ft. | 75 | 5 00 | 25 00 |
| 4 to 5 ft. | 1 00 | 7 50 | 35 00 |
| <i>japonica</i> , var. <i>Nivea</i> . White— | | | |
| 4 to 5 ft. | 75 | 5 00 | |
| 5 to 6 ft. | 1 00 | 7 50 | |
| <i>japonica</i> , var. <i>Rubra</i> . Red. | | | |
| 3 to 4 ft. | 75 | 5 00 | |
| <i>candida</i> . White— | | | |
| 2 to 3 ft. | 35 | 3 00 | |
| 3 to 4 ft. | 75 | 5 00 | |
| <i>Groenwegeni</i> . Red in Bud, Opening White— | | | |
| 2 to 3 ft. | 35 | 3 00 | |
| 3 to 4 ft. | 50 | 4 00 | |
| 4 to 5 ft. | 75 | 5 00 | |
| 5 to 6 ft. | 1 00 | 8 50 | |
| 6 to 7 ft. | 1 50 | 10 00 | 60 00 |
| <i>Lavallei</i> . Crimson— | | | |
| 3 to 4 ft. | 75 | 5 00 | |
| 5 to 6 ft. | 1 00 | 7 50 | |
| <i>Mad. Contourier</i> . White to Pink— | | | |
| 2 to 3 ft. | 35 | 3 00 | |
| 3 to 4 ft. | 50 | 4 00 | 25 00 |
| 4 to 5 ft. | 75 | 5 00 | 30 00 |

LARGE SIZES FOR IMMEDIATE EFFECT

DECIDUOUS SHRUBS

55

| | | | | | |
|-------------------------|----------------------------------|-----------------------------|--------|--------|---------|
| DIERVILLA | Steltzneri. | Dark Red— | Each | 10 | 100 |
| | 2 to 3 ft. | | \$0 35 | \$3 00 | \$20 00 |
| | 3 to 4 ft. | | 50 | 4 00 | 30 00 |
| | 4 to 5 ft. | | 75 | 5 00 | 35 00 |
| | 5 to 6 ft. | | 1 00 | 7 50 | 60 00 |
| Van Houttei. | Carmine. | | | | |
| | 2 to 3 ft. | | 35 | 3 00 | 20 00 |
| | 3 to 4 ft. | | 50 | 4 00 | 30 00 |
| | 4 to 5 ft. | | 75 | 5 00 | 35 00 |
| Verschafeltii. | Pink. | | | | |
| | 3 to 4 ft. | | 50 | 4 00 | 30 00 |
| | 4 to 5 ft. | | 75 | 5 00 | 35 00 |
| | 5 to 6 ft. | | 1 00 | 7 50 | 60 00 |
| sessifolia— | | | | | |
| | 2 to 3 ft. | | 35 | 2 50 | 15 00 |
| | 3 to 4 ft. | | 75 | 3 50 | |
| trifida— | | | | | |
| | 1 to 1½ ft. | | 2 50 | 10 00 | |
| | 2 to 3 ft. | | 50 | 3 50 | 15 00 |
| | 3 to 4 ft. | | 75 | 5 00 | 20 00 |
| DIRCA palustris. | Leather Wood— | | | | |
| | 2 to 2½ ft. | | 1 00 | 7 50 | |
| ELEAGNUS | augustifolia. | Oleaster— | | | |
| | 3 to 4 ft. | | 50 | 4 00 | |
| | 6 to 7 ft. Specimens. | | 1 00 | 7 50 | |
| longipes | syn. edulis. | Japanese Oleaster— | | | |
| | 2 to 3 ft. | | 50 | 4 00 | |
| | 3 to 4 ft. | | 1 00 | 7 50 | |
| parviflora. | Himalayan Oleaster. | | | | |
| | 2 to 3 ft. | | 50 | 4 00 | |
| | 5 to 6 ft. | | 75 | 6 00 | |
| | 7 to 8 ft. | | 1 00 | 7 50 | 60 00 |
| ELSCHOLTZIA | Stauntoni. | Mint Shrub. | | | |
| | 2 to 3 ft. | | 50 | 3 00 | 20 00 |
| ENKIANTHUS | Japonica. | RARE— | | | |
| | 2½ to 3 ft. | | 2 50 | 20 00 | |
| EUONYMUS | alatus. | Corkbarked Euonymus— | | | |
| | 3 to 4 ft. | | 1 50 | 10 00 | |
| | 4 to 5 ft. | | 2 00 | 15 00 | |
| | 5 to 6 ft. XX | | 2 50 | 23 50 | |
| | 5 to 6 ft. XXX, Specimens... | | 7 50 | 60 00 | |
| Europeus. | Spindle Tree. | | | | |
| | 2 to 3 ft. 2 yrs. Transplanted.. | | 2 00 | 10 00 | |
| | 3 to 4 ft. | | 35 | 2 50 | 15 00 |
| | 4 to 5 ft. | | 50 | 3 00 | 20 00 |
| EXOCHORDA | Albertii— | | | | |
| | 3 to 4 ft. | | 1 50 | 13 50 | |
| Grandiflora. | Pearl Bush— | | | | |
| | 2 to 3 ft. | | 75 | 6 00 | |
| FORSYTHIA | (Golden Bell) | Fortunei. Bright | | | |
| | Yellow— | | | | |
| | 2 to 3 ft. | | 35 | 2 50 | 15 00 |
| | 3 to 4 ft. | | 50 | 4 00 | 20 00 |
| | 4 to 5 ft. | | 75 | 5 00 | 30 00 |
| | 5 to 6 ft. | | 1 00 | 7 50 | 45 00 |
| | 6 to 7 ft. | | 1 50 | 10 00 | 60 00 |
| Fortunei, | var. Aurea variegata. | Variegated Foliage— | | | |
| | 2 to 3 ft. | | 50 | 4 00 | 35 00 |
| | 4 to 5 ft. | | 75 | 6 00 | 50 00 |
| | 5 to 6 ft. | | 1 00 | 8 50 | |

ALL GOODS F. O. B. HERE AT LIST PRICES

DECIDUOUS SHRUBS

| | | Each | 10 | 100 |
|--|--|--------|--------|---------|
| FORSYTHIA | <i>intermedia</i> . Bright Yellow— | | | |
| 2 to 3 ft. | | \$0 35 | \$2 50 | \$15 00 |
| 3 to 4 ft. | | 50 | 4 00 | 20 00 |
| 4 to 5 ft. | | 75 | 5 00 | 30 00 |
| 5 to 6 ft. | | 1 00 | 7 50 | 45 00 |
| 6 to 7 ft. | | 1 50 | 10 00 | 60 00 |
| <i>suspensa</i> . | Golden Yellow. Drooping— | | | |
| 3 to 4 ft. | | 50 | 4 00 | 25 00 |
| 4 to 5 ft. | | 75 | 5 00 | 30 00 |
| 5 to 6 ft. | | 1 00 | 7 50 | 45 00 |
| <i>viridissima</i> . | Deep Yellow— | | | |
| 3 to 4 ft. | | 50 | 4 00 | 25 00 |
| 4 to 5 ft. | | 75 | 5 00 | 30 00 |
| 5 to 6 ft. | | 1 00 | 7 50 | 45 00 |
| 6 to 8 ft. | XX | 1 50 | 10 00 | 60 00 |
| GENISTA | <i>tinctoria</i> . (Broom)— | | | |
| 1½ to 2 ft. | | 75 | 5 00 | |
| HAMAMELIS | <i>japonica</i> . Japanese Witch-hazel— | | | |
| 3 to 4 ft. | | 2 50 | 20 00 | |
| 4 to 5 ft. | | 3 50 | 30 00 | |
| 5 to 6 ft. | | 5 00 | 40 00 | |
| 6 to 8 ft. | | 6 50 | 50 00 | |
| <i>virginica</i> . | Witch-hazel— | | | |
| 2 to 3 ft. | | 50 | 4 00 | |
| 3 to 4 ft. | | 75 | 6 00 | |
| 6 to 8 ft. | | 1 50 | 10 00 | |
| HIBISCUS | <i>syriacus</i> ; <i>Althaea</i> . Rose of Sharon. | | | |
| | Ardens. Violet Rose— | | | |
| 5 to 7 ft. | Standards | 3 50 | | |
| Boule de Feu . | Red— | | | |
| 5 to 7 ft. | Standards | 3 50 | 25 00 | |
| Lady Stanley . | White. Pink Center— | | | |
| 5 to 7 ft. | Standards | 3 50 | 25 00 | |
| purpureus folius argentea marginata — | | | | |
| 6 to 7 ft. | | 1 00 | 8 50 | |
| totus albus . | White. Single— | | | |
| 2 to 3 ft. | | 50 | 3 50 | |
| 3 to 4 ft. | | 75 | 6 00 | 50 00 |
| 4 to 4½ ft. | Standards | 3 50 | | |
| Violet clair . | (Double)— | | | |
| 5 to 7 ft. | Standards | 3 50 | 25 00 | |
| HYDRANGEA | <i>arborescens</i> , var. <i>grandiflora</i> . | | | |
| | "Banks of Snow"— | | | |
| 2 to 3 ft. | | 50 | 2 50 | 15 00 |
| 3 to 4 ft. | | 75 | 5 00 | 25 00 |
| paniculata . | Single Flowered— | | | |
| 2 to 3 ft. | | 50 | 3 50 | 25 00 |
| 3 to 4 ft. | | 75 | 5 00 | 40 00 |
| 4 to 5 ft. | XX | 1 00 | 6 50 | 50 00 |
| 5 to 6 ft. | XX | 1 50 | 12 50 | |
| paniculata grandiflora — | | | | |
| 2 to 3 ft. | | 50 | 4 00 | |
| quercifolia . | (Oak Leaf)— | | | |
| 1½ to 2 ft. | | 1 00 | 9 00 | |
| 2 to 2½ ft. | | 1 50 | 12 50 | |
| HYPERICUM | <i>aureum</i> . Large Flowered St. John's Wort— | | | |
| 12 to 18 in. | | 50 | 2 50 | |
| calycineum . | (Ground Cover)— | | | |
| 8 to 10 in. clumps | | 50 | 2 50 | 15 00 |

LARGE SIZES FOR IMMEDIATE EFFECT

DECIDUOUS SHRUBS

57

| | Each | 10 | 100 |
|--|-----------------|--------|---------|
| HYPERICUM moserianum hybridum. Gold Flower— | | | |
| 1 ft. | \$0 50 | \$3 50 | \$20 00 |
| prolificum. Shrubby St. John's Wort— | | | |
| 2 to 3 ft. | 50 | 2 50 | 12 50 |
| 3 to 4 ft. | 50 | 3 50 | 17 50 |
| ILEX sieboldii , syn. <i>serrata</i> . Red-fruited Japanese Winter Berry— | | | |
| 1½ to 2 ft. 2 yr. tr. | 1 50 | 12 50 | |
| 2 to 2½ ft. | 3 50 | | |
| 2½ to 3 ft. | 5 00 | | |
| 3 to 3½ ft. | 6 00 | | |
| 3½ to 4 ft. | 7 50 | | |
| 4 to 5 ft. | \$8.50 to 10 00 | | |
| sieboldii alba. White-fruited— | | | |
| 1 to 1½ ft. 2 yr. tr. | 1 50 | 12 50 | |
| 3 to 3½ ft. | 7 50 | | |
| 3½ to 4 ft. | 8 50 | | |
| ITEA virginica. Virginia Willow Shrub— | | | |
| 1 to 1½ ft. | 50 | 3 50 | 25 00 |
| 1½ to 2 ft. | 75 | 5 00 | 35 00 |
| 2 to 2½ ft. | 1 00 | 7 50 | 50 00 |
| 2½ to 3 ft. | 1 50 | 10 00 | 65 00 |
| KERRIA japonica. (Corchorus.) Single— | | | |
| 1½ to 2 ft. | 50 | 3 00 | 25 00 |
| japonica fl. pl. Double— | | | |
| 1½ to 2 ft. | 50 | 3 00 | 25 00 |
| LIGUSTRUM amurense. Amour privet— | | | |
| 2 to 3 ft. | 35 | 2 00 | 15 00 |
| 3 to 4 ft. | 35 | 3 00 | 25 00 |
| ciliatum — | | | |
| 4 to 5 ft. XX | 50 | 3 00 | 25 00 |
| 5 to 6 ft. XX | 75 | 5 00 | 35 00 |
| 6 to 8 ft. XX | 1 00 | 6 50 | 60 00 |
| Ibota. The true upright form. Siberian Privet— | | | |
| 2 to 3 ft. | 25 | 2 00 | 15 00 |
| 3 to 4 ft. | 35 | 3 00 | 20 00 |
| 4 to 5 ft. | 50 | 3 50 | 25 00 |
| 5 to 6 ft. | 60 | 4 00 | 35 00 |
| 6 to 7 ft. Heavy | 75 | 6 00 | 50 00 |
| 7 to 8 ft. Heavy | 1 00 | 7 50 | 65 00 |
| 8 to 10 ft. Extra heavy | 1 50 | 10 00 | 75 00 |
| Ibota , var. regelianum . Regel's Privet— | | | |
| 1½ to 2 ft. Broad | 35 | 3 00 | 25 00 |
| 2 to 3 ft. Broad | 50 | 3 50 | 30 00 |
| 3 to 4 ft. Broad | 75 | 5 00 | 35 00 |
| 4 to 5 ft. Broad | 1 00 | 7 50 | |
| 5 to 6 ft. Broad | 1 50 | 12 50 | |
| intermedia — | | | |
| 2 to 3 ft. | 25 | 2 00 | 15 00 |
| 3 to 4 ft. | 35 | 3 00 | 20 00 |
| 4 to 5 ft. | 50 | 3 50 | 25 00 |
| 5 to 6 ft. | 60 | 4 00 | |
| ovalifolium. California Privet— | | | |
| 2 to 3 ft. per 1,000, \$70.00.. | 2 00 | 10 00 | |
| 3 to 4 ft. per 1,000, \$100.00.. | 35 | 2 50 | 15 00 |
| 3 to 4 ft. XXX. 5 yrs. Cut back.. | 50 | 4 00 | 35 00 |
| sinensis. Chinese Privet— | | | |
| 3 to 4 ft. | 50 | 3 00 | |

ALL GOODS F. O. B. HERE AT LIST PRICES

| | | Each | 10 | 100 |
|--------------------------------------|---|--------|--------|---------|
| LIGUSTRUM | vulgaris. Common Privet— | | | |
| 2 to 3 ft. | | \$0 35 | \$3 00 | \$20 00 |
| 3 to 4 ft. | | 50 | 4 00 | 30 00 |
| 4 to 5 ft. | | 75 | 6 00 | 40 00 |
| 5 to 6 ft. | | 1 00 | 7 50 | 60 00 |
| LONICERA | fragrantissima. Chinese Fragrant Bush Honeysuckle— | | | |
| 2 to 3 ft. | | 35 | 3 00 | 20 00 |
| 3 to 4 ft. | | 50 | 4 50 | 35 00 |
| 4 to 5 ft. | | 75 | 6 00 | 50 00 |
| 5 to 6 ft. | | 1 00 | 7 50 | 60 00 |
| Morrowii. | Japanese Bush Honeysuckle— | | | |
| 2 to 3 ft. | | 35 | 3 00 | 20 00 |
| 3 to 4 ft. | | 50 | 4 00 | 25 00 |
| 4 to 5 ft. | | 75 | 6 00 | 35 00 |
| 5 to 6 ft. | | 1 00 | 7 50 | 45 00 |
| nitida. (Wilson.) NEW— | | | | |
| 12 to 15 in. | | 1 00 | 7 50 | 50 00 |
| pileata (Oliver.) NEW— | | | | |
| 12 to 15 in. | | 1 00 | 7 50 | 50 00 |
| Ruprechtiana. | White fl. Orange-red | | | |
| Fruit— | | | | |
| 2 to 3 ft. | | 35 | 3 00 | 15 00 |
| 3 to 4 ft. | | 50 | 3 50 | 20 00 |
| 4 to 5 ft. | | 75 | 5 00 | 30 00 |
| 5 to 6 ft. | | 1 00 | 6 50 | |
| 6 to 8 ft. | | 1 50 | 10 00 | 65 00 |
| Standishii. | Standish's Honeysuckle. | | | |
| Earliest— | | | | |
| 2 to 3 ft. | | 50 | 4 00 | 35 00 |
| 3 to 4 ft. | | 75 | 6 00 | 50 00 |
| tatarica rubra. | Crimson fl. and Fruit— | | | |
| 2 to 3 ft. | | 35 | 3 00 | 15 00 |
| 3 to 4 ft. | | 50 | 3 50 | 20 00 |
| 4 to 5 ft. | | 75 | 5 00 | 30 00 |
| 5 to 6 ft. | | 1 00 | 6 50 | 45 00 |
| tatarica, var. alba. | White fl. and Crimson Fruit— | | | |
| 3 to 4 ft. | | 50 | 3 50 | 20 00 |
| 4 to 5 ft. | | 75 | 5 00 | 30 00 |
| tatarica, var. bella albida. | White to Pink fl. and Red Fruit— | | | |
| 3 to 4 ft. | | 50 | 3 50 | 20 00 |
| 4 to 5 ft. | | 75 | 5 00 | 30 00 |
| 5 to 6 ft. | | 1 00 | 6 50 | 45 00 |
| tatarica, var. chrysanthia. | Yellowish fl. and Coral Red Fruit— | | | |
| 3 to 4 ft. | | 50 | 3 50 | 20 00 |
| 4 to 5 ft. | | 75 | 5 00 | 30 00 |
| 5 to 6 ft. | | 1 00 | 6 50 | 45 00 |
| 6 to 8 ft. | | 1 50 | 10 00 | 65 00 |
| tatarica, var. splendens. | Pink fl. and Deep Red Fruit— | | | |
| 2 to 3 ft. | | 35 | 3 00 | 20 00 |
| 3 to 4 ft. | | 50 | 4 00 | 25 00 |
| 4 to 5 ft. | | 75 | 6 50 | 30 00 |
| 6 to 7 ft. | | 1 00 | 7 50 | 45 00 |
| Xylosteum. | Fly Honeysuckle— | | | |
| 3 to 4 ft. | | 75 | 6 00 | |
| 4 to 5 ft. | | 1 00 | 8 50 | |

LARGE SIZES FOR IMMEDIATE EFFECT

DECIDUOUS SHRUBS

59

| | Each | 10 | 100 |
|--|--------|--------|---------|
| LYCIUM chinense. Matrimony Vine— | | | |
| 2 to 3 ft. | \$0 35 | \$2 50 | \$10 00 |
| 3 to 4 ft. | 50 | 3 50 | 15 00 |
| MYRICA carolinensis. Bay Berry— | | | |
| 12 to 15 in. Bushy | 50 | 4 00 | 30 00 |
| 15 to 18 in. Bushy | 75 | 5 00 | 35 00 |
| 18 to 24 in. Bushy | 1 00 | 6 50 | 45 00 |
| 2 to 2½ and 3 to 3½ ft. | | | |
| PAVIA parviflora. See <i>Aesculus</i> , under Shrubs. | | | |
| PHILADELPHUS coronarius. Mock Orange— | | | |
| 3 to 4 ft. | 50 | 4 00 | 25 00 |
| 4 to 5 ft. | 75 | 6 00 | 30 00 |
| coronarius speciosissimus. White— | | | |
| Fragrant— | | | |
| 3 to 4 ft. | 75 | 4 00 | 25 00 |
| 4 to 5 ft. | 1 00 | 7 50 | |
| 5 to 6 ft. Heavy | 1 50 | 10 00 | 40 00 |
| 6 to 8 ft. Heavy | 2 00 | 12 50 | 50 00 |
| grandiflorus. White— | | | |
| 2 to 3 ft. | 50 | 3 50 | 20 00 |
| 3 to 4 ft. | 75 | 4 00 | 25 00 |
| 4 to 5 ft. | 1 00 | 7 50 | 30 00 |
| 5 to 6 ft. | 1 50 | 10 00 | 40 00 |
| 6 to 7 ft. | 2 00 | 12 50 | 50 00 |
| Lemoinei. (Hybrid.) White. Fragrant— | | | |
| 3 to 4 ft. | 75 | 5 00 | 35 00 |
| Lemoinei, var. erecta. Yellowish White— | | | |
| 2 to 3 ft. | 35 | 3 00 | |
| 3 to 4 ft. | 50 | 4 00 | 25 00 |
| 5 to 6 ft. | 75 | 5 00 | |
| Mont Blanc. White— | | | |
| 2 to 3 ft. | 50 | 3 50 | 20 00 |
| 3 to 4 ft. | 75 | 4 00 | 25 00 |
| Zeyheri. White. Fragrant— | | | |
| 3 to 4 ft. | 75 | 4 00 | 25 00 |
| PHYSOCARPUS opulifolia. (Spiraea, also Nelia)— | | | |
| 3 to 4 ft. | 35 | 2 50 | 20 00 |
| 4 to 5 ft. | 50 | 3 50 | 25 00 |
| 5 to 6 ft. | 75 | 5 00 | 40 00 |
| opulifolia aurea — | | | |
| 4 to 5 ft. | 50 | 3 50 | 25 00 |
| 5 to 6 ft. | 75 | 5 00 | 40 00 |
| POTENTILLA fruticosa. Shrubbery Cinquefoil— | | | |
| 1½ to 2 ft. | 50 | 2 50 | 20 00 |
| PRUNUS amygdalus communis. Flowering Almond. White— | | | |
| 2 to 3 ft. | 75 | 6 00 | |
| 3 to 4 ft. | 1 00 | 8 50 | |
| amygdalus communis rosea. Rose— | | | |
| 2 to 3 ft. | 75 | 6 00 | |
| 3 to 4 ft. | 1 00 | 8 50 | |
| PTELEA trifoliata. Hop Tree— | | | |
| 2 to 2½ ft. | 35 | 2 50 | 15 00 |
| RHAMNUS Cathartica. Buckthorn— | | | |
| 3 to 3½ ft.; 2 years | | 2 50 | 10 00 |
| 4 to 5 ft. | 50 | 4 00 | 35 00 |
| 5 to 6 ft. | 75 | 6 00 | 40 00 |
| 6 to 8 ft. | 1 50 | 10 00 | |
| frangula. Alder-Buckthorn— | | | |
| 4 to 5 ft. | 35 | 3 00 | 20 00 |

ALL GOODS F. O. B. HERE AT LIST PRICES

DECIDUOUS SHRUBS

| | | | | | |
|-------------------|---|-----------------------|-------|--------|---------|
| RHODOTYPUS | kerrioides. | White Kerria— | Each | 10 | 100 |
| | | 1½ ft.; 2 years | | \$2 50 | \$10 00 |
| | 2 to 2½ ft. | \$0 35 | 3 00 | 20 00 | |
| | 3 to 4 ft. | 50 | 4 00 | 25 00 | |
| | 4 to 5 ft. | 75 | 6 00 | 35 00 | |
| RHUS | canadensis syn. aromatica . | Fragrant Sumac— | | | |
| | 2 to 3 ft. | 35 | 3 00 | | |
| | 3 to 4 ft. | 50 | 4 00 | | |
| | copallina. Shining Sumac— | | | | |
| | 2 to 3 ft. | 35 | 3 00 | | |
| | 3 to 4 ft. | 50 | 4 00 | | |
| | 4 to 5 ft. | 75 | 6 00 | 35 00 | |
| | cotinus , var. atropurpurea . | Purple Mist— | | | |
| | 3 to 4 ft. | 1 50 | 10 00 | | |
| ROBINIA | hispida. | Rose Acacia. | | | |
| | 2 to 3 ft. | 50 | 4 00 | | |
| | 3 to 4 ft. | 75 | 6 00 | | |
| RUBUS | odoratus. | Flowering Raspberry— | | | |
| | 2 to 3 ft. | 25 | 2 00 | 10 00 | |
| | 3 to 4 ft. | 50 | 3 50 | | |
| SAMBUCUS | canadensis. | Elderberry— | | | |
| | 2 to 3 ft. | 35 | 3 00 | 15 00 | |
| | 3 to 4 ft. | 50 | 4 00 | 20 00 | |
| | 6 to 8 ft. | 75 | 5 00 | 25 00 | |
| | nigra , var. aurea . | Golden Elder— | | | |
| | 2 to 3 ft. | 35 | 2 50 | 20 00 | |
| | 3 to 4 ft. | 50 | 3 50 | 25 00 | |
| | nigra , var. laciniata . | Cut-leaved Elder— | | | |
| | 2 to 3 ft. | 75 | 5 00 | | |
| SORBARIA | Lindleyana. | (Spiraea)— | | | |
| | 2 to 3 ft. | 50 | 4 00 | 30 00 | |
| | Sorbiifolia. | (Ash-leaved)— | | | |
| | 2 to 3 ft. | 50 | 4 00 | 30 00 | |
| SPIRAEA | Billardi. | Pink— | | | |
| | 4 to 5 ft. | 50 | 3 50 | 20 00 | |
| | Bumaldi. Pink Dwarf— | | | | |
| | 2 to 2½ ft. | 50 | 3 50 | | |
| | Bumaldi , var. Anthony Waterer. Pink. | Constant Bloomer— | | | |
| | 2 to 2½ ft. | 75 | 5 00 | | |
| | callosa , var. rosea . | Fortunes Spiraea— | | | |
| | 2 to 3 ft. | 50 | 3 00 | 25 00 | |
| | callosa , var. alba — | | | | |
| | 2 to 3 ft. | 25 | 2 00 | 15 00 | |
| | prunifolia fl. pl. | Bridal Wreath. White— | | | |
| | 3 to 4 ft. | 50 | 4 00 | | |
| | Reevesiana. Single. White— | | | | |
| | 3 to 4 ft. Heavy | 50 | 4 00 | 25 00 | |
| | 4 to 5 ft. Heavy | 75 | 6 00 | 35 00 | |
| | 5 to 6 ft. Heavy | 1 00 | 7 50 | | |
| | Reevesiana fl. pl. | Reeves' Double White— | | | |
| | 3 to 4 ft. | 50 | 4 00 | 25 00 | |
| | salicifolia. Willow-leaved. White— | | | | |
| | 4 to 5 ft. | 50 | 3 50 | 20 00 | |
| | 5 to 6 ft. | 75 | 6 00 | 25 00 | |
| | thunbergii. Thunberg's Spiraea. White— | | | | |
| | 2 to 2½ ft. | 50 | 3 50 | 30 00 | |
| | 2½ to 3 ft. | 75 | 5 00 | 35 00 | |
| | 3 to 4 ft. | 1 00 | 7 50 | 45 00 | |
| | 4 to 5 ft. | 1 50 | 10 00 | 60 00 | |

LARGE SIZES FOR IMMEDIATE EFFECT

DECIDUOUS SHRUBS

61

| | | Each | 10 | 100 |
|--|----------------|--------|---------|-----|
| SPIRAEA <i>Van Houttei</i> . Bridal Bower. White— | | | | |
| 2 to 3 ft. | \$0 50 | \$3 00 | \$20 00 | |
| 3 to 3½ ft. | 75 | 5 00 | 30 00 | |
| STAPHYLEA <i>colchica</i> . (Bladder Nut)— | | | | |
| 2 to 3 ft. | 50 | 3 50 | 30 00 | |
| 4 to 5 ft. | 75 | 6 00 | | |
| STEPHANANDRA <i>flexuosa</i> . Lace Shrub— | | | | |
| 2 to 3 ft. | 50 | 4 00 | | |
| 3 to 4 ft. | 75 | 6 00 | | |
| STEWARTIA <i>pentagyna</i> . (Camellia)— | | | | |
| 4 to 6 ft. | \$2.50 to 3 50 | | | |
| STYRAX <i>japonica</i> . (See <i>Trees</i>)— | | | | |
| SYMPHORICARPOS <i>racemosus</i> . Snowberry— | | | | |
| 2 to 3 ft. | 50 | 3 50 | 25 00 | |
| 3 to 4 ft. | 75 | 5 00 | 35 00 | |
| vulgaris . Coral Berry— | | | | |
| 2 to 3 ft. | 50 | 2 50 | 10 00 | |
| SYMPLOCUS <i>japonica</i> . (<i>Cratægoides</i>). Fruit | | | | |
| Turquoise Blue— | | | | |
| 2 to 3 ft. | 2 50 | | | |
| SYRINGA <i>japonica</i> . Tree Lilac— | | | | |
| 3 to 3½ ft. | 1 00 | 6 00 | | |
| 3½ to 4 ft. | 1 50 | 10 00 | | |
| 4 to 5 ft. | 2 00 | 12 50 | | |
| Josikæa . Hungarian Lilac. | | | | |
| 3 to 3 ft. | 50 | 4 00 | 30 00 | |
| 3 to 4 ft. | 75 | 6 00 | | |
| 4 to 5 ft. | 1 00 | 7 50 | | |
| villosa . Himalayan Lilac— | | | | |
| 2 to 3 ft. | 1 00 | 6 00 | | |
| villosa , var. Emodi . July Flowering— | | | | |
| 5 to 6 ft. Heavy.... | 3 50 | | | |
| vulgaris . Common Lilac— | | | | |
| 2 to 3 ft. Heavy.... | 50 | 4 50 | 40 00 | |
| 3 to 4 ft. Heavy.... | 75 | 6 50 | 60 00 | |
| 4 to 5 ft. Heavy.... | 1 50 | 10 00 | 85 00 | |
| vulgaris , var. alba — | | | | |
| 2 to 3 ft. Heavy.... | 75 | 6 00 | 50 00 | |
| 3 to 4 ft. Heavy.... | 1 00 | 8 50 | 75 00 | |
| 4 to 5 ft. Heavy.... | 1 50 | 10 00 | | |
| 5 to 6 ft. Heavy.... | 3 50 | 32 50 | | |
| vulgaris . White Hybrid. Unnamed— | | | | |
| 6 to 8 ft. | \$2.50 to 5 00 | | | |

NAMED VARIETIES

| | | | |
|--|------|-------|--|
| Alphonse Lavalle . Double Clear— | | | |
| 3 to 4 ft. | 1 50 | 12 50 | |
| Charles X. Single Reddish-purple— | | | |
| 2½ to 3 ft. | 1 00 | 7 50 | |
| 3 to 4 ft. | 1 50 | 10 00 | |
| Congo . Single. Wine Red— | | | |
| 2 ft. | 1 00 | 7 50 | |
| Dame Blanche . Double. White— | | | |
| 3 to 4 ft. | 1 50 | 12 50 | |
| Dr. Masters . Double. Lilac— | | | |
| 3 to 4 ft. | 1 50 | | |
| Frau Bertha Damman . Single. White— | | | |
| 2 to 3 ft. | 1 00 | 7 50 | |
| 3 to 4 ft. | 1 50 | 10 00 | |
| 5 to 6 ft. | 2 50 | 22 50 | |
| 6 to 8 ft. | 3 50 | 32 50 | |

ALL GOODS F. O. B. HERE AT LIST PRICES

DECIDUOUS SHRUBS

| | | | | | | |
|-----------------------------------|-----------------------|-----------------|--------|--------|---------|---------|
| SYRINGA | Jeanne d'Arc. | Double. | White— | Each | 10 | 100 |
| 3 to 4 ft. | | | | \$1 50 | \$10 00 | |
| Leon Simon. | Double. | Bluish Crimson— | | | | |
| 3 to 4 ft. | | | | 1 50 | 12 50 | |
| Mad. Abel Chatenay. | Double. | White— | | | | |
| 2 to $2\frac{1}{2}$ ft. | | | | 1 00 | 7 50 | |
| 3 to $3\frac{1}{2}$ ft. | | | | 1 25 | 10 00 | |
| 3 to 4 ft. | | | | 1 50 | 12 50 | |
| Mad. Casimir Perier. | Double. | Cream— | | | | |
| 3 to 4 ft. | | | | 1 50 | 12 50 | |
| Mad. Lemoinei. | Double. | White— | | | | |
| $2\frac{1}{2}$ to 3 ft. | | | | 1 00 | 8 50 | |
| 3 to 4 ft. | | | | 1 50 | 12 50 | |
| 4 to 5 ft. | | | | 2 00 | 18 50 | |
| 6 to 7 ft. | | | | 3 50 | 30 00 | |
| Marie LeGraye. | Single. | White— | | | | |
| 2 to $2\frac{1}{2}$ ft. | | | | 1 00 | 7 50 | |
| $2\frac{1}{2}$ to 3 ft. | | | | 1 25 | 10 00 | |
| 3 to $3\frac{1}{2}$ ft. | | | | 1 50 | 12 50 | |
| Michael Buchner. | Double. | Pale Lilac— | | | | |
| $2\frac{1}{2}$ to 3 ft. | | | | 1 00 | 8 50 | |
| 3 to 4 ft. | | | | 1 50 | 12 50 | |
| 4 to 5 ft. | | | | 2 50 | 22 50 | |
| Pres. Grevy. | Double. | Blue— | | | | |
| 3 to 4 ft. | | | | 1 50 | 12 50 | |
| Pres. Loubet. | Double. | Reddish | | | | |
| Carmine— | | | | | | |
| 4 to 5 ft. | | | | 2 50 | 22 50 | |
| Rubra de Marley. | Single. | Reddish | | | | |
| Purple— | | | | | | |
| $2\frac{1}{2}$ to 3 ft. | | | | 1 00 | 8 50 | |
| 3 to 4 ft. | | | | 1 50 | 12 50 | |
| Senafor Volland. | Double. | Rosy Red— | | | | |
| 3 to 4 ft. | | | | 1 50 | 12 50 | |
| 4 to 5 ft. | | | | 2 50 | 22 50 | |
| Souvenir de Ludwig Spaeth. | Single. | | | | | |
| Red— | | | | | | |
| 1 $\frac{1}{2}$ to 2 ft. | | | | 75 | 6 00 | |
| 2 to 3 ft. | | | | 1 00 | 8 50 | |
| 3 to $3\frac{1}{2}$ ft. | | | | 1 50 | 12 50 | |
| $3\frac{1}{2}$ to 4 ft. | | | | 2 00 | 18 50 | |
| 4 to 5 ft. | | | | 2 50 | 22 50 | |
| 5 to 6 ft. | | | | 3 50 | 32 50 | |
| Unnamed varieties. | A lot of mixed | | | | | |
| Hybrids— | | | | | | |
| 3 to 6 ft. | Very heavy.... | \$1.50 to 7 50 | | | | |
| TAMARIX gallica. | French Tamarix— | | | | | |
| 4 to 5 ft. | | | | 50 | 3 50 | |
| hispida eastivalis. | Carmine Pink Flowers— | | | | | |
| 4 to 5 ft. | | | | 50 | 3 50 | |
| juniperina, syn. plumosa— | | | | | | |
| 4 to 5 ft. | | | | 50 | 3 50 | |
| parviflora— | | | | | | |
| 5 to 6 ft. | | | | 75 | 6 00 | |
| VACCINUM corymbosum. | Swamp Huckleberry— | | | | | |
| 1 $\frac{1}{2}$ to 2 ft. Clumps | | | | 1 00 | 9 00 | |
| 2 to $2\frac{1}{2}$ ft. Clumps | | | | 1 50 | 12 50 | |
| $2\frac{1}{2}$ to 3 ft. Clumps | | | | 2 00 | 18 50 | |
| 3 to 5 ft. Very Heavy.... | \$2.50 to 4 00 | | | | | |
| pennsylvanicum. | Dwarf Huckleberry— | | | | | |
| 1 to $1\frac{1}{2}$ ft. Clumps | | | | 1 00 | 9 00 | \$85 00 |

LARGE SIZES FOR IMMEDIATE EFFECT

DECIDUOUS SHRUBS

63

| | | | | |
|------------------------------|------------------------------|----------------|--------|---------|
| VIBURNUM acerifolium. | Maple Leaved— | Each | 10 | 100 |
| 3 to 4 ft. | Very Heavy | \$1 00 | \$6 00 | \$40 00 |
| 4 to 5 ft. | Very Heavy | 1 50 | 10 00 | |
| Carlesii. | Bouvardia Shrub. "Fragrant"— | | | |
| 2½ to 3 ft. | Standards | 3 50 | 32 50 | |
| cassanoides. | Withe-rod— | | | |
| 2 to 3 ft. | Very Heavy | 50 | 4 00 | |
| 3 to 4 ft. | Very Heavy | 1 00 | 6 00 | |
| 4 to 5 ft. | Very Heavy | 1 50 | 8 50 | |
| 8 to 9 ft. | Very Heavy | 3 50 | | |
| dentatum. | Arrow-wood— | | | |
| 2 to 3 ft. | Very Heavy | 50 | 4 00 | 30 00 |
| 3 to 4 ft. | Very Heavy | 75 | 6 00 | 40 00 |
| 4 to 5 ft. | Very Heavy | 1 00 | 8 50 | 60 00 |
| 5 to 6 ft. | Very Heavy | 1 50 | 10 00 | |
| 6 to 8 ft. | Very Heavy | \$2.50 to 5 00 | | |
| dilatatum. | Japan Bush Cranberry— | | | |
| 18 to 24 in. | | 1 00 | 8 50 | |
| 4 to 5 ft. | Very Heavy | 2 50 | 22 50 | |
| 5 to 6 ft. | Very Heavy | 3 50 | 32 50 | |
| 6 to 7 ft. | Very Heavy | 5 00 | | |
| lantana. | Way-faring tree— | | | |
| 2 to 3 ft. | | 75 | 3 50 | |
| 3 to 4 ft. | Very Heavy | 1 00 | 6 50 | 50 00 |
| 4 to 5 ft. | Very Heavy | 1 50 | 8 50 | |
| 5 to 6 ft. | Very Heavy | 2 00 | | |
| lentago. | Sheep Berry— | | | |
| 2 to 3 ft. | | 75 | 4 00 | 30 00 |
| 3 to 4 ft. | | 1 00 | 6 00 | 50 00 |
| 4 to 5 ft. | Extra Heavy | 1 50 | 12 50 | 100 00 |
| 5 to 6 ft. | Extra Heavy | 2 50 | 18 50 | 150 00 |
| 6 to 7 ft. | Extra Heavy | 3 50 | 22 50 | |
| Molle. | Soft-leaved Snowball— | | | |
| 3 to 4 ft. | Extra Heavy | 75 | 5 00 | 40 00 |
| 4 to 5 ft. | Extra Heavy | 1 00 | 8 50 | 60 00 |
| 6 to 8 ft. | Extra Heavy | \$2.50 to 3 50 | | |
| 5 to 6 ft. | Extra Heavy | 1 50 | 12 50 | |
| nitidum— | 6 to 8 ft. Extra Heavy | \$5 to 15 00 | | |
| opulus. | High Cranberry Bush— | | | |
| 12 to 18 in. | | 3 50 | 10 00 | |
| 3 to 4 ft. | | 75 | 4 00 | 30 00 |
| 4 to 5 ft. | | 1 00 | 8 50 | 40 00 |
| 5 to 6 ft. | | 1 50 | 12 50 | 85 00 |
| 8 to 10 ft. | Broad Specimens | \$5 to 10 00 | | |
| opulus, var. Sterile. | Guilder Rose— | | | |
| 4 to 5 ft. | | 1 00 | 8 50 | 40 00 |
| 5 to 6 ft. | | 1 50 | 12 50 | 85 00 |
| 8 to 10 ft. | Heavy Specimens | \$5 to 10 00 | | |
| prunifolium. | (Black Haw)— | | | |
| 2 to 2½ ft. | | 1 00 | 8 50 | |
| 2½ to 3 ft. | | 1 25 | 10 00 | |
| 3 to 4 ft. | | 1 50 | 12 50 | |
| Sargentii. | Scarce— | | | |
| 2½ ft. | | 2 50 | | |
| Sieboldii. | Siebold's Viburnum— | | | |
| 1½ to 2 ft. | | 75 | 5 00 | |
| 2 to 2½ ft. | | 1 00 | 6 50 | |
| 3 to 4 ft. | | 1 25 | 7 50 | |
| 5 to 6 ft. | | 1 50 | 12 50 | |
| 8 to 10 ft. | Heavy Spec. | \$5 to 10 00 | | |
| 10 to 12 ft. | Heavy Spec. | \$15 to 20 00 | | |

ALL GOODS F. O. B. HERE AT LIST PRICES

DECIDUOUS SHRUBS

| | Each | 10 | 100 |
|---|--------|---------|-------|
| VIBURNUM tomentosum. Single Japan Snowball— | | | |
| 18 to 24 in. | \$3 50 | \$20 00 | |
| 2 to 2½ ft. | 5 00 | 35 00 | |
| 5 to 6 ft. | 1 50 | | |
| tomentosum, var. plicatum. Japanese Snowball— | | | |
| 2 to 2½ ft. | 75 | 5 00 | 35 00 |
| 3 to 4 ft. | 1 00 | 8 50 | 75 00 |
| rhytidophyllum. Flowers Yellow to White. Fruit Red to Black. Scarce— | | | |
| 1 to 1½ ft. | 1 50 | 13 50 | |
| 3 to 3½ ft. | 2 50 | 22 50 | |
| 3½ to 4 ft. | 3 50 | 32 50 | |
| Wrightii. Flowers White. Fruit Red. | | | |
| 2 to 3 ft. | 2 00 | 18 50 | |
| VITEX cærulea — | | | |
| 2 ft. | 50 | 2 50 | 15 00 |
| XANTHOCERAS sorbifolia — | | | |
| 2 to 2½ ft. | 75 | 6 00 | |
| 2½ to 3 ft. | 1 00 | 7 50 | |
| XANTHORRHIZA apiiifolia. Shrub. Yellow Root— | | | |
| 6 to 8 in. Per thousand, \$35.... | 25 | 2 00 | 5 00 |
| 10 to 12 in. Per thousand, \$40.... | 35 | 2 00 | 8 00 |
| 12 to 18 in. Per thousand, \$50.... | 50 | 2 50 | 10 00 |

REEDS and GRASSES

| | Each | 10 |
|--|----------------|--------|
| BAMBUSA Metake | \$15 per 100.. | \$0 50 |
| ELYMUS glaucus | 25 | 1 50 |
| ERIANTHUS Ravennæ | 50 | 3 50 |
| EULALIA Japonica , and vars. <i>variegata</i> , <i>gracillima</i> <i>univittata</i> , <i>zebrina</i> . Clumps | 50 | 3 50 |
| PHALARIS arundinacea , var. <i>variegata</i> . Ribbon Grass.... | 25 | 1 50 |

VINES, CLIMBING and TRAILING PLANTS

| | Each | 10 |
|---|--------|--------|
| ACTINIDIA polygama . 5-in. pots | \$0 50 | \$3 50 |
| AKEBIA quinata . From 5-in. pots | 50 | 3 50 |
| AMPELOPSIS quinquefolia . Virginia Creeper. 5-in pots.. | 50 | 3 50 |
| 3-year, field-grown; heavy | 50 | 3 00 |
| quinquefolia , var. <i>Engelmanni</i> . 5-in. pots; heavy.. | 50 | 3 50 |
| 3-year, field-grown; heavy | 50 | 3 00 |
| tricuspidata ; syn., <i>Veitchi</i> . Japan or Boston Ivy; 5-in. pots; heavy..... | 50 | 3 50 |
| 2-year, field-grown; heavy | 50 | 3 00 |
| ARISTOLOCHIA siphon . Dutchman's Pipe Vine. 5-in. pots | 1 00 | 8 50 |
| BIGNONIA capreolata . 2 to 3 ft.; field-grown..... | 50 | 3 50 |
| grandiflora . 2 to 3 ft.; field-grown..... | 50 | 3 50 |
| radicans . Scarlet Trumpet Vine. 2 to 3 ft..... | 50 | 3 50 |
| CELASTRUS scandens . False Bitter-sweet— | | |
| 2 to 3 ft.per 100, \$25.. | 75 | 5 00 |
| 3 to 5 ft.; heavy; field-grown.per 100, \$25.. | 50 | 3 50 |

LARGE SIZES FOR IMMEDIATE EFFECT

VINES, CLIMBING AND TRAILING PLANTS

65

| | | Each | 10 | |
|---|--|-----------------|--------|------|
| CLEMATIS <i>coccinea</i> . | 4-in. pots | \$0 50 | \$4 00 | |
| <i>Flammula</i> . | Sweet Clematis. 6-in. pots..... | 1 00 | 7 00 | |
| Large-flowering varieties — | Gem, Henryi, Jack- mani, Jackmani var. alba, Jeanne d'Arc, Duchess of Edinburgh, Kermesina, Lady Neville, Madame Van Houtte, Miss Bateman, President | 1 00 | 7 50 | |
| <i>paniculata</i> . | 2-year; heavy..... per 100, \$20.. | 35 | 3 00 | |
| | 5-in. pots; fine per 100, \$35.. | 50 | 4 00 | |
| <i>virginiana</i> . | Wild Clematis. 4-in. pots | 50 | 3 50 | |
| EUONYMUS <i>radicans</i> . | 2 yrs.; field-grown..per 100, \$20.. | 35 | 2 50 | |
| | 3-year; field-grown | 50 | 3 50 | |
| <i>radicans</i> , var. <i>variegata</i> . | 1 ft.; field-grown..... | 50 | 3 50 | |
| <i>radicans</i> , var. <i>carrierei</i> (large leaf)— | | | | |
| | 2-year; field-grown | 50 | 3 50 | |
| | Extra heavy stock | 75 | 6 00 | |
| <i>radicans</i> , var. <i>vegata</i> (Scarlet Fruit)— | | | | |
| | 1-year; field-grown | 35 | 2 50 | |
| | 2-year; field-grown | 50 | 3 50 | |
| | 3-year; extra heavy | 75 | 6 00 | |
| HEDERA <i>helix</i> . | English Ivy. 4-in. pots..per 100, \$20.. | 35 | 2 50 | |
| LONICERA <i>japonica</i> . | Honeysuckle— | | | |
| | 4-in. pots | per 100, \$20.. | 35 | 2 50 |
| | 2-year; field-grown | per 100, \$15.. | 35 | 2 50 |
| <i>japonica</i> , var. <i>aurea reticulata</i> . | 4-in. pots..... | 35 | 3 00 | |
| <i>japonica</i> , var. <i>chinensis</i> . | Purplish green foliage | | | |
| | 4-in pots | 35 | 3 00 | |
| | 2-year; field-grown | 35 | 2 50 | |
| <i>japonica</i> , var. <i>Halleana</i> . | 4-in. pots..per 100, \$20.. | 35 | 3 00 | |
| | 2-year old; field-grown | 25 | 2 00 | |
| <i>Brownii</i> , var. <i>fuchsoides</i> . | Scarlet Trumpet— | | | |
| | 2-year old; field-grown | 50 | 3 50 | |
| PERIPLOCA <i>graeca</i> . | Silk Vine. 5-in pots..per 100, \$25.. | 75 | 5 00 | |
| PUERARIA <i>hirsuta</i> . | Kudzu Vine. 5-in. pots..... | 75 | 5 00 | |
| SCHIZOPHRAGMA <i>hydrangeoides</i> . | Climbing Hydrangea | | | |
| | 2 years old | 1 50 | 13 50 | |
| VITIS <i>aestivalis</i> . | Summer Grape; field-grown..... | 50 | 3 50 | |
| <i>heterophylla</i> , var. <i>variegata</i> ; | field-grown..... | 75 | 6 00 | |
| <i>Labrusca</i> . | Fox Grape; field-grown..... | 50 | 3 50 | |
| <i>volpina</i> . | Frost Grape; field-grown | 50 | 3 50 | |
| WISTARIA <i>chinensis</i> . | Chinese Wistaria— | | | |
| | 2 to 3 ft. | 1 50 | 12 50 | |
| | * Standards. 4 to 6 ft. Good heads..\$5.00 to | 7 50 | | |
| <i>chinensis</i> , var. <i>alba</i> . | Field-grown..... | 1 50 | 13 50 | |
| <i>frutescens</i> . | 4 to 5 ft.; field-grown | 1 00 | 7 50 | |
| <i>magnifica</i> . | 5 to 6 ft.; field-grown..... | 2 50 | | |
| <i>multijuga</i> . | Field-grown | 1 50 | 13 50 | |
| <i>multijuga</i> , var. <i>alba</i> | 1 50 | | | |

ALL GOODS F. O. B. HERE AT LIST PRICES

FRUIT DEPARTMENT

| FOUR-YEAR-OLD APPLE TREES | | Each | 10 |
|---|-----------------|--------|---------|
| APPLES, Summer— <i>Golden Sweet</i> , <i>Red Astrachan</i> , <i>Summer Rambo</i> , <i>Sweet Bough</i> , <i>Benon</i> , <i>Yellow Transparent</i> . | | | |
| Autumn— <i>Fall Pippin</i> , <i>Gravenstein</i> , <i>Smokehouse</i> , <i>Wealthy</i> . | | | |
| Winter— <i>Baldwin</i> , <i>Belle-fleur</i> , <i>Fallawater</i> , <i>King of Tompkins County</i> , <i>Northern Spy</i> , <i>Rhode Island Greening</i> , <i>Styman's Winesap</i> , <i>York Imperial</i> . 5 to 7 ft. | | \$2 50 | \$22 50 |
| Crab — <i>Hyslop</i> , <i>Large Red Siberian</i> , <i>Large Yellow Siberian</i> . 5 to 7 ft. | | 2 50 | 22 50 |
| CHERRIES, Sour (Dukes and Morellos) — <i>Early Richmond</i> , <i>Empress Eugenie</i> , <i>May Duke</i> , <i>Late Duke</i> , <i>Montmorency</i> . 5 to 6 ft. | | 1 50 | 12 50 |
| Large Sweet (Hearts and Bigarreaus) — <i>Black Tartarian</i> , <i>Governor Wood</i> , <i>Napoleon Bigarreau</i> , <i>Schmidt's Bigarreau</i> , <i>Windsor</i> . 5 to 6 ft. | | 1 50 | 12 50 |
| NECTARINE . <i>Roman</i> | | 2 50 | |
| PEACHES — <i>Belle of Georgia</i> , <i>Fitzgerald</i> , <i>Fox's Seedling</i> , <i>Crawford's Late</i> , <i>Elberta</i> , <i>Mountain Rose</i> , <i>Morris White</i> , <i>Oldmixon Free</i> , <i>Stump the World</i> , <i>Susquehanna</i> , <i>Troth's Early</i> , <i>Wheatland</i> . 5 to 6 ft. | per 100, \$45.. | 75 | 6 00 |
| PEAR TREES . Four-year old. | | | |
| PEARS, Summer — <i>Bartlett</i> , <i>Clapp's Favorite</i> , <i>Doyenne d'Ete</i> . | | | |
| Autumn and Winter— <i>Beurre d'Anjou</i> , <i>Buffum</i> , <i>Duchesse d'Angouleme</i> , <i>Howell</i> , <i>Kieffer's Hybrid</i> , <i>Lawrence</i> , <i>Rutter</i> , <i>Seckel</i> , <i>Sheldon</i> , <i>Warden-Seckel</i> . 5 to 7 ft. | | 2 50 | 22 50 |
| A few varieties, 6-year old | | \$5 to | 7 50 |
| PLUMS, Japanese — <i>Abundance</i> , <i>Burbank</i> , <i>Chabot</i> , <i>Satsuma</i> . | | | |
| European — <i>Giant Prune</i> , <i>Imperial Gage</i> , <i>Lombard</i> , <i>Green Gage</i> . 5 to 6 ft. | | 2 50 | 22 50 |
| QUINCES — <i>Champion</i> , <i>Orange</i> . 3 to 4 ft. | | 1 00 | 7 50 |

Special attention is called to the 4 year old Trees in Apples and Pears as listed above—Trees of a fruiting size.

SMALL FRUITS

| | |
|--|--------|
| BLACKBERRIES — <i>Eldorado</i> , <i>Erie</i> , <i>Kittatinny</i> , <i>Rathbun</i> , <i>Each</i> | 10 |
| <i>Snyder</i> , <i>Wilson Junior</i> . per 100, \$7.50.. | \$1 00 |
| CURRENTS, Red — <i>Cherry</i> , <i>Fay's Prolific</i> ; <i>White</i> — <i>White Grape</i> ; <i>Black</i> — <i>Lee's Prolific</i> | \$0 50 |
| | 3 50 |
| GOOSEBERRIES, Red — <i>Houghton</i> , <i>Industry</i> ; <i>Green</i> — <i>Downing</i> , <i>Smith's Improved</i> | 50 |
| | 3 50 |
| GRAPES, Black — <i>Concord</i> , <i>Moore's Early</i> , <i>Worden</i> ; <i>Red</i> — <i>Brighton</i> , <i>Catawba</i> , <i>Delaware</i> ; <i>White</i> — <i>Green Mountain</i> , <i>Niagara</i> , <i>Pocklington</i> . 2 year.... | 50 |
| | 3 50 |
| RASPBERRIES, Black — <i>Gregg</i> ; <i>Red</i> — <i>Cuthbert</i> , <i>Columbian Ruby</i> ; <i>Yellow</i> — <i>Golden Queen</i> . per 100, \$7.50.. | 1 00 |
| STRAWBERRIES . Prices vary so much according to varieties that we prefer to quote on what you require. | |

ESCULENT ROOTS

| | |
|---|----------------------------------|
| ASPARAGUS — <i>Argentil</i> , <i>Barr's Mammoth</i> , <i>Conover's Colossal</i> , <i>Columbia</i> , <i>Palmetto</i> | \$1.50 per 100; \$10 per 1,000 |
| RHUBARB —Best varieties | Per 10, \$1.50; per 100, \$10.00 |

ROSES

| | | Each | 10 |
|---|---------|--------|----|
| AUSTRIAN BRIERS —Harrison's Yellow and Persian Yellow. | .\$0 50 | \$4 50 | |
| SWEET BRIER — <i>Rosa rubignosa</i> | 50 | 4 50 | |
| HYBRIDS <i>Penzance Briers</i> | 50 | 4 50 | |
| Amy Robsart, deep rose. | | | |
| Brenda, blush. | | | |
| Annie of Gierstein, dark crimson. | | | |
| Minna, white. | | | |
| Flora McIvor, blush white. | | | |
| Lady Penzance, coppery yellow. | | | |
| Lord Penzance, ecru. | | | |
| Meg Merrilees, crimson. | | | |
| BUSH ROSES —Field-grown | 35 | 3 00 | |
| Blanda, Early Wild Rose. Pink. May to June. | | | |
| Canina, Dog Rose. Light Pink. Summer. | | | |
| Carolina, Swamp Rose. Pink. June to Sept. | | | |
| Lucida, Dwarf. Bright Pink. June and July. | | | |
| Lucida, var. <i>alba</i> . White. June and July. | | | |
| Multiflora, Many-flowered Rose. White. June. | | | |
| Nitida. Shining Rose. Red. June and July. | | | |
| Rubrifolia, Red-leaved Rose. Pink. June. | | | |
| Spinosissima, Scotch Rose. White. May and June | 75 | 5 00 | |
| Setigera. Prairie Rose. 2 to 2½ ft..... | 35 | 3 00 | |
| EVERBLOOMING Hybrid Tea Roses | 50 | 4 50 | |
| Antoine Revoire, rosy flesh on yellow ground. | | | |
| Baby Rambler, crimson. Betty, ruddy gold. | | | |
| Bessie Brown, creamy white. | | | |
| Caroline Testout, rose. | | | |
| Chateau de Clos Vougeot, scarlet. | | | |
| Dean Hole, silvery carmine. | | | |
| Duchess of Albany, deep pink. | | | |
| Duchess of Wellington, saffron yellow. | | | |
| Earle of Warwick, salmon pink. | | | |
| Francisca Kruger (Tea), yellow peach. | | | |
| General McArthur, bright crimson. | | | |
| George C. Waud, orange vermillion. | | | |
| Gladys Harkness, salmon pink. | | | |
| Grace Molyneux, apricot. | | | |
| Gruss an Teplitz, crimson. | | | |
| Harry Kirk, deep sulphur yellow. | | | |
| J. J. L. Mock, imperial pink. | | | |
| Kaiserin Augusta Victoria, primrose. | | | |
| Killarney, pink and Killarney white. | | | |
| Lady Alice Stanley, coral rose to pale flesh. | | | |
| Lady Ursula, flesh pink. | | | |
| La France, rose. | | | |
| Laurent Carle, brilliant carmine. | | | |
| Madame Abel Chatenay, carmine rose. | | | |
| Madame Jules Bouche, white. | | | |
| Madame Leon Paine, silvery salmon, orange yellow shadings. | | | |
| Madame Ravary, yellow. | | | |
| Madame Segond Weber, rosy salmon. | | | |
| Maman Cochet, pink and M' Cochet white. | | | |
| Mrs. Aaron Ward, Indian yellow. | | | |
| Mrs. A. R. Waddell, rosy scarlet, opening reddish salmon. | | | |
| Mrs. Harold Brocklebank, creamy white. | | | |
| Mary, Countess of Ilchester, crimson. | | | |
| Souvenir du President Carnot, flesh shading white. | | | |
| Viscountess Folkstone. creamy pink. | | | |

ALL GOODS F. O. B. HERE AT LIST PRICES

ROSES

| | | Each | 10 | 100 |
|--|----|--------|---------|-----|
| HYBRID Perpetual Roses | | \$0 50 | \$4 50 | |
| Alfred K. Williams, carmine red. | | | | |
| Baroness Rothschild, rose. | | | | |
| Captain Hayward, carmine crimson. | | | | |
| Eugene Verdier, rose flesh. | | | | |
| Frau Karl Druschki, white. | | | | |
| General Jacqueminot, scarlet. | | | | |
| Madame Gabriel Luizet, silvery pink. | | | | |
| Magna Charta, rose. | | | | |
| Margaret Dickson, white. | | | | |
| Mrs. John Laing, pink. | | | | |
| Mrs. R. D. Sharman Crawford, rose pink. | | | | |
| Paul Neyron, deep rose. | | | | |
| Prince Camille de Rohan, deep crimson. | | | | |
| Ulrich Brunner, cherry crimson. | | | | |
| MOSS Roses. Blanche Moreau, white..... | 50 | 4 50 | | |
| Crimson Globe, deep crimson. | | | | |
| Zenobia, rose. | | | | |
| CLIMBING ROSES. Crimson Rambler, crimson. | 50 | 4 50 | \$35 00 | |
| Dawson, bright pink. | | | | |
| Dorothy Perkins, shell pink. | | | | |
| Hiawatha, ruby carmine. | | | | |
| Lady Gay, cerise pink. | | | | |
| Tausendschon, soft pink. | | | | |
| White Dorothy Perkins, white. | | | | |
| SINGLE ROSES —Dickson's hybrids | 75 | 6 00 | | |
| Irish Beauty, pure white. | | | | |
| Irish Brightness, vivid crimson. | | | | |
| Irish Elegance, bronzy orange scarlet. | | | | |
| Irish Harmony, saffron yellow. | | | | |
| Irish Modesty, coral pink. | | | | |
| TRAILING ROSES —Wichuraiana. White. | | | | |
| 2 to 3 ft. 2-year old. In 4-in. pots | 35 | 3 00 | 25 00 | |
| Wichuraiana hybrids | 50 | 4 00 | 35 00 | |
| Adelaide Moulle, soft pink. | | | | |
| Alberic Barbier, creamy yellow. | | | | |
| Auguste Barbier, rosy crimson. | | | | |
| Debutante, rosy pink. | | | | |
| Eliza Robichon, rose shaded yellow. | | | | |
| Evergreen Gem, buff. | | | | |
| Gardenia, bright yellow. | | | | |
| Manda's Triumph, double white. | | | | |
| Paul Transon, rosy pink. | | | | |
| Pink Roamer, rich pink. | | | | |
| South Orange Perfection, blush pink. | | | | |
| Universal Favorite, soft rose. | | | | |
| RUGOSA ROSES — <i>Rosa rugosa</i> . 2 to 2½ ft..... | 35 | 3 00 | 25 00 | |
| 2½ to 3 ft. | 50 | 4 00 | 35 00 | |
| <i>rugosa</i> , var. <i>alba</i> . 2 to 2½ ft. | 50 | 4 00 | 25 00 | |
| <i>rugosa</i> hybrids | 50 | 4 00 | | |
| Belleæ Poitevine, deep rose pink. | | | | |
| Blanc Double de Coubert, double white. | | | | |
| Conrad Ferdinand Meyer, silvery rose. | | | | |
| Madame Charles Worth, rosy carmine. | | | | |
| Madame Georges Bruant, double white. | | | | |
| Mrs. Antony Waterer, deep crimson. | | | | |
| Sir Thomas Lipton, double white. | | | | |

ALL GOODS F. O. B. HERE AT LIST PRICES

HARDY HERBACEOUS PLANTS

Size of Plants. We aim to send out only extra-strong plants of the different sorts—plants that will give a fair return of bloom the first season. These cost but little more than the small plants so widely offered, and our customers find it more satisfactory to use Andorra-grown stock, which gives results. It has been well said, "The lowest prices are not always the cheapest, as cheapness does not consist in what you pay, but in what you get for what you pay."

| | | Each | 10 | 100 |
|--|--------|--------|---------|-----|
| ACHILLEA <i>eupatorium</i> (Fern-leaved Yarrow). | | | | |
| All summer. 4 to 5 ft..... | \$0 25 | \$1 25 | | |
| filipendulina (Noble Yarrow), July | | | | |
| Golden Yellow. 2 ft..... | 25 | 1 25 | \$10 00 | |
| millefolium <i>roseum</i> (Rosy Milfoil). | | | | |
| July to September. Pink. 1½ ft. | 25 | 1 25 | | |
| millefolium <i>roseum</i> var. <i>Cerise Queen</i> . | | | | |
| June to September. Amaranth-red. 1½ ft..... | 25 | 2 00 | | |
| ptarmica (The Pearl). All summer. | | | | |
| White. 2 ft..... | 25 | 1 25 | 10 00 | |
| ptarmica var. <i>Boule de Neige</i> (Ball of Snow). July to September. | | | | |
| White. 2 ft..... | 25 | 2 00 | | |
| tomentosum (Wooly Yarrow). June. | | | | |
| Yellow. 1 ft..... | 25 | 2 00 | | |
| ACONITUM <i>Bicolor</i> . July to September. Blue and white. 2 ft..... | 35 | 2 50 | | |
| Fischeri (Monkshood). September and October. Blue. 3 ft..... | 35 | 2 50 | 15 00 | |
| Lycocotonum (Wolf's Bane). June to September. Yellow. 3 ft..... | 35 | 2 50 | | |
| Napellus <i>albus</i> . August to September. | | | | |
| White. 2 ft..... | 35 | 2 50 | | |
| ACANTHUS <i>mollis</i> (Bear's Breech). August and September. Rose. 3 ft... | 35 | 2 50 | | |
| ADONIS <i>Amurensis</i> fl. pl. April and May. Yellow. 1 ft. | 75 | 5 00 | | |
| AJUGA <i>Genevensis</i> . May. Bright blue. 6 in... | 25 | 1 50 | 12 50 | |
| reptans <i>rubra</i> (Bugle). May. Purplish blue. 6 in..... | 25 | 1 50 | 12 50 | |
| ALTHAEA <i>rosea</i> (Hollyhock). July. Various colors. 4 to 6 ft..... | 25 | 1 50 | 12 50 | |
| <i>rosea</i> , var. <i>Allegheny Fringed</i> | 25 | 1 50 | 12 50 | |
| ALYSSUM <i>rostratum</i> , June and July. Golden Yellow. 1 ft..... | 35 | 2 50 | | |
| <i>saxatile</i> <i>compactum</i> (Golden Tuft). May and June. Yellow. 1 ft. | 25 | 1 50 | 12 50 | |
| ANCHUSA <i>Italica</i> , var. <i>Dropmore</i> . (Alkanet.) | | | | |
| New May and June. Blue. 3 to 4 ft..... | 25 | 2 00 | | |

ALL GOODS F. O. B. HERE AT LIST PRICES

| | | Each | 10 | 100 |
|--|--------|--------|---------|-----|
| ANEMONE (Windflower) <i>Japonica</i> . September | | | | |
| Red. 2 to 3 ft. | \$0 25 | \$1 50 | \$12 50 | |
| <i>Japonica</i> , var. <i>alba</i> . Fall. White. 2 to 3 ft. | 25 | 1 50 | 12 50 | |
| <i>Japonica</i> , var. <i>Lady Ardilaun</i> . Fall. White. 2 to 3 ft. | 25 | 2 00 | 15 00 | |
| <i>Japonica</i> , var. <i>Prince Henry</i> . Fall. Rich deep pink. 2 to 3 ft. | 25 | 2 00 | | |
| <i>Japonica</i> , var. <i>Queen Charlotte</i> . Fall. Rose. 2 to 3 ft. | 25 | 2 00 | 15 00 | |
| <i>Japonica</i> , var. <i>rosea superba</i> . Fall. Silvery rose. 2 to 3 ft. | 25 | 2 00 | | |
| <i>Japonica</i> , var. <i>Whirlwind</i> . Fall. Pure white. 2 to 3 ft. | 25 | 2 00 | 15 00 | |
| <i>Pennsylvanicum</i> . June and July. White. 1 to 2 ft. | 25 | 1 50 | 12 50 | |
| <i>Pulsatilla</i> (Pasque Flower.) May. Violet-purple. 9 in. | 25 | 1 50 | 12 50 | |
| <i>sylvestris</i> . May. Pure white. 1 to 1½ ft. | 25 | 1 50 | 12 50 | |
| ANTHEMIS <i>tinctoria</i> (Chamomile. June to September. Golden Yellow. 2 ft. | 25 | 1 50 | 10 00 | |
| AQUILEGIA <i>baicalense</i> . May to July. Blue and white. 18 in. | 25 | 1 50 | 12 50 | |
| <i>Canadensis</i> . (Common Columbine). May to July. Scarlet and Yellow. 1 to 2 ft. | 25 | 1 50 | 10 00 | |
| <i>Chrysanthia</i> . May to August. Golden Yellow. 3 ft. | .25 | 2 00 | 12 50 | |
| <i>cærulea</i> (Rocky Mountain Columbine). May to July. Blue. 18 in. | 25 | 2 00 | 12 50 | |
| <i>flabellata</i> , var. <i>nana alba</i> . April to June. White. 1 ft. | 25 | 2 00 | | |
| <i>nivea grandiflora</i> . April to June. White. 2 to 3 ft. | 25 | 2 00 | 12 50 | |
| <i>vulgaris</i> fl. pl. May to July. White to blue. 1½ to 2 ft. | 25 | 2 00 | 12 50 | |
| <i>truncata</i> . May and June. Scarlet, yellow-tipped. 2 ft. | 25 | 2 00 | 12 50 | |
| ARABIS <i>alpina</i> (Rock Cress). April and May. White. 4 in. | 25 | 1 50 | 10 00 | |
| alpina fl. pl. Double. | 35 | 2 50 | | |
| ARENARIA <i>montana</i> , var. <i>grandiflora</i> (Sandwort). May and June. White. 6 in. | 25 | 1 50 | 12 50 | |
| ARMERIA <i>maritima</i> , var. <i>alba</i> (Thrift). Summer. White. 9 in. | 25 | 1 50 | 10 00 | |
| maritima, var. <i>splendens</i> . Summer Rose. 9 in. | 25 | 1 50 | 12 50 | |
| ARTEMISIA <i>abrotanum</i> (Old Man). Silvery white foliage. 2 ft. | 25 | 1 50 | 10 00 | |
| <i>Stelleriana</i> (Old Woman). Silvery foliage. 2 ft. | 25 | 1 50 | 10 00 | |

ALL GOODS F. O. B. HERE AT LIST PRICES

HERBACEOUS PLANTS

71

| | Each | 10 | 100 |
|---|--------|--------|---------|
| ASCLEPIAS <i>tuberosa</i> (Butterfly Weed). July and August. Orange. 2 ft..... | \$0 25 | \$1 50 | \$10 00 |
| ASTER (<i>Michaelmas Daisy</i>) <i>alpinus</i> . June and July. Purple. 9 in..... | 25 | 1 50 | 10 00 |
| <i>Amellus elegans</i> . September and October. Blue. 1½ ft..... | 25 | 1 50 | 10 00 |
| <i>amethystinus</i> . September and October. Amethyst. 3 to 4 ft..... | 25 | 1 50 | 10 00 |
| <i>grandiflorus</i> . October and November. Violet-blue. 2 ft..... | 35 | 2 50 | 20 00 |
| <i>Lady Trevelyan</i> . September and October. White. 3 ft..... | 25 | 1 50 | 10 00 |
| <i>laevis</i> . September. Blue. 4 ft..... | 25 | 1 50 | 10 00 |
| <i>Madonna</i> . September and October. White. 4 ft..... | 25 | 1 50 | 10 00 |
| <i>Novæ Angliæ</i> . September and October. Purple. 4 ft..... | 25 | 1 50 | 10 00 |
| <i>Novæ Angliæ</i> , var. <i>rubra</i> . September and October. Bright rose. 4 ft..... | 25 | 1 50 | 10 00 |
| <i>Perry's Pink</i> . August and September. 2 ft. | 25 | 1 50 | |
| <i>ptarmicoides</i> . August and September. White. 1½ ft..... | 25 | 1 50 | 10 00 |
| <i>Robert Parker</i> . September and October. Lavender. 4 ft..... | 25 | 1 50 | 10 00 |
| <i>Snowflake</i> . September and October. Pure white; very free. 1½ ft.. | 25 | 1 50 | 10 00 |
| <i>Tataricus</i> . October and November. Purple. 5 ft..... | 25 | 1 50 | 10 00 |
| <i>Trinervius</i> . October and November. Violet-purple. 2½ ft..... | 25 | 1 50 | 10 00 |
| <i>White Queen</i> . September and October. White. 4 ft..... | 25 | 1 50 | 10 00 |
| ASTILBE <i>Japonica</i> (Spirea). June. White. 1½ ft. | 25 | 1 50 | 10 00 |
| ASTRANTIA <i>major</i> (Masterwort). June and July. Pale pink. 1 ft..... | 25 | 2 50 | 20 00 |
| AUBRETTIA <i>Hendersoni</i> (False Wall Cress). April. Purplish violet. 4 in.. | 25 | 1 50 | 12 50 |
| BAPTISIA <i>australis</i> (False Indigo). June and July. Dark blue. 2 ft..... | 25 | 1 50 | 10 00 |
| <i>tinctoria</i> . June and July. Bright yellow. 2 to 3 ft..... | 25 | 1 50 | 10 00 |
| BELEMNCANDA <i>Chinensis</i> ; syn., <i>Pardanthus</i> . June. Orange-red. 4 ft..... | 25 | 1 50 | 10 00 |
| BELLIS <i>perennis</i> (English Daisy). May. White and pink. 6 to 8 in..... | 25 | 1 50 | 10 00 |
| BETONICA . See <i>Stachys</i> . | | | |
| BOCCONIA <i>cordata</i> (Plume Poppy). July and August. White. 5 ft..... | 25 | 1 50 | 12 50 |
| BOLTONIA <i>asterioides</i> (False Chamomile). August and September. White. 4 ft | 25 | 1 50 | 10 00 |
| <i>latisquama</i> . August and September. Light lilac. 4 ft..... | 25 | 1 50 | 10 00 |

ALL GOODS F. O. B. HERE AT LIST PRICES

| | | Each | 10 | 100 |
|--|---|--------|--------|---------|
| CALIMERIS <i>incisa</i> (Starwort). | July to September. Light blue. 18 in.... | \$0 25 | \$1 50 | \$10 00 |
| CALLIRHOË <i>involucrata</i> (Poppy Mallow). | All summer. Rosy crimson. 1 ft. | 25 | 1 50 | 10 00 |
| CAMPANULA <i>Carpatica</i> (Carpathian Harebell). | June to September. Blue. 9 in. | 25 | 1 50 | 10 00 |
| <i>Carpatica</i> , var. <i>alba</i> . | June to September. White. 9 in..... | 25 | 1 50 | 10 00 |
| <i>Mørheimi</i> . | May to July. White. 2 to 2½ ft..... | 35 | 2 50 | |
| <i>persicifolia</i> (Peach Bells). | June and July. Blue. 18 in..... | 25 | 1 50 | 10 00 |
| <i>persicifolia alba</i> . | June and July. White. 18 in..... | 25 | 1 50 | 10 00 |
| <i>pyramidalis</i> (Chimney Bellflower). | August and September. Blue. 2 ft. | 25 | 1 50 | 10 00 |
| <i>trachelium</i> (Coventry Bells). | Purple. June and July. 3 ft..... | 25 | 1 50 | 10 00 |
| CENTAUREA <i>montana</i> (Perennial Cornflower). | June and July. Dark purple. 1½ ft..... | 25 | 1 50 | |
| <i>montana</i> , var. <i>alba</i> . | White form of the above. | 25 | 1 50 | 10 00 |
| CERASTIUM <i>tomentosum</i> . | June and July. White. 6 in. | 25 | 1 50 | 12 50 |
| CERATOSTIGMA <i>plumbaginoides</i> (Plumbago). | October and November. Blue. 6 in. | 25 | 2 00 | 15 00 |
| CHELONE <i>Lyoni</i> (Turtlehead). | August and September. Rose-purple. 2 ft. | 35 | 2 50 | |
| CHRYSANTHEMUM <i>leucanthemum</i> <i>hybridum</i> | (Shasta Daisies). Alaska, California, Westralia. All summer. White. 2 ft..... | 35 | 2 50 | 15 00 |
| <i>maximum</i> , var. <i>Triumph</i> (Moonpenny Daisy). | July to October. White. 2 ft..... | 25 | 1 50 | 12 50 |
| <i>Nipponicum</i> . | September and October. White. 2 ft..... | 35 | 2 50 | |
| Pompon Varieties. | Fall. All colors. 1½ to 2 ft. | 25 | 1 50 | 10 00 |
| Pompon Varieties, Heavy Stock..... | 25 | 2 00 | 15 00 | |
| <i>uliginosum</i> . | September. White. 2½ ft.. | 25 | 1 50 | 10 00 |
| CHRYSOGONUM <i>Virginianum</i> (Golden Joint). | June. Yellow. 1 ft..... | 25 | 1 50 | |
| CHRYSOPSIS <i>villosa</i> (Golden Aster). | September. Yellow. 2 ft..... | 25 | 2 00 | 15 00 |
| CIMICIFUGA <i>acerinum</i> . | August and September. White. 2½ ft..... | 35 | 2 50 | |
| <i>Dahurica</i> (Bugbane). | August and September. White. 2 to 3 ft.... | 35 | 2 50 | 15 00 |
| <i>racemosa</i> (Snakeroot). | July. White. 3 to 5 ft..... | 25 | 1 50 | 12 50 |

| | | | |
|---|--------|--------|---------|
| CINERARIA. See <i>Artemisia</i> . | Each | 10 | 100 |
| CLEMATIS <i>crispa</i> (Leather-flower). June to September. Lavender. 3 to 4 ft. | \$0 25 | \$1 50 | \$12 50 |
| <i>Daviddiana</i> . August and September. Blue. Fragrant. 3 ft. | 25 | 1 50 | 12 50 |
| <i>recta</i> . June to August. White. Fragrant. 2 to 3 ft. | 25 | 1 50 | |
| CONOCLINIUM <i>cælestinum</i> (Mist-flower). September and October. Deep blue. 18 in. | 25 | 1 50 | 12 50 |
| CONVALLARIA <i>majalis</i> (Lily-of-the-Valley). May and June. White. 6 to 9 in. | 25 | 2 00 | 15 00 |
| COREOPSIS <i>lanceolata</i> (Tickseed). June to October. Golden yellow. 2 ft. | 15 | 1 25 | 10 00 |
| <i>Rosea</i> . June to September. Pink. 8 to 10 in. | 15 | 1 25 | 10 00 |
| CORONILLA <i>varia</i> (Crown Vetch). June to October. Pink. 1 to 2 ft. | 25 | 1 50 | 12 50 |
| DELPHINIUM <i>Chinense</i> (Larkspur). July to September. Blue. 1½ ft. | 25 | 1 50 | 10 00 |
| <i>Chinense</i> , var. <i>album</i> . July to September. White. 1½ ft. | 25 | 1 50 | 10 00 |
| <i>elatum</i> (Bee Larkspur). June to August. Blue. 4 ft. | 25 | 1 50 | 10 00 |
| <i>formosum</i> (Larkspur). June to September. Deep blue. 4 ft. | 25 | 1 50 | 10 00 |
| <i>Belladonna</i> (Hybrid). June to September. Turquoise blue; very free. 3 ft. | 25 | 2 00 | 15 00 |
| DIANTHUS <i>barbatus</i> (Sweet William). May to July. Mixed colors. 1½ ft. | 25 | 1 50 | 10 00 |
| <i>deltoides</i> (Maiden Pink). June. Pink. 4 in. | 25 | 1 50 | 10 00 |
| <i>latifolius</i> . June to September. Red. 1 ft. | 25 | 1 50 | 10 00 |
| <i>plumarius</i> (Hardy Pinks). May and June. 1 ft. | 25 | 2 00 | 15 00 |
| <i>Delicata</i> . Rose with fringed petals. | | | |
| <i>Laura Wilmer</i> . White, with maroon center. | | | |
| <i>Her Majesty</i> . White. | | | |
| <i>Stanislaus</i> . Violet-rose, with crimson center. | | | |
| DICENTRA <i>eximia</i> (Seal-flower). June to August. Pink. 1 ft. | 25 | 1 50 | 10 00 |
| <i>spectabilis</i> (Bleeding-heart). May and June. Pink. 2 to 3 ft. | 25 | 2 00 | 12 50 |
| DIGITALIS <i>ambigua</i> (Foxglove). July and August. Pale yellow. 3 ft. | 25 | 2 00 | 15 00 |
| <i>purpurea</i> (Common Foxglove). June and July. Mixed colors. 4 to 5 ft. | 25 | 1 50 | 10 00 |
| <i>purpurea</i> , var. <i>gloxiniæflora</i> . June and July. Mixed colors. 4 to 5 ft. | 25 | 1 50 | 10 00 |

| | | Each | 10 | 100 |
|---|--------|--------|---------|-----|
| DORONICUM <i>Austriacum</i> . April and May. Yellow. 2 ft. | \$0 35 | \$2 50 | \$15 00 | |
| <i>plantagineum</i> , var. <i>excelsum</i> . April to June. Yellow. 2 ft. | 35 | 2 50 | 15 00 | |
| ECHINACEA <i>purpurea</i> (Purple Cone-flower). July to September. Rosy purple. 3 ft. | 25 | 2 00 | 15 00 | |
| EPIMEDIUM <i>coccineum</i> (Barren-wart). May and June. Red. 9 in. | 25 | 2 00 | | |
| <i>lilacea</i> . May and June. Lilac. 9 in. | 25 | 2 00 | | |
| <i>macranthum</i> . May and June. Red. 9 in. | 25 | 2 00 | | |
| <i>sulphureum</i> . May and June. Yellow. 9 in. | 25 | 2 00 | | |
| ERIGERON <i>speciosus</i> (Fleabane). June to August. Violet-blue. 1½ to 2 ft. | 25 | 2 00 | 15 00 | |
| ERYNGIUM <i>amethystinum</i> (Sea Holly). July to September. Amethyst-blue. 2 ft. | 35 | 2 50 | | |
| EUPATORIUM <i>ageratoides</i> (White Snakeroot). September and October. White. 3 ft. | 25 | 1 50 | 12 50 | |
| <i>cœlestinum</i> . Fall. Light blue. 2 ft. | 25 | 1 50 | | |
| EUPHORBIA <i>corollata</i> (Spurge). July to September. White. 1½ ft. | 25 | 1 50 | 12 50 | |
| FEVERFEW , Little Gem. June to October. White. 15 in. | 25 | 1 50 | 10 00 | |
| FUNKIA <i>Fortunei</i> (Day Lily). July to August. Blue. 1½ to 2 ft. | 25 | 1 50 | 12 50 | |
| <i>ovata</i> . July to August. Deep blue. 1½ to 2 ft. | 25 | 1 50 | 12 50 | |
| <i>subcordata</i> , var. <i>grandiflora</i> . September. White. Fragrant. 2 ft. | 25 | 2 00 | 15 00 | |
| <i>undulata</i> , var. <i>media picta variegata</i> . July and August. Lilac. 1 ft. | 25 | 1 50 | 12 50 | |
| GAILLARDIA <i>grandiflora</i> (Blanket-flower). June to November. Yellow. 1½ ft. | 25 | 1 50 | 10 00 | |
| GALEGA <i>officinalis</i> (Goat's Rue). July and August. Blue. 2 ft. | 25 | 1 50 | 10 00 | |
| <i>officinalis</i> , var. <i>alba</i> . July and August. White. 2 ft. | 25 | 1 50 | 10 00 | |
| GENTIANA <i>Andrewsi</i> (Closed Gentian). September. Blue. 2 ft. | 35 | 2 50 | | |
| GERANIUM <i>sanguineum</i> (Cranesbill). June to September. Red. 1½ ft. | 25 | 1 50 | | |
| GEUM <i>coccineum</i> (Avens). June and July. Scarlet. 1½ ft. | 25 | 2 00 | 15 00 | |
| <i>Heldreichi</i> . June. Orange. 18 in. | 25 | 2 00 | 15 00 | |
| <i>montanum</i> . June and July. Yellow. 18 in. | 25 | 2 00 | 15 00 | |

HERBACEOUS PLANTS

75

| | Each | 10 | 100 |
|---|--------|--------|---------|
| GILLENIUM <i>trifoliata</i> (Bowman's Root). Rose and white. July. 3 ft..... | \$0 35 | \$2 50 | |
| GYPSOPHILA <i>paniculata</i> (Baby's Breath). July. White. 2 to 3 ft. | 25 | 1 50 | \$12 50 |
| HELENIUM , <i>pumilum magnificum</i> . (Sneezewort). July to October. Yellow. 1½ ft. | 25 | 1 50 | 10 00 |
| <i>autumnale</i> , var. <i>superbum</i> . July to October. Yellow. 4 ft..... | 25 | 1 50 | 10 00 |
| <i>autumnale</i> , var. <i>rubrum</i> (New). July to October. Red. 4 ft..... | 25 | 2 00 | |
| <i>grandicephalum</i> , var. <i>striatum</i> . August to October. Orange. 3 ft..... | 25 | 2 00 | 15 00 |
| Hoopesi . All summer. Orange-yellow. 2 ft. | 25 | 2 00 | 15 00 |
| HELIANTHUS (Perennial Sunflowers) <i>giganteus</i> . August to October. Pale yellow. 6 to 10 ft..... | 25 | 1 50 | 10 00 |
| <i>Maximiliana</i> . September, Deep yellow. 6 to 8 ft..... | 25 | 1 50 | 10 00 |
| <i>mollis</i> . September and October. Golden yellow. 4 ft..... | 25 | 1 50 | 10 00 |
| <i>multiflorus</i> fl. pl. July and August. Golden yellow. 4 ft..... | 25 | 1 50 | 10 00 |
| <i>multiflorus</i> , var. <i>Soliel d'Or</i> . August to September. Deep yellow; quilled petals. 4 ft..... | 25 | 2 00 | |
| <i>orgyalis</i> . September and October. Golden yellow. 6 ft..... | 25 | 1 50 | 10 00 |
| <i>rigidus</i> . July to October. Golden yellow. 3 ft. | 25 | 1 50 | 10 00 |
| <i>rigidus</i> , var. <i>Miss Mellish</i> . September and October. Golden yellow. 6 ft. | 25 | 1 50 | 10 00 |
| <i>rigidus</i> , var. <i>Wolly Dodd</i> . September. Deep yellow. 3 ft..... | 25 | 1 50 | 10 00 |
| HELIOPSIS <i>Pitcheriana</i> . June to October. Orange-yellow. 3 ft..... | 25 | 1 50 | 10 00 |
| HELLEBORUS <i>niger</i> (Christmas Rose). March. White. 6 in..... | 35 | 3 00 | |
| <i>niger</i> , var. <i>atrorubens</i> . March. Purple. 9 in. | 35 | 3 00 | |
| HEMEROCALLIS <i>Aurantiaca</i> . June and July. Bright Indian yellow. 3 to 4 ft.. | 35 | 3 00 | |
| <i>Dumortieri</i> (Yellow Day Lily). June and July. Orange-yellow. 2 ft. | 25 | 1 50 | 12 50 |
| <i>flava</i> . June. Yellow. 2 ft..... | 25 | 1 50 | 12 50 |
| <i>fulva</i> (Tawny Day Lily). July and August. A tawny yellow. 2½ ft... <i>fulva</i> , var. <i>Kwanso</i> fl. pl (Double Orange Lily). July and August. Copper yellow. 2½ ft..... | 25 | 1 50 | 12 50 |
| <i>fulva</i> , var. <i>Thunbergii</i> . August and September. Lemon-yellow. 2½ ft. | 25 | 1 50 | 12 50 |

ALL GOODS F. O. B. HERE AT LIST PRICES



A field of Japanese Iris at Andorra

| | | Each | 10 | 100 |
|--|---|--------|--------|---------|
| HEPATICA <i>triloba</i> (Liverleaf). | April. White and blue. 6 in. | \$0 25 | \$1 25 | \$10 00 |
| HEUCHERA <i>sanguinea</i> (Alumroot). | June to September. Coral-red. 18 in.. | 25 | 2 00 | 15 00 |
| | <i>sanguinea</i> , var. <i>alba</i> . June to September. White. 18 in..... | 25 | 2 00 | |
| HIBISCUS <i>militaris</i> . | June to September. Buff-yellow. 18 in..... | 25 | 2 00 | |
| | <i>Moscheutos</i> (Mallow). July to September. Rose. 5 ft..... | 25 | 1 50 | 10 00 |
| | <i>Moscheutos</i> , var. <i>Crimson Eye</i> . July to September. White. 5 ft..... | 25 | 1 50 | 10 00 |
| | <i>Moscheutos</i> (Mallow Marvels). July to September. 5 to 6 ft.— | | | |
| | White and pink..... | 35 | 3 00 | 20 00 |
| | Red | 50 | 5 00 | |
| HOLLYHOCKS. | See <i>Althaea rosea</i> . | | | |
| IBERIS <i>semperflorens</i> (Candytuft). | April and May. White. 6 in..... | 25 | 1 50 | 10 00 |
| | <i>corifolia</i> . April and May. White. 9 in. | 25 | 1 50 | 10 00 |
| INULA <i>ensifolia</i> (Fleabane). | June to August. 18 in. | 35 | 3 00 | |
| | <i>oculis-Christi</i> . Yellow. June to August. 2 ft. | 35 | 3 00 | |
| | Light yellow. 2 ft..... | 25 | 1 50 | 12 50 |
| INCARVILLEA <i>Delavaji</i> (Hardy Gloxinia). | June and July. Rosepink. 18 in... | 35 | 3 00 | |

HERBACEOUS PLANTS

77

| | Each | 10 | 100 |
|---|--------|--------|---------|
| IRIS. For Special Descriptive Lists, consult our Calendar of Hardy Perennials. | | | |
| atroviolacea. May. Dark violet. 2 to 2½ ft. | \$0 35 | \$3 00 | |
| erlata. April and May. Light blue. 6 in.. | 25 | 1 50 | \$12 50 |
| <i>Florentina.</i> May. Tinted white. Fragrant. 1½ ft. | 25 | 2 00 | |
| Germanica. May. Named varieties. 1½ to 2½ ft. | 25 | 1 50 | 10 00 |
| lævigata; syn., Kæmpferi (Japanese Iris). June and July. Our selection, all colors. 2½ to 4 ft. | 25 | 2 00 | 15 00 |
| Customer's selection | 35 | 3 00 | 25 00 |
| Pallida, var. Dalmatica. June. Light blue. 3 ft. | 35 | 3 00 | 25 00 |
| Pallida, var. speciosa. June. Indigo-blue. 2 to 3 ft..... | 35 | 3 00 | 25 00 |
| Pseudacorus. June. Yellow. 2 to 3 ft.... | 25 | 2 00 | 15 00 |
| pumila, var. aurea. Yellow. May. 8 to 10 in. | 25 | 1 50 | 12 50 |
| pumila, var. cyanea. Royal purple. May. 8 to 10 in..... | 25 | 1 50 | 12 50 |
| pumila, var. eburna. Cream. May. 8 to 10 in. | 25 | 1 50 | 12 50 |
| pumila, var. florida. White. May. 8 to 10 in.. | 25 | 1 50 | 12 50 |
| Sibirica, May and June. Bright blue. 1½ ft. | 25 | 1 50 | 10 00 |
| Sibirica, var. alba. June. White. 2 ft. Rare. | 35 | 3 00 | 25 00 |
| Sibirica, var. orientalis. May. Deep blue. 1½ ft. | 25 | 1 50 | 10 00 |
| tectorum. May. Bright lilac. 1 ft..... | 25 | 2 00 | 15 00 |
| KNIPHOFIA aloides (Red-hot Poker). August and September. Crimson. 3 ft..... | 25 | 1 50 | 12 50 |
| obelisque. July and August. Saffron-yellow. 3 to 4 ft..... | 35 | 2 50 | 15 00 |
| Pfitzerii (Flame Flower). July to October. Orange-scarlet. 3 to 4 ft..... | 35 | 2 50 | 15 00 |
| LATHYRUS latifolius, var. albus (Hardy White Pea). Summer. Climbing..... | 25 | 2 00 | |
| latifolius, var. roseus. Summer. Rose. Climbing | 25 | 2 00 | |
| latifolius, var. splendens. Summer. Climbing | 25 | 2 00 | 15 00 |
| latifolius, var. Pink Beauty. Summer. Bright pink. Climbing | 25 | 2 00 | 15 00 |
| LAVENDULA spica (Lavender). 15 to 18 in... vera (Lavender). 15 to 18 in..... | 25 | 1 50 | 12 50 |
| 25 | 1 50 | 12 50 | |
| LIATRIS graminifolia (Blazing Star). August and September. Rosy purple. 2 ft..... | 25 | 1 50 | 12 50 |
| pycnostachya (Kansas Gay Feather). September. Rosy purple. 4 to 5 ft..... | 25 | 1 50 | 12 50 |
| spicata (Gay Feather). August and September. Deep purple. 3 to 4 ft..... | 25 | 1 50 | 12 50 |
| LILIUM Canadense (Meadow Lily). July. Shades of yellow. 2 to 4 ft..... | 25 | 1 50 | 12 50 |
| Philadelphicum (Wood Lily). July and August. Orange-scarlet. 2 to 4 ft..... | 25 | 2 00 | 15 00 |
| speciosum, var. roseum (Japan Lily). July and August. Rosy white. 2 to 4 ft..... | 25 | 2 00 | 15 00 |
| tigrinum (Tiger Lily). August. Salmon-red. 3 to 4 ft..... | 25 | 1 50 | 12 50 |

ALL GOODS F. O. B. HERE AT LIST PRICES

| | | Each | 10 | 100 |
|---|--------|--------|---------|-----|
| LINUM <i>Austriacum</i> (Austrian Flax). June to August. Bluish purple. 18 in..... | \$0 25 | \$1 75 | | |
| perenne (Perennial Flax). June to September. Clear blue. 18 in..... | 25 | 1 75 | | |
| LOBELIA <i>cardinalis</i> (Cardinal Flower). August and September. Scarlet. 2 to 3 ft..... | 25 | 1 50 | \$12 50 | |
| <i>syphilitica</i> (Blue Lobelia). August and September. Deep blue. 2 ft..... | 25 | 1 50 | | |
| LYCHNIS <i>Chalcedonica</i> (London Pride). July to September. Vermilion. 2 to 3 ft..... | 25 | 1 50 | 12 50 | |
| <i>coronaria</i> (Rose Campion). June and July. Crimson. 1½ to 2 ft..... | 25 | 1 25 | 10 00 | |
| <i>coronaria</i> , var. <i>alba</i> . June and July. White. 1½ to 2 ft..... | 25 | 1 25 | 10 00 | |
| <i>Haageana</i> . June and July. Orange-scarlet. 1½ ft. | 25 | 1 50 | | |
| <i>vespertina</i> , var. <i>alba plena</i> (White Campion). May to September. White. 1 ft. | 25 | 1 50 | 12 50 | |
| <i>viscaria</i> (Catchfly). June and July. Red. 1½ ft. | 25 | 1 50 | 12 50 | |
| <i>viscaria</i> , var. <i>splendens</i> . (German Catchfly). June and July. Pink. 15 in..... | 25 | 1 50 | 12 50 | |
| LYSIMACHIA <i>clethroides</i> (Loosestrife). July to September. White. 1½ ft..... | 25 | 1 25 | 10 00 | |
| <i>nummularia</i> (Moneywort). June to August. Yellow. Creeping | 25 | 1 50 | 10 00 | |
| LYTHRUM <i>roseum superbum</i> (Rose Loosestrife). July to September. Rose. 3 ft..... | 25 | 1 50 | 12 50 | |
| MERTENSIA <i>pulmonarioides</i> (Virginia Cowslip). May and June. Blue. 2 ft..... | 25 | 1 50 | 10 00 | |
| MONARDA <i>didyma</i> (Oswego Tea). July and August. Scarlet. 2½ ft..... | 25 | 1 50 | 10 00 | |
| <i>didyma</i> , var. Cambridge Scarlet. July and August. Scarlet. 2 ft..... | 25 | 1 50 | 10 00 | |
| <i>didyma</i> , var. <i>splendens</i> . July and August. Crimson-scarlet. 2 ft..... | 25 | 1 50 | 10 00 | |
| MYOSOTIS <i>alpestris</i> , var. Victoria. May and June. Light blue. 6 to 9 in..... | 25 | 1 50 | 10 00 | |
| <i>palustris</i> (Forget-me-not). May and June. Light blue. Spreading..... | 25 | 1 50 | 10 00 | |
| NEPETA <i>glecoma</i> , var. <i>variegata</i> (Ground Ivy). May. Purple. 6 in..... | 25 | 1 50 | 10 00 | |
| ŒNOTHERA <i>fruticosa</i> , var. <i>major</i> (Sundrops). July. Yellow. 1½ ft..... | 25 | 2 00 | 15 00 | |
| <i>fruticosa</i> , var. <i>Youngi</i> (Young's Primrose). June. Lemon. 1½ to 2 ft..... | 25 | 1 50 | 12 50 | |
| <i>Frazeri</i> . June. Rich yellow. 1½ ft..... | 25 | 2 00 | 15 00 | |
| <i>Missouriensis</i> (Large Evening Primrose). June and July. Yellow. 1 ft..... | 25 | 2 00 | 15 00 | |
| <i>speciosa</i> (White Primrose). June and July. White. 1½ ft..... | 25 | 1 50 | 10 00 | |

| | Each | 10 | 100 |
|---|--------|--------|---------|
| OPHIOPOGON <i>Jaburan</i> , var. <i>aureus variegatus</i> (Snakes's Beard) September. Blue. 6 in. | \$0 50 | \$3 50 | |
| Japanese Spurge (Evergreen). May and June. White. 8 in. | 50 | 3 50 | \$25 00 |

| | | | |
|--|----|------|-------|
| PACHYSANDRA <i>terminalis</i> (Japanese Spurge). Evergreen. May and June. White. 8 in. | 25 | 2 00 | 10 00 |
| Clumps | 50 | 3 50 | 25 00 |

PÆONIA. See our Calendar of Hardy Perennials for Special List.

PEONY PRICES given in this list are for strong, one-year-old plants; and if any of the prices may seem high by comparison with other lists, remember our plants are one year old, true to name, and are offered as low as satisfactory, truly-named stock can be grown.

| | | | |
|--|--------|--------|---------|
| Chinensis, Double Varieties. Our selection. May and June | \$0 35 | \$3 00 | \$25 00 |
| Chinensis, Heavy Clumps. Our selection.... | 1 50 | 12 50 | |
| Chinensis, Single Varieties. Our selection.. | 35 | 3 00 | 25 00 |
| Chinensis, Single Varieties, Heavy Clumps. Our selection | 1 50 | 12 50 | |
| corallina. May. Single. Reddish purple.. | 35 | 3 00 | 25 00 |
| Moutan (Tree Peony). May and June. Dif- ferent colors | 1 00 | 9 00 | |
| officinalis , var. <i>rubra plena</i> . Early April. Double; deep crimson..... | 50 | 4 00 | 35 00 |
| officinalis , var. <i>rosea plena</i> . Early April. Double; pink | 1 00 | 9 00 | |
| tenuifolia. Early April. Single; deep maroon. | 50 | 4 00 | |
| tenuifolia , var. <i>plena</i> . Early April. Double; maroon | 50 | 4 00 | |
| triternata. April. Single. Bright red.... | 35 | 3 00 | 25 00 |
| PAPAVER <i>bracteatum</i> . June. Blood-red. 4 ft.. | 25 | 2 00 | 12 50 |
| nudicaule (Iceland Poppy). All summer. Many colors. 1 ft..... | 25 | 1 50 | 10 00 |
| orientale (Oriental Poppy). June. Orange- scarlet. 2 ft..... | 25 | 2 00 | 12 50 |
| PARDANTHUS. See <i>Belemcanda</i> . | | | |
| PENTSTEMON <i>barbatus</i> , var. <i>Torreyi</i> (Torrey's Beard Tongue). June to August. Scarlet. 3 to 4 ft..... | 25 | 1 50 | 10 00 |
| <i>diffusus</i> . May to July. Blue. 1 ft..... | 25 | 2 00 | 15 00 |
| <i>grandiflorus</i> . June to August. Purplish blue. 2 to 2½ ft..... | 25 | 2 00 | 15 00 |
| <i>lævigatus</i> , var. <i>Digitalis</i> . July and August. White. 3 ft..... | 25 | 2 00 | |
| <i>ovatus</i> . July and August. Purplish blue. 2 to 3 ft..... | 25 | 2 00 | |

| | | Each | 10 | 100 |
|--|--------|--------|---------|-----|
| PHLOX <i>amœna</i> . May. Bright pink. 3 to 4 in. | \$0 25 | \$1 50 | \$10 00 | |
| Carolina. May and June. Rosy red. 1 ft. | 25 | 1 50 | | |
| <i>divaricata</i> (Wild Sweet William). May and June. Lavender. 1 ft..... | 25 | 1 50 | 12 50 | |
| <i>paniculata</i> ; syn., <i>decussata</i> (Perennial Phlox). See our Calendar of Hardy Perennials for Special List. All colors..... | 25 | 2 00 | 15 00 | |
| <i>subulata</i> (Mountain Pink). May and June. Rose. Creeping | 25 | 1 50 | 10 00 | |
| <i>subulata</i> , var. <i>alba</i> . May and June. White Creeping | 25 | 1 50 | 10 00 | |
| <i>subulata</i> , var. <i>atropurpurea</i> . May and June. Purple. Creeping | 25 | 1 50 | | |
| <i>subulata</i> , var. <i>lilacina</i> . May. Lilac Creeping | 25 | 1 50 | 12 50 | |
| <i>subulata</i> , var. <i>Nelsoni</i> . May and June. Pure white. Creeping | 25 | 1 50 | 10 00 | |
| <i>subulata</i> , var. <i>Model</i> . May and June. Rosy white. Creeping | 25 | 1 50 | 10 00 | |
| PHYSOSTEGIA <i>Virginiana</i> (False Dragonhead). August. Deep rose. 3 ft..... | 25 | 1 50 | | |
| <i>Virginiana</i> , var. <i>alba</i> . August. White. 3 ft. | 25 | 1 50 | 10 00 | |
| <i>Virginiana</i> , var. <i>speciosa</i> . August. Pink. 3 ft. | 25 | 1 50 | 10 00 | |
| PLATYCODON <i>grandiflorum</i> (Balloon-flower). July. Blue. 1½ ft..... | 25 | 1 50 | | |
| <i>grandiflorum</i> , var. <i>album</i> . July. White. 1½ ft. | 25 | 1 50 | | |
| POLEMONIUM <i>cœruleum</i> (Jacob's Ladder). May to July. Deep blue. 1½ ft..... | 25 | 2 00 | 15 00 | |
| <i>cœruleum</i> , var. <i>album</i> . May to July. White. 1½ to 2 ft..... | 25 | 2 00 | | |
| PRIMULA <i>acaulis</i> (Primrose). May. Yellow. 6 to 9 in..... | 25 | 1 50 | 12 50 | |
| <i>capitata</i> (Primrose) Deep lilac. 9 in..... | 25 | 1 50 | 12 50 | |
| <i>suaveolens</i> (Cowslip). May. Yellow and orange. 1 ft..... | 25 | 1 50 | 12 50 | |
| <i>veris</i> (Polyanthus). May. Yellow and orange-crimson. 6 to 9 in..... | 25 | 1 50 | 12 50 | |
| <i>vulgaris</i> (English Primrose). May. Yellow. 6 to 9 in..... | 25 | 1 50 | 12 50 | |
| PYRETHRUM <i>roseum</i> (Feverfew). June and July. White pink and red. 1½ to 2 ft... | 25 | 1 50 | 10 00 | |
| <i>roseum</i> fl. pl. Named varieties. 1½ to 2 ft. | 35 | 3 00 | | |
| RANUNCULUS <i>aconitifolius</i> fl. pl. (Crow's-foot). June. White. 1½ to 2 ft..... | 25 | 1 50 | | |
| <i>acris</i> fl. pl. (Yellow Bachelor's Buttons). June. Yellow. 2 ft..... | 25 | 1 50 | | |
| <i>repens</i> (Double Buttercup). May to July. Yellow. 1 ft..... | 25 | 1 50 | 10 00 | |
| ROSMARINUS <i>officinalis</i> (Rosemary). Scented foliage | 25 | 1 50 | | |

ALL GOODS F. O. B. HERE AT LIST PRICES

HERBACEOUS PLANTS

81

| | Each | 10 | 100 |
|---|--------|--------|---------|
| RUDBECKIA <i>laciniata</i> , var. <i>Golden Glow</i> . July to September. Yellow. 8 ft. | \$0 25 | \$1 25 | \$10 00 |
| <i>Newmani</i> . August and September. Yellow. 1½ ft. | 25 | 1 50 | 10 00 |
| <i>nitida</i> (Cone-flower). August and September. Pale yellow. 5 ft. | 25 | 1 50 | 10 00 |
| <i>triloba</i> (Yellow, black cone). August and September. 3 ft. | 25 | 1 50 | 10 00 |
| SALVIA <i>argentea</i> . June. White, white foliage. 2 ft. | 25 | 1 50 | 10 00 |
| <i>Caucasicum</i> . July and August. Reddish purple. 3 ft. | 25 | 1 50 | 10 00 |
| <i>pratensis</i> (Meadow-sage). June to September. Deep blue. 2 to 3 ft. | 25 | 1 50 | 10 00 |
| SANGUINARIA <i>Canadensis</i> (Bloodroot). White. April. 6 in. | 25 | 1 50 | 10 00 |
| SANTOLINA <i>incana</i> (Lavender Cotton). July. Deep yellow. 1 ft. | 25 | 1 50 | 10 00 |
| SAXIFRAGA <i>cordifolia</i> (Rockfoil). April to June. Rosy purple. 15 in. | 25 | 2 00 | 15 00 |
| SCABIOSA <i>Caucasica</i> (Mourning Bride). Lavender-blue. June. 15 to 18 in. | 35 | 2 50 | 15 00 |
| SEDUM <i>acre</i> (Golden Moss). May and June. Yellow. Spreading | 25 | 1 25 | 10 00 |
| <i>album</i> . July. White. 4 to 6 in. | 25 | 1 25 | 10 00 |
| <i>Rhodiola</i> . August. Light pink. 1 ft. | 25 | 1 25 | 10 00 |
| <i>sexangulare</i> (Stonecrop). June and July. Yellow. 6 in. | 25 | 1 25 | 10 00 |
| <i>Sieboldi</i> . August and September. Pink. 6 to 8 in. | 25 | 1 25 | 10 00 |
| <i>spectabile</i> (Brilliant Stonecrop). September and October. Rose. 12 to 15 in. | 25 | 2 00 | 15 00 |
| <i>spectabile</i> , var. <i>atropurpurea</i> . September and October. Purplish crimson. 15 in. | 25 | 2 00 | 15 00 |
| <i>telephoides</i> . July and August. Pink. 1 ft. | 25 | 2 00 | 15 00 |
| SENECIO <i>clivorum</i> . Summer. Yellow. 3 ft. | 35 | 2 50 | 15 00 |
| <i>pulcher</i> (Groundsel). July to October. Rosy purple. 1½ to 2 ft. | 25 | 1 50 | |
| SILENE <i>Pennsylvanicum</i> (Wild Pink). April and May. Rose or white. 9 in. | 25 | 1 25 | 10 00 |
| SMILACINA <i>racemosa</i> (False Solomon's Seal). April. White. 1½ ft. | 25 | 1 50 | |
| SPIRÆA (Goat's Beard, or Meadowsweet) <i>aruncus</i> . June and July. White. 4 to 5 ft. | 35 | 2 50 | 15 00 |
| <i>filipendula</i> fl. pl. June and July. White. 2 ft. | 25 | 1 50 | 12 50 |
| <i>lobata</i> . July. Pink. 3 to 4 ft. | 25 | 2 00 | 15 00 |
| <i>palmata</i> . June and July. Deep crimson. 2 ft. | 25 | 2 00 | 15 00 |
| <i>palmata</i> , var. <i>elegans</i> . June and July. White; crimson anthers. 3 ft. | 25 | 2 00 | |
| <i>Ulmaria</i> fl. pl. June and July. White. 3 ft. | 25 | 2 00 | |
| <i>venusta</i> . June and July. Deep pink. Fragrant. 3 ft. | 25 | 2 00 | |

ALL GOODS F. O. B. HERE AT LIST PRICES

| | | Each | 10 | 100 |
|---|--------|--------|---------|-----|
| STACHYS <i>Betonica</i> ; syn., <i>Betonica rosea</i> . July and August. Rose. 1 ft. | \$0 25 | \$1 50 | \$12 50 | |
| <i>lanata</i> . June and July. Purple. 12 in.... | 25 | 1 50 | 12 50 | |
| STATICE <i>tatarica</i> (Sea Lavender). June to August. Red. 15 to 18 in..... | 25 | 1 50 | 10 00 | |
| <i>latifolia</i> (Great Sea Lavender). July and August. Deep blue. 2 ft..... | 25 | 1 50 | 10 00 | |
| STOKESIA <i>cyanea</i> (Stokes' Astor). July to October. Lavender. 1½ ft..... | 25 | 2 00 | 15 00 | |
| <i>cyanea</i> , var. <i>alba</i> . July to October. White. 1½ ft. | 50 | 3 50 | | |
| TANACETUM <i>globiferum</i> (Tansy). August. Golden yellow. 3 ft. | 25 | 1 50 | 10 00 | |
| THALICTRUM <i>adiantifolium</i> (Meadow Rue). June. Yellow. 18 in..... | 25 | 1 50 | 10 00 | |
| <i>aquilegifolium</i> (Feathered Columbine). June. White. 2 to 4 ft..... | 25 | 1 50 | | |
| <i>polyganum</i> (Tall Rue). June. White. 3 to 4 ft. | 25 | 1 50 | | |
| <i>purpurascens</i> . June to August. Purple. 3 to 4 ft..... | 25 | 1 50 | | |
| HERMOPSIS <i>Caroliniana</i> . June. Yellow. 3 to 4 ft. | 25 | 1 50 | | |
| <i>mollis</i> . May to July. Yellow. 2 to 3 ft... . | 25 | 1 50 | | |
| THYMUS <i>montanus</i> , var. <i>coccineus</i> (Scarlet Thyme). May. Bright red. 4 in..... | 25 | 1 50 | | |
| <i>vulgaris</i> (Common Thyme). May. Lilac. 1 to 2 ft..... | 25 | 1 25 | | |
| TRADESCANTIA <i>Virginiana</i> (Spiderwort). June to October. Purple. 2 ft..... | 25 | 1 50 | 12 50 | |
| <i>Virginiana</i> , var. <i>alba</i> . June and July. White. 2 ft. | 25 | 1 50 | 12 50 | |
| TRILLIUM <i>erectum</i> (Wake Robin). March and April. Purple. 9 to 12 in..... | 25 | 1 50 | | |
| <i>grandiflorum</i> (Wood Lily). March and April. White. 9 to 12 in..... | 25 | 1 50 | | |
| TROLLIUS <i>Europaeus</i> (Globe-flower). May to August. Yellow. 2 ft..... | 25 | 1 50 | 12 50 | |
| <i>Japonicus</i> "Excelsior." May to August. Deep orange. 1½ to 2 ft..... | 35 | 2 50 | | |
| VALERIANA <i>coccinea</i> (Valerian). June to October. Reddish. 2 ft..... | 25 | 1 50 | 10 00 | |
| <i>officinalis</i> (Hardy Heliotrope). June and July. Rose-pink. 2 ft..... | 25 | 1 50 | 10 00 | |
| <i>rubra</i> . June to October. Red. 2 ft..... | 25 | 1 50 | 10 00 | |
| VERBASCUM <i>Olympicum</i> (Mullein). July to September. Yellow. 6 ft..... | 25 | 1 50 | 12 50 | |
| VERNONIA <i>Arkansana</i> (Ironweed). August to October. Red. 5 ft..... | 25 | 2 00 | | |
| <i>Baldwini</i> . August to October. Purple. 4 ft. | 25 | 2 00 | | |

| | | Each | 10 | 100 |
|--|---|--------|--------|---------|
| VERONICA <i>longifolia</i> , var. <i>rosea</i> (Speedwell). | July to October. Rose. 1½ ft. | \$0 25 | \$1 50 | |
| <i>longifolia</i> , var. <i>subsessilis</i> . | August to November. Deep blue. 1½ to 2 ft. | 25 | 2 00 | \$15 00 |
| <i>rupestris</i> (Rock Speedwell). | June and July. Blue Spreading..... | 25 | 1 50 | 10 00 |
| <i>spicata</i> . | June to September. Bright blue. 1½ ft. | 25 | 1 50 | 10 00 |
| <i>Virginica</i> . | August to September. White. 4 ft. | 25 | 1 50 | 10 00 |
| VINCA <i>minor</i> (Periwinkle). | May. Bright blue. Spreading | 25 | 1 50 | 10 00 |
| VIOLA <i>pedata</i> , var. <i>bicolor</i> (Bird's-foot Violet). | May. Purple and White. 4 in..... | 25 | 1 50 | 12 50 |
| <i>cornuta</i> , var. <i>Admiration</i> . | May to October. Purple. 10 in..... | 25 | 1 25 | |
| <i>Cornuta</i> , var. <i>Lutea splendens</i> . | Rich yellow. May to October. 10 in..... | 25 | 1 25 | |
| <i>Cornuta</i> , var. <i>Papilio</i> . | Violet blue. May to October. 10 in..... | 25 | 1 25 | |
| <i>Cornuta</i> , var. <i>White Perfection</i> . | Pure white. May to October. 10 in..... | 25 | 1 25 | |

FERNS

| | |
|---|---|
| ADIANTUM <i>pedatum</i> (Maidenhair Fern). | 1 to 2 ft. Moist, shaded positions. |
| ASPIDIUM <i>acrostichoides</i> (Christmas Fern). | 1 to 2 ft. Evergreen. Dry or moist soils in shady places. |
| <i>Felix-mas</i> (Male Fern). | 2 ft. Semi-shaded positions, dry or moist soils. |
| <i>Goldianum</i> . | 2 to 4 ft. Semi-shaded positions, dry or moist soils. |
| <i>marginale</i> . | Evergreen. 1 to 2 ft. Shaded positions, dry or moist soils. |
| ASPLENIUM <i>Filix-fæmina</i> (Lady Fern). | 2 to 3 ft. Open or shaded positions, in moist or dry soils. |
| BOTRYCHIUM <i>Virginianum</i> (Moonwort). | 6 to 12 in. Shaded positions, moist or dry soils. |
| DICKSONIA <i>punctilobula</i> (Boulder Fern). | 2 to 3 ft. For open positions; forms large plantations. |
| ONOCLEA <i>sensibilis</i> (Sensitive Fern). | 1 to 2 ft. For open planting and wet soils. |
| <i>Struthiopteris</i> (Ostrich Fern). | 2 to 4 ft. For open positions, dry or moist soils. |
| OSMUNDA <i>gracilis</i> (Flowering Fern). | 2 to 4 ft. Open or shaded positions, and moist soils. |
| <i>Claytoniana</i> . | 2 to 5 ft. For open plantings, dry or moist soils. |
| <i>cinnamomea</i> (Cinnamon Fern). | 2 to 5 ft. For open or shaded positions, in wet soils. |
| WOODSIA <i>obtusa</i> . | 6 to 12 in. Shady places, in moist soil. |
| WOODWARDIA <i>angustifolia</i> (Chain Fern). | 1 ft. Open or shaded positions, in moist soils. |
| The above varieties, 35 cts. each, \$2.50 per 10, \$15 per 100. | |
| The above, 15 varieties, our selection, \$4.50. | |

TREES AND SHRUBS FOR HEDGES

We shall be pleased to name special prices for plants in large quantity for hedging purposes. Prices per hundred are given on pages indicated.

EVERGREEN TREES

The following are only a few of the varieties that may be used for the purpose, but the list covers the most popular. We ask particular attention to the Hemlock, *Tsuga Canadensis*, which is one of the most popular and at the same time one of the most satisfactory evergreens for hedging purposes.

| PAGE | PAGE |
|-------------------------------|------|
| Picea excelsa | 11 |
| Retinospora plumosa | 16 |
| Retinospora plumosa aurea.... | 16 |
| Thuya occidentalis | 19 |
| Thuya occidentalis Wareana .. | 20 |
| Tsuga Canadensis | 21 |

DECIDUOUS TREES

A few of the most desirable trees adapted for close planting for hedges are as follows: We call particular attention to the Cockspur Thorn, *Crataegus Crus-galli*, which makes a magnificent defensive hedge. Strong growth, beautiful foliage and adaptability to trimming place it in the front rank of trees for hedges.

| PAGE | PAGE |
|----------------------------|------|
| Carpinus Caroliniana | 38 |
| Carpinus Betulus | 38 |
| Crataegus Crus-galli | 39 |
| Crataegus Cordata | 39 |
| Crataegus Oxyacantha | 40 |
| Fagus sylvatica | 40 |

EVERGREEN SHRUBS

There is no doubt that the Boxwood stands first among evergreen shrubs for hedge purposes. The plants we are offering are home-grown, therefore thoroughly acclimated, and will give excellent results. They should not be compared with the freshly imported Box upon which you have to take the risk until it is acclimated.

| PAGE | PAGE |
|---------------------------------|------|
| Azalea amoena | 22 |
| Buxus sempervirens | 23 |
| Buxus sempervirens suffruticosa | 25 |
| Ilex crenata microphylla | 26 |
| Mahonia aquifolia | 27 |
| Mahonia Japonica | 27 |

DECIDUOUS SHRUBS

Of the following the *Berberis Thunbergii* will make the lowest and closest hedge. Next would be the *Ligustrum Regelianum*, but both of these sorts will carry their branches and foliage right down to the ground. Of the other varieties the *Ligustrums* lend themselves readily to shearing for formal hedges, while the *Hibiscus* should be planted where the freer growing hedge is desired and the other sorts should be used where free-growing, untrimmed hedges are wanted.

| PAGE | PAGE |
|----------------------------------|------|
| Acanthopanax spinosa | 51 |
| Berberis Thunbergii and vulgaris | 51 |
| Elæagnus longipes | 55 |
| Forsythia Viridissima | 56 |
| Hibiscus Syriacus | 56 |
| Ligustrum Ibota, Regelianum.. | 57 |
| Ligustrum ovalifolium, vulgare. | 57 |
| Lonicera Tartarica | 58 |
| Rhamnus cathartica | 59 |

INDEX

The following very complete Index will serve for a ready reference to the Trees, Shrubs and Plants not only by their Botanical names but by the Common or Local names as well.

This list comprises a large collection, and from this vast array of plant material you may select everything required for a complete planting.

In addition to the items given in this list, we have many varieties of Trees, Shrubs and Plants in small quantities, quantities too small to offer in a general list, but covering a stock quite large enough to supply your wants, and, therefore, if you do not find in this list the particular item you require, write us about it.

DEPARTMENTS

| PAGE | PAGE |
|------------------------------------|-----------------------------------|
| General Instructions and Terms.. 3 | Vines and Climbing Plants..... 64 |
| Evergreen Trees 5 | Fruit and Small Fruits..... 66 |
| Evergreen Shrubs 22 | Roses 67 |
| Deciduous Trees 33 | Herbaceous Plants 69 |
| Deciduous Shrubs 50 | Ferns 83 |
| Reeds and Grasses 64 | Hedge Plants 84 |

SPECIES AND VARIETIES

| PAGE | PAGE | PAGE |
|--|----------------------------|-------------------------|
| Abelia 51 | Amelopsis 64 | Asplenium 83 |
| Abies 5 | A my g d a l u s. See | Aster 71, 72 |
| Acanthopanax 51 | Prunus 51 | Astilbe 71 |
| Acanthus 69 | Anechusa 69 | Astrantia 71 |
| Acer 33, 34, 35, 36 | Andromeda (see also | Aubretia 71 |
| Achillea 69 | Oxydendrum) | Azalea 22, 23, 50 |
| Aconitum 69 | 22, 27, 43 | |
| Actinidia 64 | Anemone 70 | Baby's Breath 75 |
| Adam's Needle 32 | Anthemis 70 | Bachelor's Buttons. 80 |
| Adiantum 83 | Apples 66 | Ball-on-flower 80 |
| Adonis 69 | Aquilegia 70 | Bambusa 64 |
| Æsculus 36, 51 | Arabis 70 | Baptisia 71 |
| Ailanthus 36 | Aralia 37 | Barberry 51 |
| Ajuga 69 | Arborvitae 6, 19, 20 | Barren-wart 74 |
| Akebia 64 | Arenaria 70 | Basswood 47 |
| Alder 36 | Aristolochia 64 | Beard Tongue 79 |
| Alkanet 69 | Armeria 70 | Bear's Breech 69 |
| Almond, Flowering 59 | Aronia 51 | Beech 40, 41 |
| Alnus 36 | Arrow-wood 63 | Belemeanda 71 |
| Althæa (see also Hi- biscus) 56, 69 | Artemisia 70 | Bell-flower 72 |
| Alum Root 76 | Asclepias 71 | Bellis 71 |
| Alyssum 69 | Ash 41, 47 | Benzoin 51 |
| Amelanchier 37, 51 | Asparagus 66 | Berberis 51 |
| | Aspidium 83 | |

| PAGE | PAGE | PAGE | |
|-----------------------|------------|--------------------------|--------------------|
| Betonica. See Stachys | 71, 82 | Chinese Arborvitæ | 6 |
| Betula | 37 | Chinese Cedrela | 38 |
| Bignonia | 64 | Chionanthus | 52 |
| Biota | 6 | Chokeberry | 51 |
| Birch | 37 | Christmas Rose | 75 |
| Bittersweet | 64 | Chrysanthemum | 72 |
| Black Alder | 36 | Chrysogonum | 72 |
| Blackberries | 66 | Chrysopsis | 72 |
| Black Haw | 63 | Cimicifuga | 72 |
| Black Walnut | 41 | Cineraria. See Artemisia | 73 |
| Blanket-Flower | 74 | Cinquefoil | 59 |
| Blazing Star | 77 | Citrus | 52 |
| Bleeding Heart | 73 | Cladrastris | 39 |
| Blood-root | 81 | Clematis | 65, 73 |
| Bocconia | 71 | Clethra | 52 |
| Boltonia | 71 | Columbine | 70, 82 |
| Boston Ivy | 64 | Comptonia | 52 |
| Botrychium | 83 | Cone-flower | 74, 81 |
| Bowman's Root | 75 | Conoclinium | 73 |
| Box | 23, 24, 25 | Convallaria | 73 |
| Bridal Wreath | 60 | Coral Berry | 61 |
| Buckthorn | 59 | Corchorus | 52 |
| Bugbane | 72 | Coreopsis | 73 |
| Bugle | 69 | Cornelian Cherry | 52 |
| Buttercup | 80 | Corn-flower | 72 |
| Butterfly Weed | 71 | Cornus | 39, 52 |
| Buttonwood | 44 | Coronilla | 73 |
| Buxus | 23, 24, 25 | Corylus | 53 |
| Calimeris | 72 | Cotoneaster | 26, 53 |
| Callirhoe | 72 | Cowslip | 78, 80 |
| Calycanthus | 52 | Crab Apple, Flowering | 44 |
| Campanula | 72 | Cranberry Bush | 63 |
| Candytuft | 76 | Cranesbill | 74 |
| Caragana | 37, 52 | Crataegus | 26, 39 |
| Cardinal-flower | 78 | Crown Vetch | 73 |
| Carpinus | 38 | Crow's Foot | 80 |
| Carya | 38 | Cryptomeria | 7 |
| Catalpa | 38 | Cucumber Tree | 42 |
| Catchfly | 78 | Currants | 66 |
| Ceanothus | 52 | Cydonia | 53 |
| Cedar | 6 | Cypress, | 14, 15, 16, 18, 47 |
| Cedrela | 38 | Cytisus | 40 |
| Cedrus | 6 | Daisy | 71, 72 |
| Celastrus | 64 | Daphne | 26 |
| Celtis | 38 | Day Lily | 74, 75 |
| Centaurea | 72 | Deciduous Shrubs | 50 |
| Cephalanthus | 52 | Deciduous Trees | 33-48 |
| Cerastium | 72 | Delphinium | 73 |
| Cerasus | 38 | Desmodium | 53 |
| Ceratostigma | 72 | Deutzia | 54 |
| Cercidiphyllum | 38 | Dianthus | 73 |
| Cercis | 38, 52 | Dicentra | 73 |
| Chamomile | 70, 71 | Dicksonia | 83 |
| Chelone | 72 | Diervilla | 54 |
| Cherries, Fruit | 66 | Digitalis | 73 |
| Cherry, Flowering | 38 | Diospyros | 40 |
| Chestnut | 36 | | |
| Chinese Angelica | | | |
| Tree | 37 | | |
| | | Dirca | 55 |
| | | Dogwood | 39, 52 |
| | | Doronicum | 74 |
| | | Dutchman's Pipe | 64 |
| | | Echinacea | 74 |
| | | Elæagnus | 55 |
| | | Elder | 60 |
| | | Elm | 48 |
| | | Elscholtzia | 55 |
| | | Elymus | 64 |
| | | English Primrose | 80 |
| | | English Ivy | 65 |
| | | Eukianthus | 55 |
| | | Epimedium | 74 |
| | | Erianthus | 64 |
| | | Erigeron | 74 |
| | | Eryngium | 74 |
| | | Esculent Roots | 66 |
| | | Eulalia | 64 |
| | | Euonymus | 26, 55, 65 |
| | | Eupatorium | 74 |
| | | Euphorbia | 74 |
| | | Evening Primrose | 78 |
| | | Evergreen Shrubs | 22-32 |
| | | Evergreen Thorn | 26 |
| | | Evergreen Trees | 5-21 |
| | | Exochorda | 55 |
| | | Fagus | 40, 41 |
| | | False Bittersweet | 64 |
| | | False Dragonhead | 80 |
| | | False Indigo | 71 |
| | | False Solomon's Seal | 81 |
| | | False Wall Cress | 71 |
| | | Fatsia | 41 |
| | | Ferns | 83 |
| | | Feverfew | 74, 80 |
| | | Fir | 5 |
| | | Flame-flower | 77 |
| | | Flax | 78 |
| | | Fleabane | 74, 76 |
| | | Flowering Almond | 59 |
| | | Flowering Crab Apple | 44 |
| | | Forget-me-not | 78 |
| | | Forsythia | 55, 56 |
| | | Foxglove | 73 |
| | | Fox Grape | 65 |
| | | Fraxinus | 41 |
| | | Frost Grape | 65 |
| | | Fruit | 66 |
| | | Funkia | 74 |
| | | Gaillardia | 74 |
| | | Galega | 74 |
| | | Gay Feather | 77 |

| PAGE | PAGE | PAGE |
|---|---|--|
| Genista 56 | Jacob's Ladder 80 | Monarda 78 |
| Gentiana 74 | Japan, or Boston Ivy 64 | Moneywort 78 |
| Geranium 74 | Japan Cypress 15 | Monkshood 39 |
| Geum 74 | Japan Judas 52 | Moonwort 78 |
| Gillenia 75 | Japan Quince 53 | Morus 43 |
| Ginkgo 46 | Japanese Holly 26 | Mountain Ash 47 |
| Gleditschia 41 | Japanese Maples 35 | Mourning Bride 81 |
| Globe Flower 82 | Japanese Snowball 64 | Mulberry 43 |
| Gloxinia 76 | Jersey Tea 52 | Mullein 82 |
| Glyptostrobus. See Taxodium. | Judas Tree 38 | Myosotis 81 |
| Goat's Beard 81 | Juglans 41 | Myrica 59 |
| Goat's Rue 74 | June Berry 37 | |
| Gold-flower 57 | Juniperus 7, 8, 9, 10 | |
| Golden Bell 55 | Kalmia 26 | Negundo. See <i>Acer</i> |
| Golden Chain 40 | Kentucky Coffee Tree 41 | <i>Neanundo</i> 43 |
| Golden Glow 81 | Kerria. See <i>Corchor-</i> <i>us</i> 52, 57 | Nepeta 81 |
| Golden Joint 72 | Kniphofia 77 | Nettle Tree 38 |
| Golden Tuft 69 | Koelreuteria 41 | Nyssa 43 |
| Gooseberries 66 | Kudzu Vine 65 | |
| Goundsel 81 | Laburnum 42 | Oak 45, 46 |
| Grapes 66 | Larch 42 | Oenohera 81 |
| Guelder Rose 63 | Larix 42 | Old Man 70 |
| Gymnocladus 41 | Larkspur 73 | Old Woman 70 |
| Gypsophila 75 | Lathyrus 77 | Olcaster 55 |
| | Laurel 26 | Onoclea 83 |
| Hamamelis 56 | Lavandula 77 | Ophlopogon 79 |
| Hardy Orange 52 | Lavender 77 | Orange, Hardy 52 |
| Hardy Roses 67, 68 | Lavender-cotton 81 | Oriental Plane 44 |
| Harebell 72 | Leather-flower 73 | Osier 53 |
| Hawthorn 40 | Leucothoe 27 | Osmunda 83 |
| Hazel 53 | Liatris 77 | Oswego Tea, or Fra- grant Balm 78 |
| Hedera 65 | Ligustrum 57, 58 | Oxydendron 43 |
| Hedge Plants 84 | Lilac 61, 62 | |
| Helenium 75 | Lilium 77 | Paeonia 79 |
| Helianthus 75 | Lily 74, 75, 77, 82 | Pachysandra 27, 79 |
| Helopsis 75 | Lily-of-the-valley 73 | Papaver 79 |
| Heliotrope 82 | Linden 47 | Pardanthus. See Bel- emcanda 79 |
| Helleborus 75 | Linum 78 | Parrotia 44 |
| Hemerocallis or Dav- ily 75 | Liquidambar 42 | Pasque Flower 70 |
| Hemlock 21 | Liriodendron 42 | Pavia. See <i>Æsculus</i> , |
| Hepatica 76 | Liver Leaf 76 | 51, 59 |
| Herbaceous Plants 69-83 | Lobelia 78 | Peach, Flowering 44 |
| Heuchera 76 | Locust 41, 46 | Peaches, Fruit 66 |
| Hibiscus 56, 76 | London Pride 78 | Pearl Bush 55 |
| Hickory 41 | Lonicera 58, 65 | Pears 66 |
| High Cranberry Bush 63 | Loosestrife 78 | Penstemon 79 |
| Holly 7, 26 | Lychnis 78 | Periploca 65 |
| Hollyhocks (see, also, Althaea) 69, 76 | Lycium 59 | Periwinkle 83 |
| Honey Locust 41 | Lysimachia 78 | Persian Iron Tree 44 |
| Honeysuckle 50, 58, 65 | Lythrum 78 | Persica 44 |
| Hop Tree 59 | Magnolia 42, 43 | Persimmon 40 |
| Hornbeam 38 | Mahonia 27 | Phalaris 64 |
| Horse-Chestnut 36 | Maidenhair Tree 46 | Philadelphus 59 |
| Hydrangea 56, 65 | Mallows 76 | Phlox 80 |
| Hypericum 56, 57 | Maple 33, 34, 35, 36 | Physocarpus 59 |
| | Master-wort 71 | Physostegia 80 |
| Iberis 76 | Matrimony Vine 59 | Picea 11, 12 |
| Ilex 7, 26, 57 | Meadow Rue 82 | Pieris 22 |
| Incarvillea 76 | Meadow-sage 81 | Pinks 73, 80, 81 |
| Inula 76 | Meadow Sweet 81 | Pinus 12, 13, 14 |
| Iris 77 | Mertensia 78 | Plane, Oriental 44 |
| Ironweed 82 | Mountain shrub 55 | Planera 44 |
| Itea 57 | Mist-flower 73 | Platanus 44 |
| Ivy 64, 65, 78 | Mist, or Smoke Tree 60 | Platycodon 80 |
| | Mock Orange 59 | Plum, Flowering 44 |

| PAGE | PAGE | PAGE | |
|--|------------|-----------------------------|--------------------|
| Polyanthus | 80 | Shrub Yellow Root | 64 |
| Poplar | 44 | Shrubbery Cinque-foil | 59 |
| Poppy | 71, 79 | Siberian Pea | 37, 52 |
| Populus | 44 | Silene | 81 |
| Potentilla | 59 | Silk Vine | 65 |
| Primrose | 78, 80 | Silver-cork Fir | 5 |
| Primula | 80 | Skimmia | 27 |
| Privet | 57, 58 | Small Fruits | 66 |
| Prunus. See, also, Cerasus | 44, 59 | Smilacina | 81 |
| Pseudo-tsuga | 14 | Snakeroot | 72, 74 |
| Pueraria | 65 | Snake's Beard | 79 |
| Ptelea | 59 | Sneeze-wort | 75 |
| Purple Mist | 60 | Snowball | 63 |
| Pyrethrum | 80 | Snowberry | 61 |
| Pyrus | 44 | Sorbus | 47 |
| Quercus | 45, 46 | Sorrell Tree | 43 |
| Quinces | 66 | Sour Gum | 43 |
| Ranunculus | 80 | Speedwell | 83 |
| Raspberries | 66 | Spice Bush | 51 |
| Red Bud, or Judas | 38 | Spiderwort | 82 |
| Red Hot Poker | 77 | Spindle Tree | 55 |
| Reeds and Grasses | 64 | Spiraea | 59, 60, 61, 71, 81 |
| Retinospora | 14, 15, 16 | Spruce | 11, 12, 13 |
| Rhammus | 59 | Spurge | 74, 79 |
| Rhododendron | 27-32 | Stachys | 82 |
| Rhodotypus | 60 | Staphylea | 61 |
| Rhubarb | 66 | Star-wort | 72 |
| Rhus | 46, 60 | Statice | 82 |
| Ribbon Grass | 64 | Stephanandra | 61 |
| Robinia | 46, 60 | Stewartia | 61 |
| Rock Cress | 70 | Stokesia | 82 |
| Rockfoil | 81 | Stokes' Aster | 82 |
| Rose Acacia | 60 | Stonecrop | 81 |
| Rose Campion | 78 | Strawberries | 66 |
| Rosemary | 80 | Styrax | 61 |
| Rose of Sharon | 56 | Sumac | 46, 60 |
| Roses | 67, 68 | Summer Grape | 65 |
| Rosmarinus | 80 | Sundrops | 78 |
| Rosy Milfoil | 69 | Sunflower | 75 |
| Rubus | 60 | Swamp Huckleberry | 62 |
| Rudbeckia | 81 | Sweetbrier | 67 |
| Rugosa Roses | 68 | Sweet Fern | 52 |
| St. John's Wort | 56, 57 | Sweet Gum | 42 |
| Salisbury | 46 | Sweet William | 73 |
| Salix | 46, 47 | Sweet Pepper Bush | 52 |
| Salvia | 81 | Sweet Shrub | 52 |
| Sambucus | 60 | Sycamore | 34 |
| Sandwort | 70 | Symplocarpus | 61 |
| Sanguinaria | 81 | Symplocus | 61 |
| Santolina | 81 | Syringa | 61, 62 |
| Barbaria | 60 | Tanacetum | 82 |
| Sassafras | 47 | Tamarix | 62 |
| Saxifraga | 81 | Taxodium | 47 |
| Scabiosa | 81 | Taxus | 17, 18 |
| Scarlet Trumpet | 65 | Tecoma. See Bignonia | |
| Schizophragma Hy- drangeoides | 65 | Thalictrum | 82 |
| Sciadopitys | 16 | The Pearl | 69 |
| Sea Holly | 74 | Thermopsis | 82 |
| Sea Lavender | 82 | Thorn | 39 |
| Seal-flower | 73 | Thorn Evergreen | 26 |
| Sedum | 81 | Thrift | 70 |
| Senecio | 81 | Thuja | 19, 20, 21 |
| Service Berry | 51 | Thujaopsis | 18 |
| Sheep-berry | 63 | Thyme | 82 |
| | | Thymus | 82 |
| | | Tickseed | 73 |
| | | Tiger Lily | 77 |
| | | Tilia | 47, 48 |
| | | Xanthoceras | 64 |
| | | Xanthorrhiza | 64 |
| | | Yarrow | 69 |
| | | Yellow Wood | 39 |
| | | Yew | 17, 18 |
| | | Yodogawa | 23 |
| | | Yucca | 32 |
| | | Zenobia | 22 |